



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

### Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

### About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



1903.—No. 8.

DEPARTMENT OF THE INTERIOR.

---

BUREAU OF GOVERNMENT LABORATORIES.

---

A DICTIONARY OF THE PLANT NAMES

OF THE

PHILIPPINE ISLANDS.

---

By ELMER D. MERRILL, BOTANIST.

---

MANILA:  
BUREAU OF PUBLIC PRINTING.  
1903.

8956





1903.—No. 8.

DEPARTMENT OF THE INTERIOR.

---

BUREAU OF GOVERNMENT LABORATORIES.

---

A DICTIONARY OF THE PLANT NAMES

OF THE

PHILIPPINE ISLANDS.

---

By ELMER D. MERRILL, BOTANIST.

---

MANILA:  
BUREAU OF PUBLIC PRINTING.  
1903.

8956



## LETTER OF TRANSMITTAL.

---

DEPARTMENT OF THE INTERIOR,  
BUREAU OF GOVERNMENT LABORATORIES,  
OFFICE OF THE SUPERINTENDENT OF LABORATORIES,  
*Manila, P. I., September 22, 1903.*

SIR: I have the honor to submit herewith manuscript of a paper entitled "A dictionary of the plant names of the Philippine Islands," by Elmer D. Merrill, Botanist.

I am, very respectfully,

PAUL C. FREER,  
*Superintendent of Government Laboratories.*

Hon. JAMES F. SMITH,  
*Acting Secretary of the Interior, Manila, P. I.*



# A DICTIONARY OF THE NATIVE PLANT NAMES OF THE PHILIPPINE ISLANDS.

---

By ELMER D. MERRILL, *Botanist.*

---

## INTRODUCTION.

The preparation of the present work was undertaken at the request of Capt. G. P. Ahern, Chief of the Forestry Bureau, the object being to facilitate the work of the various employees of that Bureau in identifying the tree species of economic importance found in the Archipelago.

For the interests of the Forestry Bureau the names of the various tree species only are of importance, but in compiling this list all plant names available have been included in order to make the present work more generally useful to those Americans resident in the Archipelago who are interested in the vegetation about them.

In the preparation of this paper the double arrangement alphabetically, both under the native and scientific names, has been deemed essential, the latter arrangement especially, because it is often very important to have all the synonyms of the native names together in one place, and, moreover, the notes regarding the species are best given under the scientific name in order to prevent repetition of the same information under each of the native names given for the same species. The family of each genus and short notes regarding species of economic importance have been given in order to aid in the identification of the species.

The native names used to designate species of economic importance, those which produce edible fruits, medicinal plants, trees valuable for timber, etc., are almost invariably applied to the same species, although in critical genera some variation and confusion of names are found, which is to be expected. The names applied to plants of little or no economic importance are frequently very unreliable, and accordingly, in using this dictionary, whenever

possible the plant should be compared with at least the generic description before accepting the scientific name to which the native name refers.

Most of the names in the present work not compiled from data on the specimens now in the herbarium have been taken from the following works: Blanco, "Flora de Filipinas," first edition, 1837, and second edition, 1845; Fernandez-Villar and Naves, "Novissima Appendix ad Floram Philippinarum," 1880-1883; Vigil, "Diccionario de los nombres vulgares que se dan en filipinas á muchas plantas usuales y notables," 1879; Vidal, S., "Sinopsis de familias y generos de plantas leñosas de filipinas," 1883; "Reseña de la flora del archipielago filipino," 1883; "Revisión de plantas vasculares de filipinas," 1886; Ceron, "Catálogo de las plantas del herbario," 1892; Puigdullés, "Apuntes para el mejor conocimiento, clasificación, y valuación de las principales especies arboreo-forestales de filipinas," 1895; Tavera, "Plantas medicinales de filipinas," 1892; Espejo, "Cartilla de agricultura filipina," 1892; "Catálogo de la exposición general de las islas filipinas," Madrid, 1887; "Guía oficial de las islas filipinas," 1898.

In many instances much difficulty was experienced in properly referring many of the native names recorded in some of these works to the accepted scientific names of to-day, due to the present chaotic state of Philippine botany. The greatest difficulty was met with in attempting to properly refer the many names given by Blanco, for, in spite of all the work done on the Philippine flora since the publication of Blanco's "Flora de Filipinas," his species are to-day very imperfectly known. In most cases in referring the native names given by Blanco to their scientific names I have followed F.-Villar in his generic identifications, as given in the Novissima Appendix, but, except in the case of widely distributed and well-known species, his specific identifications have been discarded. In identifying Blanco's species F.-Villar made few errors in his generic identifications, but his specific identifications of a large per cent of the species can not be accepted.

The present paper enumerates about 5,000 plant names used by natives of the Philippines, and has been compiled chiefly from the publications of the various Spanish botanists who have worked on the flora of the Archipelago. So far as possible these names have been compared with the names on specimens in the herbarium of this Bureau for verification. It seems that in the past there was

never any serious attempt made to carefully compile the various native plant names, and therefore the present list, though drawn from many sources, is comparatively incomplete. By far the greater number of names in the present enumeration are those of the Tagalog language, while of many of the dialects spoken in the Archipelago not a single plant name has ever been recorded.

It is probable that the people of the mountain tribes, the Negritos, the Igorrotes, the Mangyanes, etc., employ even a greater variety of names in specifying the various species of plants than do the more civilized tribes of the lands at lower elevations, but little or no attention has ever been given to the names used by these peoples. The limitations of the present enumeration can best be realized from the fact that most of the names here recorded are from perhaps 12 or 15 of the 70 or 80 dialects spoken by the various peoples of the Archipelago. With the great variation of the names in the same dialect, and the great number of dialects spoken in the Archipelago, the task of compiling a complete or nearly complete dictionary of the native plant names of the Archipelago is an unending one, and one that could be completed only with great difficulty even if the subject were of sufficient importance to warrant it.

Previously but two attempts have been made to compile any extensive lists of the plant names used by the natives of the Archipelago. The first was Vigil's "Diccionario," a pamphlet of 50 pages published in the year 1879, which enumerates about 2,400 names, the identifications being largely based on Blanco's "Flora de Filipinas." The second list is that given by Vidal in Appendix II to his "Sinopsis," where he enumerates about 1,800 names of tree species, giving the generic identifications only. Blanco, in his index to the native names given in his "Flora," gives but a small per cent of the total number enumerated in his text, while F.-Villar gives no index to the native names in his "Novissima Appendix."

The words "puti" or "maputi" (white) and "pula" or "mapula" (red) are frequently used in combination with other words to designate certain species, as are also the words "lalaqui" (man), "babaye" (woman), "dagat" (ocean), "itim" (black), "usá" (deer), "ásó" (dog), "bundoc" or "gubat" (forest), and other words. The prefix "mala" is used in the sense that we use the word "false"—"malaacle" is "false acle," "malabanaba" is "false

banaba," etc. Frequently combinations of native and Spanish words are used to designate certain species, such as "matang diablob" (*Erodia*), "the devil's eye"; "malacafé" (*Glochidion*, *Randia*), "false coffee." Sometimes some of the words introduced by the Spaniards have persisted without change, such as tabaco, maiz, cacao, piña, and others, while on the other hand some have become greatly corrupted—for example, see the word "camanchiles" under *Pithecolobium dulce* (p. 176), or "achúete," under *Bixa orellana* (p. 129).

Some of the introduced species are known only by their Spanish names, while for other species native names have been adapted. Of the names of Spanish origin we find two classes—those of pure Spanish origin and those of American origin adopted by the Spaniards and transmitted by them with the plants to the Philippines. Of the former we have such names as coronitas (*Lantana camara*); manzanitas (*Zizyphus jujuba*); madre cacao (*Gliricidia maculata*); dama de noche (*Cestrum nocturnum*); hoyá cruz (*Crescentia alata*); caballero, or rosas de caballero (*Caesalpinia pulcherrima*). Of the second class we have such names as chicos (*Achras sapota*); mamey or chico mamey (*Lucuma mammosa*); tabaco (*Nicotiana tabaco*); acheute (*Bixa orellana*); maiz (*Zea mays*); cacuate (*Arachis hypogaea*); maguey (*Agave americana*); casuy (*Anacardium occidentale*); guayabas (*Psidium guajaba*). Among the species that have been introduced into the Archipelago since the Spanish occupation and to which the natives have adapted names may be mentioned durang parang (*Dalea nigra*); macahiya, or damohia, literally, "ashamed," suggested no doubt by the sensitive leaves of the plant (*Mimosa pudica*); diluario (*Argemone mexicana*), etc.

Many of the native plant names are also the names of towns such as Iba (*Phyllanthus distichus*), Quiapo (*Pistia stratiotes*), Paco (*Asplenium esculentum*), Sampaloc or Salomague (*Tamarindus indica*), Calumpit (*Terminalia edulis*), Iloilo (*Aglaia argentea*), and others.

During the past two hundred years there has been considerable change in many of the native plant names, as is proved by an examination of the earlier publications on Philippine botany, such as the works of Camell, Mercado, and Delgado. In all these works, but especially in the first, are found a very large number of names which are unknown to us to-day, and many of the ones of



well-known species are spelled quite differently from their accepted form to-day. One example from Camell's work, published in the year 1704, is sufficient to illustrate this point: Camell's "*Conyza Helenitis odoris salviae*" is undoubtedly the plant known to-day as *Blumea balsamifera* DC., and Camell gives the following native names for his species, which should be compared with those given under *Blumea balsamifera* on page 129: *Sambon, Lacarbulan, Lagdanbulan, Anacadbullan, Olacdanbulan, Guitingguitan, Gabuen, Lalacdan, Ayolan, Alibon, Hantilibun*.

None of the names of these earlier authors, not found in later publications, are included in the present publication, for the reason that we can not accurately identify many of the species.

So far as the dialects of the various names were determinable they have been specified by the following abbreviations: B., Bicol; Cag., Cagayan; Ig., Igorrote; Il., Ilocano; Mang., Mangyane; Pamp., Pampangan; Pang., Pangasinan; Sp., Spanish; Sp.-Fil., Spanish-Filipino; T., Tagalog; V., Visayan; Z., Zambales. Frequently, where the dialect of the name is not specified, the name of the island or province where the name is used has been given in parentheses. It has been impossible to identify the dialects of a large number of the names for the reason that many of the Spanish investigators did not consider such data of sufficient value to warrant recording the same. With the exception of the data compiled from the herbarium of this Bureau, the authority for the dialects of the various names is that of the several Spanish investigators, and certain allowance must be made for errors.

Most of the Spanish authors gave little or no attention to accentuation, and frequently where accent marks were given they were erroneously placed. In the present paper an attempt has been made to properly accent the various words, and with this end in view all the names have been carefully checked over with various native employees of the office familiar with many of the dialects.

As the names have been compiled from different works of Spanish authors, it is to be presumed that the latter recorded the native names by the phonetic system of spelling, giving the different letters the same values as in the Spanish language. A cursory examination of the following work will show at once that there is a great variation in the spelling of the same word, *e* and *i*, *o* and *u*, and frequently *i* and *y* have the same values and are interchangeable. With the exception of *ñg*, which is pronounced like *ng* in sing, bring,

etc., the letters in the various words have the same values as in the Spanish language.

The only Philippine author who has used any other method of spelling the native names is Tavera in his "Plantas Medicinales." In this work the consonants are pronounced as follows: *g* always as in get; *h* a gutturalized aspirate; *k* as in English; *w* always as the initial *w* in English, as win, won; *ñ* as *ng* in sing, hung, etc. While this method of spelling the native names has much to commend it, it has not been adopted in the present work, for the reason that no attempt has been made by the Americans so far to change the spelling of the words of the native dialects, and accordingly it was deemed advisable to retain the plant names under the spelling recorded.

# PART I.

---

## A.

- ΛΑΓΑΟ, T. *Premna vestita* Schauer.  
ABACÁ, T., V. *Musa textilis* Neé.  
ABÁLONG, V. *Colocasia antiquorum* Schott.  
ABÁNG-ABÁNG, T., V. *Oroxylum indicum* L.  
ABÁNG-ABÁNG, T. *Leea rubra* Blume.  
ÁBAR, T. *Santiria*?.  
ABEGÁSTE, V. *Morinda bracteata* Roxb.  
ABIÁB, V. *Cyrtia peltata* H. f. & Th.  
ABIÁN, Pang. *Livinstonia rotundifolia* Mart.  
ABILÁO, T. *Garuga floribunda* Deene.  
ABÍLO, T. *Garuga floribunda* Deene.  
ABÍBLING, B. *Artocarpus*.  
ABÓBO, B. *Planchonia*.  
ÁBOD, V. *Eurycea amboinensis* Herb.  
ABÓNG-ABÓNG, V. *Oroxylum indicum* L.  
ABSÍC, T. *Eleocharis*.  
ÁBUD, V. *Eurycea amboinensis* Herb.  
ÁBUR, V. *Eurycea sylvestris* Salisb.  
ABÚTAB. *Lophopetalum toxicum* Loher.  
ABÚTRA, Sp.-Fil. *Anamirta cocculus* W. & A.  
ACÁNA. *Sideroxylon*.  
ACAPÚLCO, Sp.-Fil. *Cassia alata* L.  
ACDÁN, T. *Cryptocarya densiflora* Blume.  
ACHÍOTE, Sp.-Fil. *Bixa orellana* Linn.  
ACHÚETE, Sp.-Fil. *Bixa orellana* L.  
ACHÚTE, Sp.-Fil. *Bixa orellana* L.  
ACLÉ, T. *Pithecolobium acle* Vidal.  
ACLÉNG-PÁRANG, Pamp. *Albizzia*.  
ACTOLÍGAN. *Clerodendron macrostegium* Schauer.  
ADAÁN, T., II. *Albizzia procera* Benth.  
ADADÍNCO (Benguet). *Sageretia*.  
ADAMBAGUÉN, II. *Adenanthera*.  
ADGÁO, V. *Premna vestita* Schauer.  
ADIÁVAN, T. *Cocos nucifera* L.  
ADÍO (Tayabas). *Premna*.  
ADLÁY, V. *Coix lachryma-jobi* Linn.  
ADÚAS, T. *Canarium*.

- ADYÁNGAO, T. *Albizzia procera* Benth.  
 AETAN, T. *Aristolochia tagala* Cham.  
 AFAPÚYAN (Cagayan). *Musa paradisiaca* L.  
 AFÚYAN (Cagayan). *Musa paradisiaca* L.  
 AGA (N. Ecija). *Ficus*.  
 AGAC-ÁC, V. *Amoora rohituka* W. et A.  
 AGALÁNGA, V. *Chisocheton* sp.  
 AGÁNA. *Pterocarpus indicus* Willd.  
 ÁGAO. *Ipomoea quamoclit* L.  
 AGAPÁNGA, Il. *Aglaiia?* sp.  
 AGÁRO, Z. *Lagerstroemia speciosa* Pers.  
 AGAS-ÁS. *Scolopia roxburghii* Clos.  
 ÁGAY, T. *Phyllanthus*.  
 AGÁY-ON (Cebu). *Abrus precatorius* L.  
 ÁGBO, Cag. *Saccharum officinarum* L.  
 AGBOLÍGAN, Il. *Clerodendron macrostegium* Schauer.  
 AGBÓY, V. *Mussaenda grandiflora* Rolfe.  
 AGDÁ, Ig. *Coix lachryma-jobi* Linn.  
 AGDÁO, T. *Premna*.  
 ÁGIN, T. *Dysoxylum blancoi* Vidal.  
 ÁGHO, V. *Leucaena glauca* Benth.  
 AGIYÁNGYIÁNG, V. *Abrus precatorius* L.  
 AGNÁYA, T. *Lumnitzera purpurea* Presl.  
 AGNÁYA. *Polypodium*.  
 AGNIYÁNG-YIÁNG, V. *Abrus precatorius* L.  
 AGNOCÁSTO, Sp.-Fil. *Vitex negundo* L.—*Vitex obovata* Thunb.  
 AGÓGO, T. *Dalea nigra* Mart. and Gal.  
 AGÓHO, T., V., Pamp. *Casuarina equisetifolia* Forst.  
 AGÓHO, T., V. *Ipomoea quamoclit* L.  
 AGÓIOI. *Homonoia riparia* Lour.  
 AGÓNOY, V. *Spilanthes aemella* L.  
 AGÓO, T., Il. *Casuarina equisetifolia* Forst.  
 AGOPÁNGA (Marinduque). *Chisocheton*.  
 ÁGOR, T. *Fimbristylis miliacea* Vahl.  
 AGÓSO, T. *Casuarina equisetifolia* Forst.  
 AGÓSOC, T. *Ficus hispida* Blanco.  
 AGÓS-OS, T. *Ficus hispida* Blanco.  
 AGÓTAI, V. *Heliconia*.  
 AGÓY-OY, T. *Homonoia riparia* Lour.  
 ÁGPOY, Pamp. *Bauhinia*.  
 AGUÁSON, V. *Strychnos ignatii* Berg.  
 AGUBÁHAN, V. *Crinum asiaticum* Linn.  
 AGUBÁRAO, V. *Vitex obovata* Thunb.  
 AGÚCUC, T. *Homonoia riparia* Lour.  
 AGÚHO, T. *Casuarina equisetifolia* Forst.  
 AGÚHO, V. *Oldenlandia diffusa* Roxb.  
 AGUIBÁGAN (Cagayan). *Hypoestes*.  
 AGUÍNÁI, T. *Pennisetum nigricans* Miq.

- ÁGUO, T. *Dysoxylum blancoi* Vidal.  
 ÁGUU', Pamp. *Dysoxylum blancoi* Vidal.  
 ÁGUIS, V. *Eugenia*.  
 AGUPÁN̄GA (Mindoro). *Chisocheton*.  
 AGÚPIT. *Ficus quercifolia* Roxb.  
 AGÚSIP, V. *Melastoma imbricatum* Wall.  
 AGÚSO, Z. *Casuarina equisetifolia* Forst.  
 AGÚS-US (Tayabas). *Dysoxylum*.  
 AGÚTAL, V. *Heliconia*.  
 AGÚTAY, V. *Musa*.  
 AGÚT-UT, V. *Cordia subcordata* Lam.  
 AGUYÁN̄GYAN, V. *Abrus precatorius* L.  
 AIIHÍRO, V. *Bauhinia tomentosa* L.  
 ÁHLING, T. *Mallotus moluccanus* Muell. Arg.  
 AÍMIT, V. *Ficus glomerata* Roxb.  
 ÁJOS-ÁJOS N̄GA MAPOTÍ, V. *Hymenocallis*.  
 ÁJOS-ÁJOS N̄GA MAPOTÍ, V. *Panceratum zeylanicum* Linn.  
 ÁJOS-ÁJOS N̄GA MAPOTÍ, V. *Habranthus*.  
 ALACÁAC, T. *Palaquium latifolium* Blanco.  
 ALÁCAO, Pamp. *Palaquium latifolium* Blanco.  
 ALÁCAP, T. *Palaquium latifolium* Blanco. *P. oleifera* Blanco.  
 ALAGÁ, T. *Premna*.  
 ÁLAG-ÁLAG SONSON, T. *Artabotrys odoratissimus* R. Br.  
 ALAGÁO, T. *Premna vestita* Schauer.  
 ALÁGAO DÁGAT, T. *Premna*.  
 ALÁGAS, V. *Semecarpus perrottetii* March.  
 ALAGÁTLI, T. *Canarium cumingii* Eng.  
 ALOGBAGÚNIT, T. *Premna*.  
 ALÁN̄GASI, V. *Leucosyke capitellata* Wedd.  
 ALAGÚNG-UNG, V. *Capparis mierantha* DC.  
 ALÁHAN, T. *Diospyros* sp.  
 ALAL, Ig. *Pinus insularis* Endl.  
 ALALÁN̄GAT. *Adenanthera pavonina* Linn?  
 ÁLAM, T. *Dactyloctenium aegyptium* Pers.  
 ÁLAM (Mindoro). *Toona*.  
 ALÁMAG. *Parinarium*.  
 ALÁMAG, T. *Aporosa*.  
 ALÁMANG. *Villebrunnea frutescens* Blume.  
 ALAMBÍHOR, V. *Bauhinia tomentosa* L.  
 ALÁN̄GASI, V. *Leucosyke capitellata* Wedd.  
 ALÁN̄GHÍDAN IT BÁN̄CUG, V. *Canthium mite* Bartl.  
 ÁLANG-ÍLANG, T. *Cananga odorata* Hook. f. et Th.  
 ÁLANG-ÍLANG SÓN̄SON, T. *Artabotrys odoratissimus* R. Br.  
 ALÁN̄GÍNGI, V. *Vitis carnosae* Wall.  
 ALÁN̄GÍSI, V. *Pipturus asper* Wedd.  
 ALÁN̄GÍTN̄GIT, T., V. *Ehretia buxifolia* Roxb.  
 ÁLANG-LÁN̄GAL. *Adenanthera*.  
 ALÁN̄GUIT. *Ehretia buxifolia* Roxb.

- ALANÍGNI (Zamboanga). *Myristica*.  
 ALANÓTI. *Wrightia ovata* A. DC.  
 ALÁNTAG, T. *Diospyros*.  
 ALÁRO, V. *Maranta arundinacea* L.  
 ALÁSAS, Pamp. *Ficus aspera* Blanco.  
 ALÁSAS, T. *Freycinetia*.  
 ALÁSAS, T. *Pandanus exaltatus* Blanco.  
 ALÁSIS. *Streblus asper* Lour.  
 ALATÁNAY (Cagayan). *Musa*.  
 ALÁUI, T. *Vernonia*.  
 ALAÚHAO. *Dracontomelon cumingianum* Baill.  
 ALÁYAN, T. *Quercus llanosii* A. DC.  
 ALÁYAN (Angat). *Unona odorata*? DC.  
 ALBAHÁCA. *Ocimum sanctum* Linn.  
 ALBAHÁCA MORÁDO, T. *Coleus acuminatus* Benth.  
 ALBÚTRA, Sp.-Fil. *Anamirta cocculus* W. and A.  
 ALCÁNFOR, Sp.-Fil. *Cinnamomum camphoratum* Blume.  
 ÁLEM, Il. *Mallotus ricinoides* Muell. Arg.  
 ALGÓA, T. *Premna vestita* Schauer.  
 ÁLI, Ig. *Excoecaria agallocha* Linn.  
 ALIÁMA. *Morinda bracteata* Roxb.  
 ALIBÁCTA, B. *Clerodendron*.  
 ALIBÁNBAN, P., T. *Bauhinia blancoi* Baker.  
 ALIBÁNBAN, T. *Bauhinia purpurea* L.  
 ALIBÁNBAN, T., V., Pamp. *Bauhinia tomentosa* L.  
 ALIBÍHIL. *Bauhinia binnata* Blanco.  
 ALIBÁNGBANG, T., V., Pamp. *Bauhinia malabarica* Roxb., and other species.  
 ALIBÁÑGÁN, Ig. *Alsophila glauca* Blume.  
 ALÍBION, V. *Blumea balsamifera* DC.  
 ALIBÍHIL, V. *Bauhinia tomentosa* L.  
 ALIBÚBUT, V. *Tabernaemontana pandacahui* Poir.  
 ALÍBUN, V. *Blumea balsamifera* DC.  
 ALICBÁÑGON, T. *Commelina benghalensis* L.  
 ALICBÁÑGON, T. *Cyanotis cristata* R. and S.  
 ALIHÍZO. *Bauhinia binnata* Blanco.  
 ÁLIM, T. *Mallotus ricinoides* Muell. Arg.  
 ÁLIM, T. *Mallotus moluccanus* Muell. Arg.  
 ALIMÍQUEN, Il. *Musa paradisiaca* L.  
 ALÍNAO, Il.? *Calamus rhomboideus* Blume.  
 ALÍNAO, T. *Callicarpa*.  
 ALÍNAO, B. *Columbia serratifolia* DC.  
 ÁLING, B. *Mallotus moluccanus* Muell. Arg.  
 ALÍÑGAD, Pang. *Shorea*.  
 ALIÑGARO, T. *Elaeagnus latifolia* L.  
 ÁLING HOTÚNGAS. *Callicarpa*.  
 ALINTÁTAO, T. *Diospyros pilosanthera* Blanco.  
 ALINTUTÚNAS. *Astronia rolfei* Vidal.  
 ALIPÁCHAO, Il. *Garcinia*.

- ALÍPAI, T.** *Nephelium longana* Camb.  
 ALÍPAI, T. *Nephelium glabrum* Noronh.  
 ALIPÁRO, T. *Sumbavia rottleroides* Baill.  
 ALIPASÍAO, B. *Villebrunea*.  
 ALIPÁTA, V. *Excoecaria agallocha* L.  
 ALIPÁTA, T. *Dodonaea viscosa* Linn.  
 ALIPÁYO, V. *Homalomena*.  
 ALÍPAY, *Nephelium glabrum* Noronh.  
 ALIPÁYONG, V. *Homalomena*.  
 ALIPÓONG, V. *Pavetta angustifolia* R. and S.  
 ALIPÓONG, V. *Ixora lanceolaria* Coleb.  
 ALÍPUNG, T. *Gmelina*.  
 ALITÁPTAP, B. *Planchonia*.  
 ALMÉNDRO, Sp.-Fil. *Terminalia catappa* L.  
 ALMÉZ. *Celtis philippinensis* Blanco.  
 ALOBÁHAI, T. *Pithecolobium lobatum* Benth.  
 ALÓCAN, H. *Allacanthus luzonicus* Benth et Hook.  
 ALOCÁSOC, V. *Clerodendron intermedium* Cham.  
 ALÓDIG, H., T. *Streblus asper* Lour.  
 ALÓPAG. *Euphorbia litchi* DC.  
 ÁLPAY, T. *Nephelium glabrum* Noronh.  
 ALPOSÓTES, Sp.-Fil. *Chenopodium ambrosioides* L.  
 ALUBÍHOD, V. *Spondias mangifera* Wall.  
 ALUBÍHON, T. *Spondias mangifera* Willd.  
 ALUGBÁTI, V. *Basella rubra* L.  
 ALULÚAN, Cag. *Pistia stratiotes* Linn.  
 ALUM, V. *Mallotus ricinoides* Muell. Arg.  
 ALUNG-CÁGAY, V. *Decaspermum paniculatum* Kurz.  
 ALUNG-CÁGAY, V. *Nelitris*.  
 ALÚPAG, T. *Nephelium longana* Camb.  
 ALÚPAG, T. *Nephelium glabrum* Noronh.  
 ALÚPAI, T. *Nephelium longana* Camb.  
 ALUPÍDAN, V. *Vitis lanceolaria* Roxb.  
 ALUPÍHAN, T. *Muehlenbeckia*.  
 ALÚSANG, T. *Cyperus*.  
 ALUSÍMANG, V. *Trianthema*.  
 ALYÓPYOP, V. *Erianthemum bicolor* Schrank.  
 AMAÉT, V. *Xylosma cumingii* Clos.  
 AMAGÁ. *Diospyros blancoi* DC.  
 AMAGÁ, V., T. *Diospyros pilosanthera* Blanco.  
 AMAGÁ, V., T. *Diospyros discolor* Willd.  
 AMAMÁLE, V. *Leca sambucina* Willd.  
 AMAMÁNGPANG (Albay). *Gironniera celtidifolia* Gaud.  
 AMARGOSO, Sp.-Fil. *Momordica balsamina* L.  
 AMARGÓRO BÁBI, Pamp. *Mollugo*.  
 AMBÁLOD, T., V. *Nauclea obtusa* Blume.  
 AMBABÁLUD, V. *Nauclea obtusa* Blume.  
 AMBOGUÉS. *Koordersiodendron pinnatum* Merrill.

- AMBÓLONG, V. *Metroxylon*.  
 AMÍRAY, T. *Boehmeria nivea* H. and A.  
 AMÍSON. *Ficus glomerata* Roxb.  
 AMLÁNG, T. *Sterculia*.  
 AMLÍS, T. *Calamus piscicarpus* Blume.  
 AMOGUÍS, T. *Koordersiodendron pinnatum* Merrill.  
 AMÓLONG, H. *Epipremnum medium* Engl.  
 AMÓRES SECOS, Sp.-Fil. *Chrysopogon aciculatus* Trin.  
 AMPÁL, V. *Musa sapientum* L.  
 AMPALÉA, T. *Momordica balsamina* L.  
 AMPALÁYA, T. *Momordica balsamina* L.  
 ÁMPAS, Pamp. *Streblus asper* Lour.  
 AMPUPÚYOT, V. *Homalium panayamum* F. Vill.  
 AMUÁUAN. *Vitex littoralis* Decne.  
 AMÚBLIT, V. *Macaranga bicolor* Muell. Arg.  
 AMÚGAN, T. *Pygeum*.  
 AMUGÁNAN. *Vitex littoralis* Decne.  
 AMÚGNI, V. *Artocarpus*.  
 AMUGUÍS, T., V. *Koordersiodendron pinnatum* Merrill.  
 AMÚLUNG, Cag. *Rhaphidophora*.  
 AMURÁONG, B. *Vitex*.  
 AMUYÁON. *Vitex littoralis* Decne.  
 AMÚYON, B. *Xylopia dehiscens* Merrill.  
 AMÚYON. *Melodorum fulgens* Hook. f. and Th.  
 AMÚYON, T. *Xylopia*.  
 AMÚYON (Tayabas). *Unona*.  
 AMÚYONG, Pamp. *Melodorum fulgens* Hook. and Th.  
 ANAÁO, H. *Livistonia rotundifolia* Mart.  
 ANABÍON, V. *Trema aspera* Blume.  
 ANABÁ, T. *Abroma alata* Blanco.  
 ANABÓ, V. *Malachia bracteata* Cav.  
 ANABÓ. *Abroma angusta* L.  
 ANABÓ. *Abroma fastuosa* R. Br.  
 ANÁBONG, V. *Abroma alata* Blanco.  
 ANACÚ, T. *Cupania*.  
 ANAGÁB. *Pithecolobium lobatum* Benth.  
 ANAGÁP, T. *Pithecolobium lobatum* Benth.  
 ANAGÁP, T. *Pithecolobium montanum* Benth.  
 ANÁGAS. *Semecarpus anacardium* L. f.  
 ANÁGAS. *Semecarpus microcarpa* Wall.  
 ANÁGAS, BABÁE, T. *Semecarpus*.  
 ANAGÁSI, B. *Leucosyke capitellata* Wedd.  
 ANAGÁT. *Pithecolobium lobatum* Benth.  
 ANAGATLÍ, T. *Canarium cumingii* Engl.  
 ANAGUÉP. *Pithecolobium lobatum* Benth.  
 ANÁHAO, T., V. *Licuala spectabilis* Miq.  
 ANÁHAO, T. *Licula elegans* Mart.  
 ANÁHAO, T. *Livistonia rotundifolia* Mart.



- ANÁHAO, T. *Corypha*.  
 ANÁHAO, T. *Rhapis flabelliformis* Ait.  
 ANÁHAO, T., V. *Livistonia*.  
 ANAHÁNON, B. *Stereulia*.  
 ANAM, V. *Buchanania florida* Schauer.  
 AN-AN, Mang. *Buchanania florida* Schauer.  
 ANANÁGTAG, V. *Dysoxylum blancoi* Vidal.  
 ANANÁGTANG, V. *Dysoxylum blancoi* Vidal.  
 ANANÁPLA. *Albizzia procera* Benth.  
 ANANÁPLAS, T. *Albizzia procera* Benth.  
 ANANG, T. *Diospyros*.  
 ANÁNŨI, T. *Canarium*.  
 ANÁO, Pamp. *Livistonia papuana* Becc.  
 ANÁREP, H. *Pithecolobium lobatum* Benth.  
 ANAS, Pamp. *Bambusa*.  
 ANÁTAN, T. *Memecylon*.  
 ANÁTAO, T. *Linociera coriacea* Vidal.  
 ANAN, Cag. *Livistonia rotundifolia* Mart.  
 ANAVÍŨGA. *Casearia cinerea* Turcz.  
 ANÁTE. *Bixa orellana* L.  
 ANCHÉRHAN, T. *Cassia fistula* L.  
 ANDARÁYAN (Cagayan). *Alstonia scholaris* R. Br.  
 ANŨAI, Pamp. *Curcuma longa* L.  
 ANŨÁŨGE, Ig. *Elatostema*.  
 ANŨHET, T. *Premna*.  
 ANŨÍLANG (Jolo). *Cananga odorata* H. f. et Th.  
 ANŨLAI, V. *Aegiceras florida* R. and S.  
 ANŨUD, Pamp. *Achyranthes aspera* L.  
 ANÍÁS, T. *Andropogon*.  
 ANÍÁTAN, T. *Brackenridgea fascicularis* F. Vill.  
 ANÍBONG. *Abroma alata* Blanco.  
 ANÍBONG, T. *Abroma angusta* L.  
 ANÍBONG, T. *Abroma alata* Blanco.  
 ANÍBONG, T. *Abroma angusta* L.  
 ANÍBONG, V., T. *Areca nibung* Mart.  
 ANÍBONG, V. *Cocos nucifera* Linn.  
 ANÍBONG, Pamp. *Talauma angatensis* Blanco.  
 ANÍBUNG, V., T. *Areca nibung* Mart.  
 ANÍBUNG, Pang. *Arenga saccharifera* Labill.  
 ANÍ, T. *Erythrina ovalifolia* Roxb.  
 ANÍLAO, T. *Columbia serratifolia* DC.  
 ANÍLAO-UAN, T. *Columbia*.  
 ANINAPLÁ, T. *Albizzia lebbek* Benth.  
 ANÍNO, V. *Morinda bracteata* Roxb.  
 ANÍS, Sp.-Fil. *Foeniculum vulgare* Gaertn.  
 ANÍS CÁHOI, T. *Myristica philippinensis* Lam.  
 ANÍS MOSCÁDA, T. *Myristica philippinensis* Lam.

- ANÍTAG, T. *Stephegyne*.  
 ANÍTAP, Pamp. *Albizzia procera* Benth.  
 ANÍTAP, Ig. *Macaranga*.  
 ANÍTAP, Ig. *Albizzia procera* Benth.  
 ANOÁANG. *Premna*.  
 ANÓBING, T. *Artocarpus cumingiana* Trec.  
 ANÓBING CAGUÍOSING, T. *Artocarpus nitida* Trec.  
 ANÓBION, Pamp. *Artocarpus cumingiana* Trec.  
 ANÓBLING, T. *Talauma villariana* Rolfe.  
 ANÓBLING, T. *Talauma angatensis* F. Vill.  
 ANÓBLING, V. *Artocarpus cumingiana* Trec.  
 ANÓBLING, T. *Artocarpus nitida* Trec.  
 ANÓBLING-CAQUÍESING. *Artocarpus lamellosa* Blanco.  
 ANOBRÁN, Il. *Premna vestita* Schauer.  
 ANÓLANG, T. *Polyalthia lanceolata* Vid.  
 ANÓNAG, T. *Litsea*.  
 ANÓNAG, B. *Cordia blancoi* Vidal.  
 ANONG, T. *Cordia blancoi* Vidal.  
 ANÓNAS, Sp.-Fil. *Anona reticulata* L.  
 ANONÓO. *Musa sapientum* L.  
 ANÓPOL (Albay). *Conocephalus acuminatus* Turcz.  
 ANOS. *Bambusa*.  
 ANÓSEP, T. *Palaquium cuneatum* Vid.  
 ANÓTONG (Zambales). *Wrightia ovata* DC.  
 ANSÓHAN, V. *Stereospermum quadripinnatum* F. Vill.  
 ANTÁGAN. *Pterocarpus indicus* L.  
 ÁNTEN, Il. *Canarium luzonicum* Miq.  
 ÁNTEN, Il. *Canarium cumingii* Engl.  
 ANTIPÓLO, T., V., Pamp. *Artocarpus incisa* L.  
 ANTO, V. *Amorphophalus campanulatus* Blume.  
 ANTOBÁNAG, T. *Glochidion*.  
 ANTÓLANG, T. *Graptophyllum hortense* Nees.  
 ANTOLÁNGAN, T., V. *Hibiscus rosa-sinensis* L.  
 ANTÓNG (Nueva Ecija). *Casuarina equisetifolia* Forst.  
 ANTÓNG (Abra). *Canarium*.  
 ANTÓNG, T. *Dipterocarpus*.  
 ANUÁNG. *Musa sapientum* L.  
 ANUÁNG, T. *Musa paradisiaca* L.  
 ANUÁNG, T. *Kyllingia monocephala* Rottb.  
 ANÚBING, T. *Artocarpus odoratissima* Blanco.  
 ANÚBING, T. *Eugenia*.  
 ANÚBING. *Artocarpus cumingiana* Trec.  
 ANÚBING NA CAGUÍOSIN, T. *Artocarpus nitida* Trec.  
 ANÚBION, T. *Artocarpus*.  
 ANÚBIONG (Tayabas). *Talauma*.  
 ANÚBLIN, T. *Artocarpus*.  
 ANÚBLING, V. *Talauma angatensis* F. Vill.  
 ANÚPING (Zamboanga). *Myristica simiarum* A. DC.

- ANÚSEP, T. *Palaquium*.  
 AÑIL, Sp.-Fil. *Indigofera tinctoria* Linn.  
 APALAYÁ, T. *Momordica balsamina* L.  
 APÁLIA, Pamp. *Momordica balsamina* L.  
 APÁLIT, Pamp. *Pterocarpus blancoi* Merrill.  
 APÁLONG, *Osmoxylon pulcherrimum* Vidal.  
 APÁNA, T. *Eupatorium ayapana* Vent.  
 APARIÁGUA, T., V. *Laportea guadichaudiana* Wedd.  
 APASÓTIS, T. *Chenopodium ambrosioides* L.  
 APÁTONG, T. *Nephelium*.  
 APÁTOT, H. *Morinda bracteata* Roxb.  
 APÁTUT, T. *Morinda bracteata* Roxb.  
 APIÁPI, T. *Avicinnia officinalis* L.  
 APIÚT, Ig. *Viburnum odoratissimum* Ker.  
 APIPI, V. *Colocasia antiquorum* Schott.  
 APÍS, T. *Pothos*.  
 APÍS (Zambales). *Calamus*.  
 APIFON, T. *Dipterocarpus grandiflorus* Blanco.  
 APIFONG, T. *Dipterocarpus grandiflorus* Blanco.  
 APNIT, T. *Anona*.  
 APNIT, B. *Dipterocarpus*.  
 APÓIAPOYAN, T. *Gynandropsis pentapylla* DC.  
 APOY, T. *Amorphallus campanulatus* Blume.  
 APÓO, *Bohemeria nivea* H. and A.  
 APORÚYOT (Cagayan). *Diospyros pilosanthera* Blanco.  
 APOSÓTIS, T., V., Pamp. *Chenopodium ambrosioides* L.  
 APÓY-APÓYAN, T. *Cleome viscosa* L.  
 APÓY-APÓYAN, T. *Ammanium*.  
 APÓY-APÓYAN, T. *Cleome viscosa* Linn.  
 APPAN (Cagayan). *Mangifera altissima* Blume.  
 APÚLONG, V. *Osmoxylon pulcherrimum* Vidal.  
 APÚYO (Paraguay). *Callicarpa*.  
 APÚYOT, Z. *Mallotus philippinensis* Muell. Arg.  
 ARAGÁO, V. *Premna*.  
 ARAGOÍROY, V. *Opilia javanica* Miq.  
 ARÁHAN (Albay). *Litsea albayana* Vidal.  
 ARÁHAN, B. *Diospyros*.  
 ARÁNA, B. *Litsea*.  
 ARÁN-CÁLAO, V. *Nepenthes*.  
 ARANDÓN, H. *Wikstroemia ovata* Mey.  
 ARÁÑGA, T. *Homalium luzoniense* F. Vill.  
 ARÁÑGA BLANCO, T. *Eugenia*.  
 ARÁÑGAN, T. *Eugenia*.  
 ARÁNA (Manila). *Gynandropsis speciosa* DC.  
 ARÁT, T. *Scleria*.  
 ARÁUA, B. *Eugenia*.  
 ARÁYAN, T. *Flagellaria indica* Linn.  
 ARBOL DE FUEGO, Sp.-Fil. *Poinciana regia* Bojer.

- ÁRBON (Paragua). *Cerbera odollam* Gaertn.  
 ARDÁTÁG, V. *Elephantopus spicatus* Juss.  
 ARGÁO, V. *Premna vestita* Schauer.  
 ARICÚNDAL, V. *Musa paradisiaca* L.  
 ARÍLAO. *Columbia serratifolia* DC.  
 ARÍMAL, II. *Boehmeria nivea* Hook. et Arn.  
 ARÍNGIT, V. *Marsdenia tinctoria* R. Br.  
 ARITÓNGTONG, II. *Terminalia*.  
 ÁRO, II. *Casuarina equisetifolia* Forst.  
 ARÓE-MÁMAY, B. *Maoutia*.  
 ARODÁYDAY, T., B. *Ipomoea pes-caprae* Roth.  
 AROGÁNAN, T., Pamp., V. *Hibiscus rosa-sinensis* L.  
 ARÓMA, T. *Prosopis juliflora* DC.  
 ARÓMA, T. *Acasia farnesiana* Willd.  
 ARÓRO, V., T. *Maranta arundinacea* L.  
 ARÓSEP, II. *Antidesma ghaesembilla* Gaertn.  
 AROYÁNGYANG, V. *Abrus precatorius* L.  
 ARQUÍG?, Cag. *Pandanus fascicularis* Lam.  
 ARRÁYAN. *Psidium guayava* L.  
 ARRÓO. *Casuarina equisetifolia* Forst.  
 ARRÓU-ROU, T., V. *Maranta arundinacea* L.  
 ÁRUM. *Mallotus ricinoides* Muell. Arg.  
 ARÚRU. *Maranta arundinacea* L.  
 ÁSAC-TÁLONG. *Phyllanthus?*  
 ASÁNA, T. *Pterocarpus indicus* Willd., T. *vidalianus* Rolfe.  
 ÁS-AS, T. *Ixora stricta* Roxb.  
 ASIÁSÍMANAN, T. *Derris sinuata* Benth.  
 ASÍMAO, T. *Harrisonia bennetii* B. and H.  
 AS-ÍS, T. *Ficus heterophylla* L.  
 AS-ÍS, T., V., Pamp. *Ficus hispida* L.?  
 ASÍSIO, V. *Physalis angulata* L.  
 ASNÁNGAI, V. *Clerodendron intermedium* Cham.  
 ATAIÁTAI, T. *Graptophyllum hortense* Nees.  
 ATALAPÍPIC, Z. *Sapindus*.  
 ATARÓLAN, T. *Ardisia*.  
 ÁTAY-ÁTAY, V. *Eranthemum bicolor* Schrank.  
 ATCÚY, Pamp. *Bauhinia*.  
 ÁTON. *Canarium ovatum* Engl.  
 ÁTES, T. *Anona squamosa* L.  
 ATIBÁNGDAN. *Alsophila glauca* Blume.  
 ATÍLUAG (Abra). *Breynia acuminata* Muell. Arg.  
 ATÍMON, V. *Cucumis melo* L.  
 ATÓLA. *Bixa orellana* L.  
 ATOÁTONG, Ig. *Selaginella caulescens* Spring.  
 ATSÚITI, T. *Bixa orellana* L.  
 AÚGOD, Pamp. *Achyranthes obtusifolia* Lam.  
 ÁUA, II. *Musa*.  
 AUSÍMAN, B. *Portulaca oleracea* L.

AVÍLO, T. *Garuga floribunda* Decne.  
 AYAM, V. *Trianthema monogyna* L.  
 AYÁNGAO, T. *Albizzia procera* Benth.  
 AYANTÓTO, Pamp. *Amaranthus spinosus* L.  
 AYAPÁNA, Sp. Fil. *Eupatorium ayapana* Vent.  
 ÁYMIT, *Ficus glomerata* Roxb.  
 ÁYMIT, T. *Ficus minnahassae* Miq.  
 ÁYO, V. *Casuarina equisetifolia* Forst.  
 ÁYO, Pamp. *Oxalis acetosella* L.  
 ÁYO, T. *Vitis capriolata* Don.  
 ÁYO-ÁYO. *Micromelum*.  
 AYÓBAN, V. *Blumea balsamifera* DC.  
 ÁYU-ÁYU. *Micromelum*.  
 ÁYU, Pamp. *Vitis carnosae* L.  
 AYÚMIT, T. *Ficus minnahassae* Miq.  
 AYÚPAG, T. *Nephelium*.  
 AZÚCENA. *Polyanthes tuberosa* L.

## B.

BABÁGION. *Memecylon floribunda* Blume.  
 BABÁGION, V. *Ardisia humilis* Vahl.  
 BABAISÁCAN, T. *Quercus*.  
 BABÁLOD, T., V. *Nauclea obtusa* Blume.  
 BÁBAN (Zamboanga). *Donax arundastrum* Lour.  
 BABÁNAT (Nueva Viscaya). *Deeringia indica* Zoll.  
 BABEBÁBE, Pamp. *Quisqualis indica* L.  
 BÁBO-BÁGO (Bohol). *Garcinia venulosa* Choisy.  
 BÁBOI-GÚBAT, T. *Thespesia populnea* Corr.  
 BÁBUY, T. *Thespesia populnea* Corr.  
 BACÁROC. *Scaevola koenigii* Vahl.  
 BACA-BACÁHAN, T. *Cyperus*.  
 BACÁLAO, Pang. *Nephelium*.  
 BÁCAN, T. *Litsea*.  
 BÁCAN, T. *Sterculia*.  
 BÁCAN (Tinago). *Bruguiera gymnorhiza* Lam.  
 BACÁNIS (Zamboanga). *Eugenia lineata* DC.  
 BACÁNUN, T. *Bruguiera gymnorhiza* Lam.  
 BACÁO, T. *Ceriops candolleana* Arn.  
 BACÁO, T., V. *Rhizophora mucronata* Lam.  
 BACÁO, T. *Bruguiera gymnorhiza* Lam.  
 BACÁPIE, V. *Calamus albus* Pers.  
 BACÁUAN, T. *Ceriops candolleana* Arn.  
 BACÁUAN, T. *Bruguiera caryophylloides* Blume.  
 BACÁUAN, T. *Rhizophora mucronata* Lam.  
 BACÁUAN GUBA, Pang. *Carallia integrissima* DC.  
 BACÁUAN LALÁQUI, T. *Rhizophora conjugata* Lam.  
 BACÁYAN, V. *Canarium cumingii* Engl.  
 BACÁYAO, Pang. *Illipe betis* Merrill.

- BACCÁLAO. *Nephelium glabrum* Noronh.  
 BACCUNG. *Crinum asiaticum* Linn.  
 BÁCONG, T. *Crinum asiaticum* L.  
 BÁCONG, T. *Hippeastrum*.  
 BÁCONG-BÁCONG, V. *Crinum amoenum* Roxb.  
 BÁCONG NGA DULÁO, V. *Crinum pratense* Herb.  
 BÁCONG SA PERSIA. *Pancratum zeylanicum* Linn.  
 BÁCONG SA SÓLOG, V. *Crinum pratense* Herb.  
 BACÚGAN, V. *Dysoxylum blancoi* Vidal.  
 BACÚIT, Pang. *Harrisonia bennetii* Hook.  
 BACÚIT, Pang. *Alstonia*.  
 BÁCUNG, V. *Crinum asiaticum* Linn.  
 BÁCUOG, Pang. *Vatica*.  
 BADÍANG, T., V. *Alocasia indica* Schott.  
 BADÍANG. *Colocasia antiquorum* Schott.  
 BADIÁRA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 BADLÁN, V. *Sterospermum quadripinatum* F. Vill.  
 BÁDOC, Il. *Gnaphalium indicum* L.  
 BÁGAO. *Ehretia*.  
 BÁGA-BÁBOI, T., V. *Gmelina asiatica* L.  
 BÁGA-BÁBOI, V. *Gmelina villosa* Roxb.  
 BAGÁCAN, T. *Bambusa*.  
 BAGÁCAY, V. *Dendrocalamus membranacens* Munro.  
 BAGÁCBAO, Pamp. *Eugenia*.  
 BAGALÁNĠIT, T. *Palaquium lanceolata* Blanco.  
 BAGALÁNĠIT, T. *Palaquium luzonensis* Vidal.  
 BAGALÍGUAN, B. *Astronia*.  
 BAGALÍRAT. *Nauclea glabra* DC.  
 BAGALOÁN, T. *Marlea begoniaefolia* Roxb.  
 BAGALÚGA, V. *Melia dubia* Cav.  
 BAGÁNAC. *Clerodendron macrostegium* Schauer.  
 BAGÁNG, Cag. *Amorphophallus campanulatus* Blume.  
 BAGÁNG ÁSO, B. *Anaxagorea luzonensis* A. Gray.  
 BAGÁNG-BAGÁNG, B. *Glochidion*.  
 BAGANÍTO (Morong). *Diospyros*.  
 BAGARÍLAO, T. *Anthocephalus cadamba* Miq.  
 BAGARÍLAO NA ITÍM, T. *Nauclea*.  
 BAGARÍLAT, T. *Anthocephalus cadamba* Miq.  
 BAGASÓA, T., V. *Ipomoea pes-caprae* Roth.  
 BÁGA-TAMBÁL, V. *Zanthoxylum avicennae* DC.  
 BÁGA-TÚBANG (Samar). *Cratoxylon blancoi* Blume.  
 BAGÁUAC, T. *Clerodendron*.  
 BAGÁUAC NA MORÁDO, T. *Clerodendron blancoanum* F. Vill.  
 BAGAYBÁY, T. *Derris*.  
 BAGBÁG, Il. *Erythrina indica* L.

- BAGGÁB. *Clerodendron*.  
 BAGMÁN, T. *Quercus*.  
 BAGNÁ, T. *Glochidion*.  
 BAGNÍT, T. *Tristellateia australasica* A. Rich.  
 BAGÓ. *Commersonia platyphylla* Andr.  
 BAGÓ, V. *Gnetum gnemon* L.  
 BAGÓ. *Garuga floribunda* Deene.  
 BAGÓARON, V. *Vitex heterophylla* Roxb.  
 BÁGO-BÁGO (Bohol). *Garcinia cambogia* Desrouss.  
 BÁGO-BÁGO. *Ixora macrophylla* Bartl.  
 BÁGO-BÁGO, V. *Garcinia*.  
 BAGÓMBON, Pamp., V. *Alpinia gigantea* L.  
 BÁGONG (Jolo). *Amorphophallus campanulatus* Blume.  
 BÁGONG, V. *Tacca rumphii* Schauer.  
 BÁGONG-BÁGONG, V. *Tacca rumphii* Schauer.  
 BAGÓNGBONG, V. *Alpinia brevibras* Presl.  
 BAGONÍTO, B. *Cupania*.  
 BAGÓ-OEN, H. *Parkia roxburghii*, G. Don.  
 BAGÓ-SÍL. *Gnetum gnemon* Linn.  
 BÁGSANG, V. *Caryota rumphiana* Mart.  
 BÁGUD, T. *Pterospermum diversifolium* Blume.  
 BAGÚEN, H. *Parkia roxburghii* G. Don.  
 BÁGUI-LÓMBOY. *Eugenia*.  
 BÁGUI-LÚMBAN, T. *Aleurites trisperma* Blanco.  
 BÁGUING, T. Generally applied to woody vines.  
 BÁGUIN-CASTÍLA, T. *Argyrea*.  
 BÁGUIN-CASTÍLA, T. *Ipomoea*.  
 BAGUINUNBÁNG NA PULÁ (Negros). *Garcinia*.  
 BAGUÍR, H. *Ixora*.  
 BAGUIRÓRO, V. *Viburnum luzonicum* Rolfe.  
 BAGUIRÓRO, V. *Adenanthera pavonina* L.  
 BÁGUIT, B. *Tristillatia australasica* A. Rich.  
 BAGUITÁRIM, T. *Hopea philippinensis* Dyer.  
 BAGULÍBAS (Mindoro). *Buchanania florida* Schauer.  
 BAGULÍBAS, T. *Garuga*.  
 BAGUMAÓNIAO, B. *Maesa laxa* Mez.  
 BÁHAY, V. *Pueraria phascoloides* Benth.  
 BÁHAY, T. *Ormosia calavensis* Blanco.  
 BÁHAY, T., V. *Lepidopetalum perrottetii* Blume.  
 BÁHAY, T., V. *Adenanthera pavonina* Linn.  
 BÁHAY, T., V. *Pygeum*.  
 BÁHAY NAMÓC, B. *Ardisia*.  
 BÁHI, V. *Arenga saccharifera* Labill.  
 BÁHI, V. *Calyptrocalyx spicatus* Blume.  
 BÁHI, V. *Livistona rotundifolia* Mart.  
 BÁHO-BÁHO, V. *Cassia tora* Linn.  
 BÁIAO, T. *Fagraea morindaefolia* Blume.  
 BÁIAO, V. *Bruguiera eriopetala* W. and A.

- BAILÁYAN (Mindoro). *Dipterocarpus*.  
 BAÍNO, T. *Nelumbium speciosum* Willd.  
 BAÍO. *Bruguiera eriopetala* W. and A.  
 BAÍT. *Canarium*?  
 BAÍT, T., Pamp. *Euphorbia neriifolia* L.  
 BAÍTO, T. *Bambusa*.  
 BAIYABÁSIN, T. *Cassia alata* L.  
 BALABÁGO, V. *Hibiscus tiliaceus* L.  
 BALABALANÓYAN, T. *Cleome viscosa* L.  
 BALABALANÓYAN, T. *Gynandropsis pentaphylla* DC.  
 BALABALÁNTIAN. *Cleome viscosa* L.  
 BALABALATÚÑGAN, B. *Indigofera teysmannii* Miq.  
 BALABALÁYAN, T., V. *Gmelina asiatica* L.  
 BALÁBANG QUILÍNG, V. *Connaropsis philippica* F. Vill.  
 BALÁBO, T. *Grewia*.  
 BALABÓNOT. *Sterculia*.  
 BALACÁNOG, T. *Eugenia*.  
 BALÁCAT, T. *Zizyphus trinervis* Poir.  
 BALACBÁC, T.? *Jussiaea suffruticosa* Linn.  
 BALACBÁC, T. *Eugenia jambos* L.  
 BALACBÁLAC, T. *Mallotus ricinoides* Muell. Arg.  
 BALACBALÁC, V. *Tournefortia argentea* L. f.  
 BALAGÁNÑO, T. *Melia candollei* Juss.  
 BALÁGAY, V. *Psophocarpus palustris* Desv.  
 BALÁG-BALANGGÓTAN, T. *Eleocharis*.  
 BALÁGNAN. *Calophyllum vidalii* F. Vill.  
 BALÁGNAN, V. *Calophyllum cuneatum* Vidal.  
 BALÁI-LAMÓC, H. *Mussaenda grandiflora* Rolfe.  
 BALÁI-LAMÓC, H. *Crataeva religiosa* Forst.  
 BALÁI-TOCÁC, H. *Ixora*.  
 BALÁNGHAS. *Sterculia balanghas* Blanco.  
 BALANŖÍGAN, V. *Guettarda speciosa* Linn.  
 BALANŖÍQUIN, Cag. *Streblus asper* Lour.  
 BALANŖOT, T. *Typha angustifolia* L.  
 BALANŖÓTAN, T. *Cyperus*.  
 BALANŖUD, T. *Scirpus mucronata* L.  
 BALANŖUN, V. *Musa sapientum* L.  
 BALÁNOL, T. *Ocimum sanctum* L.  
 BALANTÁNA, V. *Clerodendron intermedium* Cham.  
 BALANTÍ, T. *Homonoia riparia* Lour.  
 BALANTÍ. *Croton muricatum* DC.  
 BALANTÍ, T. *Alchornea mollis* Muell. Arg.  
 BALANTÍ, T. *Homalanthus fastuosus* F. Vill.  
 BÁLAO, T. *Dipterocarpus vernicifluus* Blanco.  
 BALASÁBIS. *Cupania regularis* Blume.  
 BALÁSBAS, V., T. *Graptophyllum hortense* Nees.  
 BALÁSBAS-MALÓMAY, T. *Graptophyllum hortense* Nees.  
 BALÁSIN, T., V., Pamp. *Anamirta cocculus* W. and A.



- BALÁTBAT (Paragua). Licuala.  
 BÁLATINAO. Diospyros pilosanthera Blanco.  
 BALÁTONG, V. Vigna catjang Endl.  
 BALÁTONG, T. Phaseolus mungo L.  
 BALÁTONG-ÁSO, T. Cassia tora L.  
 BALÁTONG-ÁSO, T. Cassia occidentalis L.  
 BALÁUEN, Pang. Vitex.  
 BÁLAY, V. Cassia fistula L.  
 BALÁYANG, H. Musa sapientum L.  
 BALÁY-BÁYAN, Z. Pterospermum diversifolium Blume.  
 BALÁY-NAMÚC, H. Crataeva religiosa Forst.  
 BALÁY-OÁC, H. Parkia roxburghii G. Don.  
 BALAYÓHOT, T. Buchanania florida Schauer.  
 BALÁYON, T., V. Afzelia rhomboidea Vidal.  
 BALÁYON, V. Cassia fistula Linn.  
 BALÁYONG, T. Afzelia rhomboidea Vidal.  
 BALÉBO, Ig. Pinus insularis Endl.  
 BALEŃGÁSOY, T. Buchanania florida Schauer.  
 BALEŃGÚAY. Flagellaria indica L.  
 BALÉTE, T. Ficus elusoides Miq. and other species.  
 BALÉTE-GÁPAŃG (Marinduque). Ficus radicans Roxb.  
 BALÁICAG, V. Dioscorea sativa L.  
 BALIBÁGAN, V. Dalbergia spinosa Roxb.  
 BALIBÁGAN, V. Guettarda speciosa L.  
 BALIBÁGO, T. Grewia.  
 BALIBÁGO, T., Pamp. Hibiscus tiliaceus L.  
 BALÍBAI, Pamp. Symphorema luzonicum F. Vill.  
 BALÍ-BALÍ, V. Couthovia celebica Koorders.  
 BALIBÁNBAŃ, V. Bauhinia tomentosa L.  
 BALÍBAY. Litsea luzonica Blanco.  
 BALÍC?, V. Allophylus cobbe Blume.  
 BALÍCAO, V. Schizostachyum.  
 BALICÁSAN, T., V. Talaumia angatensis F. Vill.  
 BALÍC-BALÍC, Pamp. Amomum ciliatum Blume.  
 BALÍC-BALÍC, T. Hoya diversifolia Blume.  
 BALÍC-BALÍC, T. Pongamia glabra Vent.  
 BALÍCTAN?. Cryptocarya villarii Vidal.  
 BALICTARÍŃ, T. Clerodendron blancoanum F. Vill.  
 BALICÚPCUP, V. Epipremnum medium Engl.  
 BALIGÁNĜAN, B. Duabanga moluccana Blume.  
 BALIGÁN-NIN-GÁNĜAN, B. Eugenia.  
 BALÍGNON, V. Melochia arborea Blanco.  
 BALIGÓHOT, B. Buchanania florida Schauer.  
 BALIHÚD, T. Buchanania florida Schauer.  
 BALÍLANG OÁC, T. Oroxylum indicum L.  
 BALÍLANG OÁC, T. Claoxylon wallichianum Willd.  
 BALÍLI, Pamp. Imperata arundinacea Cyr.  
 BALIMBÍŃ, T. Averrhoa carambola L.

- BALIMBING, T. *Averrhoa carambola* L.  
 BALINANAY, T. *Calamus*.  
 BALINAÓ-NAÓ (Unisan). *Ixora*.  
 BALINAÓ-NAÓ, T. *Otophora blancei* Blume.  
 BALINGÁCTA, H. *Diospyros pilosanthera* Blanco.  
 BALINGÁCTA-COLORADO (Abra). *Diospyros*.  
 BALINGÁHOOD, T. *Buchanania florida* Schauer.  
 BALINGÁSAY. *Buchanania florida* Schauer.  
 BALINGAY. *Flagellaria indica* Blanco.  
 BALINGÁYO, T. *Erythrolalum*.  
 BALINGBING, V. *Averrhoa carambola* Linn.  
 BALING CÁHOY, V. *Glochidion*.  
 BALINGHÁSAY, T. *Buchanania florida* Schauer.  
 BALINGNÁY, T. *Flagellaria indica* L.  
 BALINGÚA, V. *Evodia triphylla* DC.  
 BALINGUAY, T. *Flagellaria indica* Linn.  
 BALINILASA, T. *Buchanania florida* Schauer.  
 BALINILÁSAY (Morong). *Buchanania florida* Schauer.  
 BALINILÁSAY (Abra). *Semecarpus perrottetii* March.  
 BALINSIAGAO. *Aporosa*.  
 BALINTÚA (Zamboanga). *Myristica philippinensis* Lam.  
 BALINÚAY, T. *Dracaena*.  
 BÁLIO, V. *Pandanus dubius* Spreng.  
 BALISCUP (Zamboanga). *Eugenia*.  
 BALISENG, V. *Clerodendron inerme* R. Br.  
 BALITÁDHAM, V. *Quisqualis indica* L.  
 BALITBITAN, T?. *Cynometra ramiflora* L.  
 BALITBITAN, T. *Sideroxylon balitbitan* Blanco.  
 BALÍTI, T., Pamp. *Ficus indica* L. and other species.  
 BALÍTING PAYÁPA, T. *Ficus*.  
 BALÍTI PULÁ, T. *Ficus clusioides* Miq.  
 BALÍTNON, V. *Melochia arborea* Blanco.  
 BALITÓSON. *Terminalia*.  
 BALIÚT, Pang. *Hopea*.  
 BALÍYOCO, B. *Andropogon schoenanthus* L.  
 BÁLAM-BÁLAM. *Leea*?.  
 BÁLLANG, Cag. *Livistona rotundifolia* Mart.  
 BALÓBAR, Pamp. *Eugenia jambos* L.  
 BALÓBO, T. *Diplodiscus paniculatus* Turcz.  
 BÁLOC. *Sapindus*?.  
 BALOCÁNAC, T. *Chisocheton paniculatus* Hiern.  
 BALOCÁNAD, T. *Aleurites moluccana* Blume.  
 BALÓC BALÓC, T. *Pongamia glabra* Vent.  
 BALÓC-BALÓC, T. *Gliricidia maculata* H. B. K.  
 BALÓC-BALÓC, T. *Linociera*.  
 BALÓC-BALÓC, T. *Scaevola koenigii* Vahl.  
 BALÓD, T., V. *Nauclea obtusa* Blume.  
 BALOCÓ, T., V., Pamp. *Entada scandens* Benth.

- BÁLOI, V. *Musa paradisiaca* L.  
 BALÓNG-CADYOS, V. *Alleanthus luzonicus* Benth and Hook.  
 BALONGCÁUIT, B. *Cedrela taratara* Blanco.  
 BALOÑGITA. *Diospyros pilosanthera* Blanco.  
 BALONG-LÚYON, Pamp. *Corypha umbraculifera* L.  
 BALÓÑOS, V. *Entada scandens* Benth.  
 BALÓTANG-ÁSO, T. *Cassia occidentalis* L.  
 BALÓT-BALÓT (Tayabas). *Pongamia glabra* Vent.  
 BÁLOY, T. *Musa paradisiaca* L.  
 BALÓYONG, V. *Cassia fistula* L.  
 BALTIC (Paragua). *Agathis leranthifolia* Salisb.  
 BALÚAN. *Macaranga*?  
 BALÚBAD, T. *Anacardium occidentale* L.  
 BALÚBAT, Pang. *Eugenia*.  
 BALÚBO, T. *Diplodiscus paniculatus* Turcz.  
 BALUCÁNAD, T. *Dysoxylum*.  
 BALUCÁNAD, T. *Aleurites moluccana* Blume.  
 BALUCÁNAG, Il. *Aleurites moluccana* Blume.  
 BALUCBÚC, T. *Clausena*?  
 BALÚCAO, T. *Chisocheton*.  
 BALUCLITU (Morong). *Uncaria hookeri* Vid.  
 BALÚCOT. *Garcinia*.  
 BALUDGÁÑGAN, T. *Digitaria*.  
 BALÚGAI. *Derris*.  
 BALUÑGCANÁYAN, V. *Pittosporum floribundum* W. and A.  
 BALUÑGGAY, V. *Moringa oleifera* Lam.  
 BALUNSAÝING, V. *Canna indica* L.  
 BALÚNUT, B. *Mangifera caesia* Jack.  
 BÁMBAG. *Plumbago viscosa* L.  
 BAMBÁN, T. *Maranta dichotoma* Lour.  
 BAMBÁN. *Amaranthus spinosus* L.  
 BAMBÉNG, T. *Bauhinia*.  
 BAMTOLÍCO, Z. *Diospyros*.  
 BANÁASI, Il. *Murraya exotica* L.  
 BANABÁ, T., V. Mang. *Lagerstroemia speciosa* Pers.  
 BANABANÁLO, T. *Myristica*.  
 BÁNAG, Il. *Allium sativum* Linn.  
 BÁNAG, V., T. *Smilax china* L. and other species.  
 BANÁGAN, V. *Smilax indica* Vitm. and other species.  
 BANÁGA-PULÁ, T. *Thespesia macrophylla* Blume.  
 BANNÁGO, T., V. *Thespesia macrophylla* Blume.  
 BANÁGO, T. *Garcinia*.  
 BANÁGO, T.? *Diplodiscus*?  
 BÁNAI, V. *Hedychium*.  
 BÁNAI-BÁNAI, T. *Sterospermum quadripinnatum* F. Vill.  
 BÁNAI-BÁNAI, T. *Sterospermum pinnatum* Rolfe and other species.  
 BÁNAI-BÁNAI, Il., T. *Naravalia laurifolia* Wall.  
 BÁNAI-BÁNAYAN, V. *Sterospermum quadripinnatum* F. Vill.

- BANÁLO, T. *Thespesia populnea* Corr.  
 BANÁLO, T. *Cordia subcordata* Lam.  
 BANÁOAG, V. *Hedychium hasseltii* Blume.  
 BANÁOT, Z. *Murraya exotica* L.  
 BANÁRO, T. *Guettarda speciosa* L.  
 BANÁRO, Pang. *Thespesia macrophylla* Blume.  
 BANÁSI, Pang. *Murraya exotica* L.  
 BANÁTI, V., Pamp. *Murraya exotica* L.  
 BANÁTO, T. *Mallotus philippinensis* Muell. Arg.  
 BANÁUAC, T., V. *Uvaria purpurea* Blume.  
 BÁNAY, V. *Hedychium coronarium* Koenig.  
 BÁNAY, Pamp. *Alpinia brevilabris* Presl.  
 BÁNAY. *Sterospermum quadripinatum* F. Vill.  
 BANÁYAN, V. *Dioscorea eburnea* Lour.  
 BÁNAY-BÁNAY. *Evodia*.  
 BANÁYAN. *Sterospermum quadripinnatum* F. Vill.  
 BANBÁN, T. *Maranta dichotoma* Wall.  
 BANBÁNG (Morong). *Clinogyne grandis* B. and H.  
 BANBÁYAN, H. *Shorea*.  
 BANBÓM, T. *Maranta dichotoma* Lour.  
 BANCÁL, T. *Sarcocephalus cordatus* Miq.  
 BANCÁL, T. *Nauclea*.  
 BANCALÁGUAN. *Terminalia calamansanay* Rolfe.  
 BANCALÁN, T. *Calophyllum inophyllum* L.  
 BANCALÁNAN (Zamboanga). *Nauclea*.  
 BANCALÁUAG, V. *Terminalia calamansanay* Rolfe.  
 BANCALÁUAN, T. *Buchanania florida* Schauer.  
 BANCALÁUAN, T. *Terminalia calamansanay* Rolfe.  
 BANCÁL-CÁBOG. *Sarcocephalus cordatus* Miq.  
 BANCÓAN. *Cyperus difformis* L.  
 BANCÓFLAN, T. *Bridelia stipularis* Blume.  
 BANCÓRO, T. *Morinda bracteata* Roxb.  
 BANCÚDO, T., V. *Morinda citrifolia* L.  
 BÁÑGA, V. *Calypetrocalyx spicatus* Blume.  
 BÁÑGA (Camarines). *Areca catechu* L.  
 BÁÑGA. *Corypha umbraculifera* L.  
 BAÑGÁL, T. *Gnetum gnemon* L.  
 BAÑGÁL, T. *Nauclea*.  
 BAÑGÁLAD, V. *Grewia paniculata* Roxb.  
 BAÑGÁR, H. *Sterculia foetida* L.  
 BAÑGÁTI, T., V. *Abrus precatorius* L.  
 BANGBÁNG, H. *Plumbago zeylanica* L.  
 BANGCÁL. *Nauclea glaberrima* Blanco.  
 BANGCÁL, T. *Sarcocephalus cordatus* Miq.  
 BAÑGCÓANG-BONDÓC, T. *Pandanus dubius* Spreng.  
 BAÑGCÓLON, T. *Cardiospermum halicacabum* L.  
 BAÑGCÚDO, V. *Morinda citrifolia* L.  
 BAÑGCÚDO, V. *Morinda bracteata* Roxb.

- BANG-HÁY, V. *Hydnophytum*.  
 BANŨCÓRO, T., V. *Morinda bracteata* Roxb.  
 BANŨÍL, T., V. *Sophora tomentosa* L.  
 BANŨBÁY, V., T. *Zingiber*.  
 BANŨLÉS, H. *Hopea*.  
 BANŨÓN, B. *Caesalpinia*.  
 BANGÓT, T. *Pterocymbium javanicum* R. Br.  
 BANŨQUÍLING, V., T. *Phyllanthus distichus* Muell. Arg.  
 BANŨGRÁY, V. *Zingiber*.  
 BÁNIG (Morong). *Xanthophyllum*.  
 BANÍLAC, V. *Terminalia catappa* L.  
 BANÍLAD, V., T. *Sterculia urens* Roxb.  
 BANINÚYO, T. *Antidesma ghaesembilla* Gaertn.  
 BANÍTAN, Pamp. *Cryptocarya* sp.  
 BANÍTAN. *Xylopia dehiscens* Merrill.  
 BANÍTI, T. *Garcinia*.  
 BANÍTI, B. *Illipe betis* Merrill.  
 BANÍTLON. *Melochia arborea* Blanco.  
 BANÍTLONG (Zamboanga). *Pierardia*?.  
 BANLATINÁO, Pang. *Diospyros*.  
 BAN-NAÁSI (H.). *Murraya exotica* L.  
 BANÓT, T. *Bauhinia cumingiana* Benth.  
 BANQUÍLIN, T. *Phyllanthus distichus* Muell. Arg.  
 BANSALÁGIN, T. *Mimusops elengi* L.  
 BANSALÁGON, T., V. *Mimusops elengi* L.  
 BANSALÁGUE, T., V. *Mimusops elengi* L.  
 BANSALÁGUIN, T. *Eugenia*.  
 BANSÍLAI, T. *Gomphia*.  
 BANSÍLAY, V. *Ochna squarrosa* Linn.  
 BANTÁNA. *Ixora*.  
 BANTÁNA, V. *Clerodendron intermedium* Cham.  
 BANTÍGUI, V. *Pemphis acidula* Forst.  
 BANTOLÍNAO, V., T. *Diospyros pilosanthera* Blanco.  
 BANTOLÍNON, T. *Diospyros*.  
 BANUÁNG, T. *Ocromelasma sumatrana* Miq.  
 BANUÁY, Ig. *Vaccinium indutum* Vidal.  
 BANÚTAN (Nueva Viscaya). *Hopea palagata* Vid.  
 BANÚYO, T. *Dipterocarpus*.  
 BANÚYO, T. *Albizia*.  
 BÁOANG, V. *Allium sativum* Linn.  
 BAÓANG-BÁOANG, V. *Panacium zeylanicum* Linn.  
 BÁONG, V. *Dioscorea sativa* L.  
 BÁQUI-BÁQUI, V. *Cyperus difformis* Linn.  
 BÁQUI-BÁQUI, V. *Spinifex squarrosus* L.  
 BÁQUIN-BAQUÍT, H. *Helicteres spicata* Colinb.  
 BAQUISQUÍSAN. *Eleusine indica* Gaertn.  
 BARÁBAG. *Eugenia jambos* L.  
 BARÁC, T. *Cureuma zerumbet* Roxb. and other species.

- BARACBÁC, H. *Eugenia jambos* L.  
 BÁRAG, Pamp. *Smilax china* L.  
 BARÁÑGOI (Bulacan). *Orania regalis* Zipp.  
 BARANHÁNYO, V. *Eugenia*.  
 BARANSIÁGO, T. *Aporosa*.  
 BARAUMÁRAN, T., V. *Sophora tomentosa* L.  
 BARAYBÁY, T. *Cerbera odollam* Gaertn.  
 BARÁYON, V. *Afzelia rhomboidea* Vidal.  
 BÁRBO, B. *Celtis*?.  
 BARBÓN. *Andropogon*.  
 BARCÓLON. *Cardiospermum halicacabum* L.  
 BÁREN, V. *Pandanus dubius* Spreng.  
 BARIÁT. *Pinus insularis* Endl.  
 BARINCUCÚRONG, H. *Hopea*.  
 BARIÓ-AN, Pang. *Columbia*.  
 BÁRIT, V. *Metrosideros vera* Rumph.  
 BÁRIT, H. *Calamus haenkaemus* Mart.  
 BÁRIT, T. *Homalocenhus hexandrus* O. Ktze.  
 BARIÚAN, H. *Pterospermum*.  
 BÁRIJS. *Diospyros pilosanthera* Blanco.  
 BARÓBO, V. *Diplodiscus paniculatus* Turcz.  
 BÁRONG? (Cagayan). *Eugenia operculata* Roxb.  
 BAROQUÉBOC, T. *Scleria*.  
 BÁROY. *Pterospermum diversifolium* Blume.  
 BÁRSIC, T. *Mimusops elengi* L.  
 BÁRU. *Arenga saccharifera* Labill.  
 BARUBATÓNES, V. *Kyllinga monocephala* Rottb.  
 BASÁR-BASÁR, H. *Loranthus*.  
 BÁSENG-BÁSENG, V. *Sida rhombifolia* Linn.  
 BÁSENG, H. *Zingiber officinale* Linn.  
 BASIÁC, T. *Canarium*.  
 BASIÁD (Tayabas). *Canarium*.  
 BASÍLAY. *Ochna squarrosa* Linn.  
 BASÍLOAG, H. *Dysoxylum blancoi* Vidal.  
 BÁTA. *Pinus insularis* Endl.  
 BATABÍA ÑGA POTÍ, V. *Musa*.  
 BÁTAD, V. *Sorghum vulgare*.  
 BÁTANG (Bontoc). *Pinus insularis* Endl.  
 BÁTANG-BÁTANG (Cebu). *Cissampelos pareira* L.  
 BÁTÁO, T., V. *Dolichos lablab* L.  
 BATÁVIA. *Musa sapientum* L.  
 BATBATIDÓR, Ig. *Nepenthes alata* Blanco.  
 BATÉTE. *Wrightia*?.  
 BATÍCAN. *Dracontomelon cumingianum* Baill.  
 BATICULÍN, T. *Litsea perrottetii* F. Vill.  
 BATICULÍNG, T. *Litsea perrottetii* F. Vill.  
 BATICULÍN, T. *Sterospermum quadripinnatum* F. Vill.  
 BATIDÓR, H. *Nepenthes alata* Blanco.

- BATÍNAN-ÁMO, T. *Calophyllum wallichianum* Planch and Triana.  
 BATÍNO, T. *Litsea*.  
 BATÍNO, T. *Alstonia macrophylla* Wall.  
 BATÍTI, V. *Cynometra inaequalifolia* A. Gray.  
 BATITÍNAN, T. *Lagerstroemia batitinan* Vidal.  
 BATITÍNAN, T. *Shorea*.  
 BÁTLAN. *Sterospermum quadripinnatum* F. Vill.  
 BÁTO (Balabac). *Justicia*.  
 BATÓAN, V. *Dracontomelum mangiferum* Blume.  
 BATOBATÓ, T., V. *Litsea*.  
 BATOBATÓ, T. *Lepistemon reniformis* Hassk.  
 BATOBATÓNIS, T. *Euphorbia pilulifera* L.  
 BATOLÍNAO (Cagayan). *Diospyros pilosanthera* Blanco.  
 BATÚAN, V. *Garcinia*.  
 BÁTUL, T. *Strychnos multiflora* Benth.  
 BÁUANG, V. *Allium sativum* Linn.  
 BÁUANG POTÍ (Jolo). *Allium sativum* Linn.  
 BÁUI, T. *Pongamia glabra* Vent.  
 BAÚSO (central Luzon). *Olea*.  
 BÁWANG, T. *Allium sativum* L.  
 BAYÁBAR-ÁSO, Pamp. *Randia*.  
 BAYÁBAS, T. *Psidium guayava* L.  
 BAYÁ-BAYABÁSAN, T. *Gardenia obscura* Vidal.  
 BAYÁCTO, B. *Trachelospermum*.  
 BAYÁG-CABÁYO, T. *Barringtonia*.  
 BAYÁG-CAMBÍNG, T. *Orchipeda foetida* Blume.  
 BAYÁG CAMBÍNG, T. *Caesalpena bonducella* Fleming.  
 BAYÁG USÁ. *Mussaenda*.  
 BAYÁG USÁ, T. *Orchipeda foetida* Blume.  
 BAYÁG USÁ, T. *Tabernaemontana globosa* Blanco.  
 BAYAMBÁN. *Maranta diehtoma* Wall.  
 BÂYANGBÂYANG, V. *Amaranthus spinosus* L.  
 BAYANTÍ, T. *Aglaia*.  
 BAYAQUÍBOC, T. *Vernonia chinensis* Less.  
 BAYASBÁS, V. *Gynotroches axillaris* Blume.  
 BAYÁTI, T., V., Pamp. *Anamirta cocculus* W. and A.  
 BAYMÁN, T. *Quereus*.  
 BAYNÓ, T. *Nelumbium speciosum* Willd.  
 BAYNÚD. *Columbia serratifolia* A. DC.  
 BAYÓC, T. *Pterospermum blumeianum* Kth.  
 BAYÓC, T. *Pterospermum acerifolium* Willd.  
 BAYÓC, T. *Pterospermum diversifolium* Blume.  
 BAYÓC-BAYÓC, T. *Pongamia glabra* Vent.  
 BAYÓG, T. *Pterospermum blumeianum* Kth.  
 BAYÓG. *Callicarpa bicolor* Juss.  
 BAYÓG BAYÓG, Pamp. *Pterospermum*.  
 BAYÓGO, V. *Chionanthes ramiflora* F. Muell.  
 BAYÓGO, T., V., Pamp. *Entada scandens* Benth.

- BAYÚCAN, T. *Quercus*.  
 BAYÚCAN, T. *Sesuvium indicum* L.  
 BAYÚCAN, T. *Dipterocarpus*.  
 BAYÚCO, V. *Artocarpus nitida* Trecul.  
 BAYÚCO, V. *Dittelasma rarak* Benth.  
 BAYÚCO ÑGA BIRÍON, V. *Artocarpus nitida* Trecl.  
 BAYÚCO ÑGA CACÁUON, V. *Artocarpus cumingiana* Trecul.  
 BAYÚCO ÑGA LANGCÁON, V. *Artocarpus cumingiana* Trecul.  
 BAYÚCO ÑGA LANIHÁN, V. *Artocarpus lanceolata* Trecul.  
 BAYÚG, V. *Pterospermum*.  
 BAYUGTÍN, T. *Pterospermum blumeianum* Korth.  
 BAYÚNO, V. *Mangifera caesia* Jack.  
 BÉBE. *Pinus insularis* Endl.  
 BÉBENG. *Pinus insularis* Endl.  
 BÉHEN. *Moringa oleifera* Lam.  
 BEJÚCO-SÍPAY, T. *Calamus*.  
 BÉLIS, T. *Canarium luzonicum* Miq.  
 BELÚÑGA, T. *Macaranga*.  
 BENOÁNG, T. *Commersonia platyphylla* Andr.  
 BENTICOHÓL, T. *Musa sapientum* L.  
 BEOBAYÁNO, V. *Buchanania florida* Schauer.  
 BESSÍN, T. *Bruguiera gymnorrhiza* Lam.  
 BÉTIS, T., Pamp. *Illipe betis* Merrill.  
 BÉTIS LALÁQUE, T. *Illipe betis* Merrill.  
 BIÁS, T. *Gnetum scandens* L.  
 BIÁS-BIÁS, Pamp. *Commelina benghalensis* L.  
 BIÁS-BIÁS, T., V. *Polyscias nodosa* Seem.  
 BIÁS-PÓGO, T. *Ammania baccifera* L.  
 BIBÍLI, V. *Cordia blancoi* Vid.  
 BIBÍT, T. *Engelhardtia*?.  
 BIBÍT-PÁRANG. *Sterospermum*.  
 BÍCA, T., V. *Vitis latifolia* Roxb.  
 BICÁCAO, H. *Setaria italica* Beauv.  
 BÍCAL, H. *Rhamnus*.  
 BÍCAL-BÁBUY, T. *Bambusa*.  
 BÍDAY, H. *Ocimum sanctum* L.  
 BIGÁ, T. *Homalomena*.  
 BIGÁ, V. *Colocasia indica* Schott.  
 BIGÁA, V. *Ficus*.  
 BIGÁA, T. *Zizyphus trinervis* Poir.  
 BIGÁS, T. *Oryza sativa* L.  
 BIGNÁI, T. *Antidesma bunius* Spreng.  
 BIGNÁI-CALABÁO, T. *Antidesma*.  
 BIGNÁI-MÁYA, T. *Antidesma*.  
 BIGNÁI-PÓGO, T. *Antidesma ghaesembilla* Gaertn.  
 BIGNÁY, Pamp. *Antidesma bunius* Spreng.  
 BIGNÁY-PÓGO. *Phaenanthus cumingii* Miq.  
 BIGNÓN, H. *Kleinhovia hospita* L.



- BILIMBÍN, T. *Averrhoa carambola* L.  
 BÍLAN, Pamp. *Macaranga tanarius* Muell. Arg.  
 BÍLANG-BÍLANG?, V. *Cyanotis axillaris* Reem. and Schult.  
 BÍLANG-BÍLANG, V. *Sesuvium portulacastrum* L.  
 BILANGTÓN, B. *Calophyllum*.  
 BILÁUN. *Macaranga mappa* Muell. Arg?.  
 BÍLID-BÍLID (Zamboanga). *Claoxylon*.  
 BILIMBÍN, T. *Averrhoa carambola* L.  
 BILIMBINES. *Averrhoa carambola* L.  
 BÍLIS (Zamboanga). *Trewia*.  
 BILÓGO, T. *Celastrus paniculata* Willd.  
 BILÓLO, T. *Eugenia* sp.  
 BILUÁ, Pamp. *Macaranga*.  
 BILUÁ, T. *Octomeles sumatrana* Miq.  
 BILÚAN, T. *Octomeles sumatrana* Miq.  
 BILÚAN-LALÁQUE, T. *Macaranga*.  
 BILUCÁO, T. *Garcinia cambogia* Desrouss.  
 BÍLUNG, T. *Macaranga*.  
 BILÚÑGA, T. *Macaranga tanarius* Muell. Arg.  
 BILÚNG-DALÁGA, T?. *Terminalia*.  
 BINAGÚAN, V. *Dipterocarpus affinis* Brandis.  
 BINAHÍAN, T. *Sauropus androgynus* Merrill.  
 BINALÁTON, V. *Musa paradisiaca* L.  
 BINALÍUAN, T. *Shorea*.  
 BINAMBÁNG, T. *Oryza sativa* L.  
 BINÁTO, V. *Musa sapientum* L.  
 BINAYÓCO, T. *Antidesma ghaesembilla* Gaertn.  
 BINBÍNGUAY, H. *Loranthus pauciflorus* Blanco.  
 BINĠÁBING. *Macaranga moluccana* DC.  
 BINĠÁBING, T. *Macaranga mappa* Muell. Arg.  
 BINĠLÍN, T., V. *Polyscias nodosa* Seem.  
 BINĠLIÚ, V. *Dysoxylum blancoi* Vidal.  
 BINIGUÁSAN, T. *Heterostemma cuspidatum* Deene.  
 BINĠTICOHÓL, T. *Musa paradisiaca* L.  
 BINÓLO, T. *Terminalia*.  
 BINÓLO, B. *Eugenia*.  
 BINÓNANG, T. *Octomeles sumatrana* Miq.  
 BINÓNĠGA, T., V., Pamp. *Macaranga tanarius* Muell. Arg.  
 BINOYÓC-BOYÓC, T. *Modecca palmata* L.  
 BINTÍÑ-DALAGA, T. *Pithecolobium lobatum* Benth.  
 BINTÍÑ-DALÁGA (Tayabas). *Micromelum tephrocarpum* Turcz.  
 BINTÓCO. *Casearia moluccana* Blume.  
 BINTÓCO, B. *Evodia latifolia* DC.  
 BINUÁN, T. *Macaranga tanarius* Muell. Arg.  
 BINÚANG. *Octomeles sumatrana* Miq.  
 BINUÁNG, T. *Macaranga mappa* Muell. Arg.  
 BINÚCAO, T. *Garcinia cambogia* Desrouss.

- BINÚLO, T. *Terminalia*.  
 BINÚNGA, T. *Clerodendron macrostigium* Schauer.  
 BINÚNGA, V. *Macaranga tanarius* Muell. Arg.  
 BINÚNGA, H. *Melochia arborea* Blanco.  
 BINUSISI, T. *Tristellateia australaisica* Rich.  
 BÍO, H. *Garuga floribunda* Deene.  
 BÍRI, *Ficus hirta* Vahl.  
 BÍRI, T. *Carthamus tinctorius* L.  
 BIRÍNGI, T. *Phaseolus vulgaris* L.  
 BIRLÁG, T. *Elaeocarpus*.  
 BÍROG, *Calophyllum inophyllum* L.  
 BISACLÁT, T. *Panicum*.  
 BISÁCO, V. *Epiprennum medium* Engl.  
 BÍSCO, T. *Musa paradisiaca* L. var.  
 BISLÍS (Tayabas). *Ixora*.  
 BISLÓT, T. *Eugenia*.  
 BÍTA, V. *Alstonia scholaris* R. Br.  
 BÍTAI-BÁLANG, Pang. *Parinarium*.  
 BÍTANG, *Kleinhovia hospita* Linn.  
 BITANHÓL, T. *Calophyllum inophyllum* L.  
 BITANHÓL, T. *Scolopia crenata* Clos.  
 BITANHÓL, T. *Flacourtia cataphracta* Roxb.  
 BITANHÓL-NA-BABÁE, B. *Myristica*.  
 BITÁOG, V., H. Pamp. *Calophyllum inophyllum* L.  
 BITÁOI, Z. *Calophyllum inophyllum* L.  
 BITBÍP, B. *Eugenia*.  
 BÍTCAC, T. *Ternstroemia*.  
 BITÍC, T. *Shorea*.  
 BÍTIS, T. *Illipe betis* Merrill.  
 BITLÁG, T. *Chaillertia gelonioides* H. f.  
 BITNÓG, H. *Kleinhovia hospita* L.  
 BITNÓN, *Kleinhovia hospita* L.  
 BITNÓNG, H. *Kleinhovia hospita* L.  
 BITÓC, *Calophyllum inophyllum* L.  
 BITOCOLÍNG, T. *Palaquium luzoniense* Vidal.  
 BITOCOLÍNG, T. *Litsea*.  
 BITÓÓ, H. *Calophyllum inophyllum* L.  
 BITÓGO, T. *Cycas circinalis* L.  
 BITÓNGOL, T. *Flacourtia sepiaria* Roxb.  
 BITÓON, V. *Burringtonia speciosa* Forst.  
 BÍTUG, *Burringtonia speciosa* Forst.  
 BÍTUNG, V. *Burringtonia speciosa* Forst.  
 BITÚNGOL, T. *Scolopia crenata* Clos.  
 BÍUAS, T. *Bruguiera caryophylloides* Blume.  
 BÍUAS, T. *Cerriops*.  
 BÍUAS, T. *Rhizophora*.  
 BLÉDO, *Amaranthus spinosus* L.  
 BOÁ, H. *Areca catechu* Linn.

- BOÁC, Ig. *Albizzia procera* Benth.  
 BOÁDA, Ig. *Melastoma obvolutum* Jack.  
 BÓBOA, V. *Nephelium glabrum* Noronh.  
 BÓBOA, V. *Lansium domesticum* Rumph.  
 BÓBOG, V. *Stereulia foetida* L.  
 BÓBOI, B., T. *Ceiba pentandra* Gaertn.  
 BÓBOI-GÚBAT, T. *Thespesia populnea* Corr.  
 BOBONÓYANG, V. *Anaxagorea luzonensis* A. Gray.  
 BÓBOY, T. *Ceiba pentandra* Gaertn.  
 BÓBUY-GUBÁT, T. *Bombax malabaricum* DC.  
 BOCÁBOC, T., V. *Scaevola koenigii* Vahl.  
 BOCAÚAY, T. *Schizostachyum acutiflorum* Munro.  
 BOCAÚÍ, T. *Bambusa diffusa* Blanco.  
 BOCAÚÍ, T. *Beesha rheedii* Kunth.  
 BOCAÚÍ, T. *Bambusa*.  
 BÓCBOC, T. *Streblus asper* Lour.  
 BODBÓD, T. *Bauhinia*.  
 BÓDOT, V. *Dioscorea*.  
 BOGÁUAC, T. *Clerodendron*.  
 BÓGNA, V. *Eurya japonica* Thumb.  
 BÓGO. *Garuga*.  
 BÓGO-BÓGO. *Brucea sumatrana* Roxb.  
 BOGOLÓYAC, B. *Chisochaeton tetrapetalus* Turcz.  
 BÓGOS, V. *Acalypha stipulacea* Klotzsch.  
 BÓGTO-TÁE, V. *Streblus asper* Lour.  
 BOHÁVE, V. *Dysoxylum blancoi* Vidal.  
 BOHÁYAN, V. *Dioscorea*.  
 BÓHO, T. *Bambusa*.  
 BÓHO, T. *Dendrocalanus flagellifer* Munro.  
 BÓHO-BÓHO, V. *Lantana camara* L.  
 BOHÓL. *Gmelina villosa* Roxb.  
 BOLAGTÁB, V. *Solanum nigrum* L.  
 BOLÁHAN. *Oryza sativa* L.  
 BOLÁLA, B. *Aglaiia*?.  
 BÓLAO, Pamp. *Santiria*.  
 BOLÁTONG. *Phaseolus mungo* L.  
 BOL-LÓ, Ig. *Acalypha grandis* Benth.  
 BOLLÓGO, Il. *Anacardium occidentale* L.  
 BOLOBOTÓNES, Pamp. *Euphorbia pilulifera* L.  
 BOLOBOTÓNES, V. *Kyllinga monocephala* Rottb.  
 BOLOHÁN, T. *Oryza sativa* L. var.  
 BOLÓN, T. *Curcuma xanthorrhiza* Roxb.  
 BOLONGAÉTA, T. *Diospyros pilosanthera* Blanco.  
 BOLÓNG-CÁUIT. *Jatropha curcas* L.  
 BOLONGUÍTA, T. *Diospyros pilosanthera* Blanco.  
 BOLÓNG LÚYONG, Pamp. *Livistonia papuana* Becc.  
 BOLÓNG TÁMBAL, V. *Dysoxylum blancoi* Vidal.  
 BOLÓNG-TÁMBAL. *Clerodendron intermedium* Cham.

- BOLONGUÍTA. *Diospyros pilosanthera* Blanco.  
 BOLÓT, V. *Dioscorea fasciculata* Roxb.  
 BONÁC, V. *Ocimum basilicum* L.  
 BANÁTO, T. *Mallotus philippinensis* Muell. Arg.  
 BONÉTES. *Barringtonia speciosa* Pers.  
 BÓNGA, T., V. *Areca catechu* L.  
 BÓNGA (Batangas). *Bauhinia variegata* L.  
 BOÑGÁBONG, V. *Macaranga mappa* Muell. Arg.  
 BOÑGABÓNGA, T. *Alternanthera denticulata* R. Br.  
 BOÑGÁLON. *Bauhinia grandiflora* Blanco.  
 BOÑGÁNG-MATÚLIS, T. *Areca catechu* Linn.  
 BOÑGÁNG-PÁTO, T. *Areca*.  
 BÓNGA-PÁLO. *Areca catechu* L.  
 BÓNGA-SÁNTOL. *Areca catechu* L.  
 BOÑGÁN LABNÍ, Pamp. *Calamus albus* Pers.  
 BOÑGLÁS, V. *Zizyphus*.  
 BOÑGLÍU, V., T. *Polyscias nodosa* Seem.  
 BOÑGÓT-BOÑGÓT, V. *Cyperus*.  
 BONLAÍ, B. *Lunasia amara* Blanco.  
 BONLÍN, T. *Polyscias nodosus* Seem.  
 BÓNOG (Paragua). *Garcinia*.  
 BONOTÁN, V. *Cocos nucifera* Linn.  
 BÓNTOT-USÁ, V., T. *Helicteres spicata* Colinb.  
 BOÓ-BOÓ, Ig. *Pinus insularis* Endl.  
 BOOCÁN, V. *Lansium domesticum* Rumph.  
 BORNÁY GÚBAT, V. *Antidesma*.  
 BOROBOTÓNES, V. *Kyllinga monocephala* Rottb.  
 BORÓNA, Pamp. *Setaria italica* Beauv.  
 BORÓNA. *Zea mays* L.  
 BORÓT, V. *Dioscorea fasciculata* Roxb.  
 BOSBÓRON, T., V. *Scaevola koenigii* Vahl.  
 BOSÍCAD, V. *Kyllinga monocephala* Rottb.  
 BOSLÓG-ÁMO, T. *Melastoma*.  
 BÓTA, Ig. *Mussaenda*.  
 BÓTA-BÓTA, T. *Excocaria agallocha* L.  
 BÓTA-BÓTA, II. *Melastoma obvolutum* Jack.  
 BÓTANG-GÚBAT, T. *Homalanthus fastuosus* F. Vill.  
 BOTÁT. *Barringtonia racemosa* DC.  
 BÓTO, T., V. *Scaevola koenigii* Vahl.  
 BOTÓAN, T. *Musa sapientum* L.  
 BOTOBOTÓNES, B. *Cyperus rotundus* L.  
 BOTOBOTÓNES. *Euphorbia pilulifera* L.  
 BOTOHÁN, T. *Musa paradisiaca* L.  
 BOTÓLAN, T. *Fluggea obovata* Wall.  
 BÓTON-CÍLO, V. *Kyllinga monocephala* Rottb.  
 BOTONCÍLO, T. *Gomphrena globosa* L.  
 BÓTONG, T., V. *Barringtonia speciosa* Forst.  
 BÓTONG, V. *Cocos nucifera* Linn.

- BÓTONG, V. *Milletia sericea* W. and A.  
 BÓTONG-BÓTONĠ, T. *Barringtonia speciosa* Forst.  
 BOTÓNG-MANÓC, T. *Sterospermum quadripinnatum* F. Vill.  
 BÓVI, V. *Euphorbia pilulifera* L.  
 BOYÓC-BOYÓC, T. *Momordica cochinchinensis* Spreng.  
 BUÁ, Cag. *Areca catechu* Linn.  
 BUÁS, Il. *Malotus philippinensis* Muell. Arg.  
 BUB-BÚGNAY. *Antidesma bunius* Spreng.  
 BUBÓY-GÚBAT, T. *Bombax malabaricum* DC.  
 BÚBUG. *Erythrina indica* Lam.  
 BÚBUR?, *Dracontomelum mangifera* Blume.  
 BÚBUY, T. *Ceiba pentandra* Gaertn.  
 BÚBUY-GÚBAT, T. *Thespesia populnea* Corr.  
 BUCÁCAO, Il. *Setaria italica* Beauv.  
 BÚC-BÓC, Pamp. *Streblus*.  
 BÚCTON (Masbate). *Calamus*.  
 BUENA VISTA, Sp.-Fil. *Codiaeum variegatum* Muell. Arg.  
 BUÉNG, Pamp. *Acorus calamus* Linn.  
 BUGÁJIN, V. *Strychnos celebica* Koorders.  
 BUGAYÓN, Il. *Abrus precatorius* L.  
 BÚGNA, V. *Glochidion*.  
 BÚGNAI, V. *Antidesma bunius* Spreng., and other species.  
 BÚGNAO. *Semecarpus perrottetii* March.  
 BÚGO, V., T. *Garuga floribunda* Decne.  
 BÚGOS, T., V. *Acalypha grandis* Benth., and other species.  
 BÚGTONG, V. *Caesalpinia bonduc* Roxb.  
 BUGUÁRON. *Lagerstroemia batitinan* Vid.  
 BUGÚBUC, T. *Eragrostis tenella* R. and S.  
 BÚLIO, V. *Dendrocalamus flagellifer* Munro.  
 BUÍCAN, T. *Shorea*.  
 BUÍQUÍQUIT, T. *Mucuna monosperma* DC.  
 BUJÚCAN (Albay). *Fagraea*.  
 BÚLAC, T. *Gossypium herbaceum* L.  
 BÚLAC, T. *Ceiba pentandra* Gaertn.  
 BULACÁN, V. *Thespesia populnea* Corr.  
 BULACÁN, V. *Thespesia macrophylla* Blume.  
 BULACÁN, T. *Ipomoea peltata* Choisy, and other species.  
 BULÁCAO (Hoilo). *Argyreia*.  
 BÚLAC-BULÁCAN. *Ipomoea peltata* Choisy.  
 BÚLAC-BULÁCAN, T. *Asclepias curassavica* L.  
 BÚLAC-CÁHOY, T. *Gossypium perenne* L.  
 BÚLAC-CASTÍLA, Pamp. *Ceiba pentandra* Gaertn.  
 BÚLAC-CASTÍLA, Pamp. *Gossypium herbaceum* L.  
 BÚLAC-CASTÍLA, T. *Asclepias curassavica* Linn.  
 BÚLAC-DAMÓ, T. *Asclepias curassavica* L.  
 BÚLAC-DONDÓL (Cebu). *Ceiba pentandra* Gaertn.  
 BÚLAC-MANÚC, T., Pamp. *Adenostemma viscosum* Forst.  
 BÚLAC-NA-MONTÍ, T. *Gossypium perenne* L.

- BÚLAC-NA-BÚNDOC, T. *Gossypium arboreum* L.  
 BÚLAC-NA-TOTÓO, T. *Gossypium perenne* L.  
 BÚLAC-NA-TOTÓO, T. *Gossypium arboreum* L.  
 BÚLAC-NĠA-BISÁYA, V. *Gossypium arboreum* L.  
 BULÁCLAC-NAŊ-DALÁGA. *Mussaenda frondosa* L.  
 BULAESÍNO, T. *Ceiba pentandra* Gaertn.  
 BÚLAG, T. *Gossypium herbaceum* L.  
 BULÁGAC, B. *Uvaria ovalifolia* Blume.  
 BULĀHAN, V. *Lansium domesticum* Rumph.  
 BÚLAI (Batangas). *Dolichos lablab* L.  
 BÚLAI-LÁYA, T. *Crotalaria verrucosa* L.  
 BULÁLA, II. *Sarcocephalus cordatus* Miq.  
 BULALÁCAO, V. *Argyrea nitida* Choisy.  
 BULÁLANG, B. *Pittosporum*.  
 BÚLAN-BÚLAN, V. *Laportea gaudichaudiana* Wedd.  
 BULAÓ, T. *Canarium*.  
 BULAÓ, T. *Santiria*.  
 BULAÓ-BULAÓ, V. *Parameria philippinensis* Radlk.  
 BULÁON, T., Pamp. *Vitex littoralis* Deene.  
 BULĀNAN, V. *Gomphia*.  
 BULAUÍSAN, II. *Vitex*.  
 BÚLAY (Batangas). *Dipterocarpus vernicifluus* Blanco.  
 BULÍ, T. *Corypha umbraculifera* L.  
 BULÍ-BURÍ. *Corypha umbraculifera* L.  
 BULÍ-CAHÓY. *Vitex philippinensis* Merrill.  
 BÚLO, V. *Bambusa longinodis* Miq.  
 BULOCĀNAN, V. *Gomphia angustifolia* Vahl.  
 BULOŊGUÍTAN, T. *Diospyros*.  
 BUNÁYON. *Sonneratia pagatpat* Blanco.  
 BÚŊGA (Cagayan). *Dipterocarpus*.  
 BÚŊGA, Cag. *Pterospermum diversifolium* Blume.  
 BÚŊGA, T. *Areca catechu* L.  
 BUNĠGÁLON, V. *Homalocenchrus hexandrus* O. Ktze.  
 BUNĠGÁLON, T., V. *Avicennia officinalis* L.  
 BUNĠGÁLU, T. *Avicennia officinalis* L.  
 BUNĠGÁLUN, V. *Sonneratia pagatpat* Blanco.  
 BUNĠĀNON (Tinago). *Ryparosa*.  
 BUNĠLÁS. *Zizyphus*?  
 BUNĠLÍN, T. *Polyscias nodosa* Seem.  
 BUNĠLÍO, V. *Amoora*.  
 BUNĠ-LÓY, V. *Polyscias nodosa* Seem.  
 BUNĠÓN, II. *Allacanthus luzonicus* Benth. and Hook.  
 BUNĠÚLAN, T. *Musa paradisica* L. var.  
 BUNLÁO, V. *Justicia gendarussa*, L.  
 BUNNÉC, II. *Musa sapientum* L. var.  
 BUQUÍŊGAN. *Gnaphalium*.  
 BUQUITQUÍ. *Asclepias curassavica* L.  
 BÚNTOT-PÚSA, T. *Mallotus ricinoides* Muell. Arg.

- BÚNTOT-PÚSA, T. *Setaria glauca* Beauv.  
 BÚNTUT-ÚSA, T. *Helicteris spicata* Colinb.  
 BUNUÁY (Bontoc). *Vaccinium indutum* Vidal.  
 BUNÚGAN?, Cag. *Calamus rhomboideus* Blume.  
 BUQUÍNĠAN, T. *Gomphrena globosa* L.  
 BURÍ, T. *Corypha umbraculifera* L.  
 BUSÁIN, T. *Bruguiera caryophylloides* Blume.  
 BUSÁIN (Leyte). *Pterocymbium javanicum* R. Br.  
 BUSÁIN, V. *Sterculia*.  
 BUSÍ?, Cag. *Calamus rhomboideus* Blume.  
 BUSÍLAC, T. *Amoora*.  
 BUSÍLAC, T. *Alchornea blumeana* Muell. Arg.  
 BUSÍLAC, T. *Aglaiia minutiflora* Bedd.  
 BUSÍL, Pang. *Diospyros*.  
 BUSÍM. *Bruguiera*.  
 BUSÍG, Il. *Eleocharis*.  
 BUTÁ, T. *Excoecaria agallocha* L.  
 BUTÁBUTÁ, T., Pamp. *Excoecaria agallocha* L.  
 BÚTANG-GÚBAT, T. *Homalanthus*.  
 BÚTAO, B. *Ardisia humilis* Vahl.  
 BÚTING. *Phaseolus vulgaris* L.  
 BUTÍŊGA, T. *Phaseolus vulgaris* L.  
 BUTÍŊGUI. *Vigna*.  
 BUTNÉG, Il. *Musa sapientum* L. var.  
 BUTNÉNG, Il. *Musa sapientum* L. var.  
 BÚTO-BÚTO, V. *Cerbera odollam* Gaertn.  
 BÚTO-BUTÓNIS, V. *Phyllanthus*.  
 BÚTO-BUTÓNISAN, T. *Euphorbia atoto* Forst.  
 BÚTONG, V. *Dendrocalamus*.  
 BÚTONG, V. *Pongamia glabra* Vent.  
 BÚTONG, V. *Derris sinuata* Benth.  
 BÚTONG, V. *Milletia pulchra* Benth.  
 BÚTONG-MANOC, V. *Cyclostemon*.  
 BUTÚAN, T. *Musa sapientum* L.  
 BUTÚLAN (Tayabas). *Fluggea obovata* Wall.  
 BUTÚŊG-MANÓC, B. *Hydnocarpus heterophylla* Blume.  
 BÚY, Il. *Musa*.  
 BÚYAG, T. *Citrus medica* L.  
 BUYAYÁVA, V. *Euphorbia pilulifera* L.  
 BUYÉN (Balabac). *Mussaenda grandiflora* Rolfe.  
 BÚYO, V., T. *Piper betle* L.  
 BÚYO-BÚYO, B. *Astronia macrophylla* Blume.  
 BÚYO-BÚYO (Albay). *Piper caninum* A. Dietr.  
 BÚYO-BÚYO. *Trichosanthes amara* L.  
 BUYÓC-BUYÓC, Il. *Ehretia buxifolia* Roxb.  
 BUYÓC-BUYÓC, T. *Momordica cochinchinensis* Spreng.  
 BÚYO IT ÁMO, V. *Piper caninum* A. Dietr.  
 BÚYO IT ÁYAM, V. *Piper caninum* A. Dietr.

BÚYO IT LINTÍ, V. *Piper caninum* A. Dietr.

BÚYON, V. *Mussaenda anisophylla* Vidal.

BÚYONG, V. *Melastoma*.

BÚYOR, V. *Mussaenda*.

BÚYUN (Zamboanga). *Lophopetalum*.

### C.

CÁBAG. *Sarcocephalus cordatus* Miq.

CÁBAG-HAMBABÁLOS, V. *Sarcocephalus cordatus* Miq.

CABÁHOY. *Eugenia*.

CABAICÁBAI, T., V. *Sophora tomentosa* L.

CABÁJUY. *Eugenia*.

CABÁL, T. *Fagraea morindaefolia* Blume.

CABALLÉRO, Sp. Fil. *Caesalpinia pulcherrima* Swartz.

CABALÓÑGAN, T., Pamp. *Strychnos ignatii* Berg.

CABÁLTE, V. *Elaeocarpus oblongus* Gaertn.

CABAÓ-Y, V. *Eugenia*.

CABALÍTI, T., V. *Colubrina asiatica* Brongn.

CABATÍTI, T. *Rhamnus wightii* W. and A.

CABCÁB, V. *Polypodium quereifolium* L.

CABCÁBAN, V. *Polypodium quereifolium* L.

CABCÁRON, H. *Elephantopus spicatus* Juss.

CABÍLAO, V. *Commelina benghalensis* L.

CABÍLTE, V. *Elaeocarpus oblongus* Gaertn.

CABÍQUI, T., V. *Mimusops elengi* Linn.

CABIT-CÁBAG, T. *Mezoneurum glabrum* Desf.

CABÍT-CÁBAG, T. *Caesalpinia nuga* Ait.

CABÍTONG, T., Pang. *Eugenia*.

CABLÍN, T., Pamp. *Pogostemon heyneanus* Benth., and other species.

CÁBOG, T. *Unona*.

CÁBOG. *Citrus hystrix* DC.

CABÓGBOG, T. *Antidesma ghaesembilla* Gaertn.

CÁBO-NÉGRO. *Caryota urens* L.

CÁBOY. *Unona*.

CABRÁB, B., T., V. *Erythrina indica* L.

CÁBRA-CÁBRA, V. *Heliotropium indicum* Linn.

CABUCABULÁUAN, B. *Strychnos*.

CABÚGAO, V. *Citrus decumana* Linn.

CÁBUL. *Cucumis sativus* Linn.

CABÚLAO (Tiagan). *Citrus aurantium* L.

CABÚTI, T. *Boletus*?

CABÚTI, T. *Polyporus*.

CABÚYAO, Pamp. *Citrus hystrix* DC.

CÁCA, T. *Nepenthes*.

CACÁDLE, T. *Streblus asper* Lour.

CACAHUÁTE, Pamp. *Gliricidia maculata* H. B. K.

CACAHUÉTE. *Arachis hypogaea* L.

CACÁNA, T. *Quereus soleriana* Vidal, and other species.



- CACÁO, Sp. *Theobroma cacao* L.  
 CACÁO-CACÁO (Ticao). *Agrostistachys maesoana* Vidal.  
 CACÁO-CACAOÁN. *Talauma* ?  
 CACÁO-CACAUÁN, T. *Lunasia*.  
 CACÁO-CACAUÁN (Tayabas). *Aglaiia*.  
 CACÁO-ÍTA (Balabac). *Fagraea crassipes* Benth.  
 CACAUÁTE. *Gliricidia maculata* H. K. B.  
 CACAUÁTE, T. *Arachis hypogaea* L.  
 CACHÁ. *Memecylon edule* Roxb.  
 CACHÚMBA, H. *Argemone mexicana* L.  
 CACHÚMBA, Pamp. *Carthamus tinctorius* L.  
 CACUENTÁSAN, T. *Canna indica* L.  
 CADÁBA. *Gossypium herbaceum* Linn.  
 CADAPDÁP, B. *Diospyros*.  
 CADAYÓHAN, T. *Celosia argentea* L.  
 CÁDCO, Ig. *Polypodium dipteris* Blume.  
 CADDÍL, B. *Duabanga moluccana* Blume.  
 CADDÓL. *Pongamia glabra* Vent.  
 CÁDIR. *Duabanga moluccana* Blume.  
 CADLÍN, V. *Pogostemon cablin* Benth.  
 CADLÓM, V. *Pogostemon cablin* Benth., and other species.  
 CADÚNG, Ig. *Nepenthes alata* Blanco.  
 CÁD-YOS, V. *Cajanus indicus* L.  
 CAFÉ, Sp. *Coffea arabica* L.  
 CAGATÚNGAN, T. *Pygeum*.  
 CAGAYÁN, H. *Boehmeria nivea* Hook. and Arn.  
 CAGÉL, Sp.-Fil. *Citrus aurantium* Linn.  
 CAGUÍNDI. *Phyllanthus acidus* Muell. Arg.  
 CAGUÍNDI, V. *Vitis carnosia* Wall.  
 CAGNÓIS, T. *Cajanus indica* L.  
 CAGYÓS. *Cajanus indica* L.  
 CAHÁNA (Jolo). *Coffea arabica* Linn.  
 CAHÉL, T., V. *Citrus aurantium* L.  
 CÁHOY-DALÁGA, T. *Morinda bracteata* Roxb.  
 CÁHOY-DALÁGA. *Micromelum*.  
 CÁHOY-DALÁGA. *Pavetta*.  
 CÁHOY-DALÁGA, T. *Evodia*.  
 CÁHOY-DALÁGA, T. *Mussaenda grandiflora* Rolfe.  
 CÁHOY-DALÁGA, T. *Mollotus moluccanus* Muell. Arg.  
 CÁHOY-DALÁGA. *Tristira triptera* Radlk.  
 CAICÁI, T. *Adiantum lunulatum* Burm.  
 CAIRÓCAN, T. *Beilschmiedia cairocan* Vidal.  
 CAIRÓNI, T. *Dioscorea*.  
 CAJÉL, H. *Citrus aurantium* L.  
 CALÁAD. *Cissampelos pareira* L.  
 CALÁBANG, V. *Daemonorops draco* Mart.  
 CALABANTÓS, V. *Mucuna nivea* DC.  
 CALÁBAO, T. *Monochoria vaginalis* Presl.

- CALÁBAO, T. *Ottelia alismoides* Pers.  
 CALABÁSANG-BILÓG. *Cucurbita maxima* Duch.  
 CALABÁZA. *Cucurbita pepo* Linn., and other species.  
 CALABÁZANG BILÓG, T. *Cucurbita maxima* Duchesne.  
 CALABÁZANG PULÁ, T. *Cucurbita maxima* Duchesne.  
 CALABÓA, Pamp. *Blechnum brownei* Juss.  
 CALABÓA. *Monochoria vaginalis* Presl.  
 CALÁBOT. *Citrus toroso* Blanco.  
 CALABÚYO, T. *Saccopetalum*.  
 CALACALAMÁYAN (Batangas). *Cissampelos pareira* L.  
 CALACAMÓTE, V. *Ipomoea bona-nox* Linn.  
 CALACAUÁYAN, V. *Arundinella nervosa* Nees.  
 CALACHUCHÍ, T. *Plumiera acutifolia* Poir.  
 CALAGÚÑG-ÚG, V. *Tournefortia sarmentosa* Lam.  
 CALÁLLOS, V. *Caryota rumphiana* Mart.  
 CALÁI, T. *Monocarpia blancoi* F. Vill.  
 CALÁI, T. *Xylopia dehiscens* Merrill, and other species.  
 CALÁFCAI (Leyte). *Desmodium pulchellum* Benth.  
 CALAI-CALAI, T. Various species of *Anonaceae*.  
 CALAÍTIC, Mang. *Litsea*.  
 CALALÁUAN, T. *Aselepias curassavica* L.  
 CALAMANSÁLAN, T. *Stephegyne*.  
 CALAMANSÁLAI, T. *Stephegyne*.  
 CALAMANSÁNAI, T. *Terminalia calamansanai* Rolfe.  
 CALAMANSÁNAI, T. *Stephegyne*.  
 CALAMANSÁNAI, T. *Diospyros*.  
 CALAMANSÁNAI, T. *Bursera*?  
 CALAMANSÉ, T. *Citrus aurantium* L.  
 CALAMANTÁO, T. *Antidesma ghaesembilla* Gaertn.  
 CALAMÁYO, T. *Erioglossum*.  
 CALAMÁYON, T. *Terminalia*.  
 CALAMBÁE, V. *Litsea*.  
 CALAMBÍT. *Caesalpinia bonducella* Flem.  
 CALAMBIBÍT, T. *Caesalpinia bonducella* Flem.  
 CALAMBÓ-CALAMBÓAN, T. *Cyperus*.  
 CALAMÍAS, T. *Averrhoa bilimbi* L.  
 CALAMÍSMIS. *Psophocarpus tetragonolobus* DC.  
 CALAMISMÍS, T. *Psophocarpus tetragonolobus* DC.  
 CALAMONDÍN, T. *Citrus medica* Linn. var.  
 CALÁNAG, B. *Ailanthus moluccana* DC.  
 CALANGCÁNG, V. *Heptapleurum subulatum* Seem.  
 CALANÍGI, V. *Gardenia*.  
 CALAMITTÍT. *Terminalia*.  
 CALANTÁS, T., Pamp. *Cedrela toona* Roxb.  
 CALANTÍPAY, T. *Scirpus*.  
 CALÁN-UM-OÚAC, V. *Trichosanthes globosa* Blume.  
 CALÁOAG, V. *Cureuma viridiflora* Roxb.

- CALÁPI, V., B. *Calamus albus* Pers.  
 CALAPÍA (Mindanao). *Palaquium*.  
 CALAPÍNAI, T. *Dodonaea viscosa* L.  
 CALAPÍNI, T. *Avicennia officinalis* L.  
 CALASÚSI, T. *Plumeria acutifolia* Poir.  
 CALATÍÑGAN, T. *Pterospermum*.  
 CALATONDÓN, T. *Cyathea integra* J. Sm.  
 CALATSÚTSI, T. *Plumeria acutifolia* Poir.  
 CALATÚCHE, V. *Plumeria acutifolia* Poir.  
 CALATUMBÁGA. *Crudia blancoi* Rolfe.  
 CALÁUAG, V. *Curcuma longa* L.  
 CAL-AUÍTIT, H. *Terminalia*.  
 CALAVÁGA, V. *Curcuma longa* L.  
 CALAVÁGA, V. *Cucumis sativa* L.  
 CALAYÁCAY, V. *Desmodium pulchellum* Benth.  
 CALAYÁTE, V. *Tectona grandis* L.  
 CALBÁNG, T. *Bambusa*.  
 CALIÁCAY, V. *Desmodium pulchellum* Benth.  
 CALÍAN, T. *Glochidion*.  
 CALIANTÁNG, T. *Leca rubra* Blume.  
 CALIÑGTÁNG. *Leca sambucina* Willd.  
 CALIBÁYOAN. *Bruguiera eriopetala* W. and A.  
 CALÁICA. *Clerodendron intermedium* Cham.  
 CALÍCOT (Tayabas). *Maesa indica* A. DC.  
 CALIMÁNTAO (Unisan). *Evodia*.  
 CALIMÁNTAO, T. *Diospyros*.  
 CALIMANTAÓ. *Vitex*.  
 CALIMBAHÍN, T. *Micromelum tephrocarpum* Turcz.  
 CALINBAGÍN, T. *Psidium guayava* L.  
 CALÍÑGA, V. *Cinnamomum pauciflorum* Nees.  
 CALÍÑGAD, Pamp. *Cinnamomum pauciflorum* Nees.  
 CALÍÑGAD, T., V. *Cinnamomum pauciflorum* Nees.  
 CALÍÑGAG, T., V. *Cinnamomum mercadoi* Vidal, and other species.  
 CALÍÑGAN, V. *Melochia coreborifolia* L.  
 CÁLIN-MANÓG. *Canthium mite* Barth.  
 CALIÓS, T. *Streblus asper* Lour.  
 CALIÓT, Pang., H. *Hopea plagata* Vid.  
 CALIPÁYANG, V. *Codiaeum variegatum* Muell. Arg.  
 CALIRÁORAO, T. *Eragrostis plumosa* Link.  
 CALÍSAL, Pamp. *Terminalia catappa* L.  
 CALÍT-CALÍT, T. *Vitis carnosae* Wall.  
 CALÍTES, V. *Amaranthus spinosus* L.  
 CÁLO. *Artocarpus incisa* L.  
 CALOBÓB, T. *Eugenia jambos* L.  
 CALOCÁGO, B. *Eugenia*.  
 CALOCATÍÑGAN, T. *Pterospermum obliquum* Blanco.  
 CALOCANTÍNG, T. *Clitoria ternatea* L.  
 CÁLOC-CÁTMO. *Kayea*.

- CALOHÁDIA. *Diospyros pilosanthera* Blanco.  
 CALOHÁDIANG, Pamp. *Diospyros*.  
 CALÓIS. *Streblus asper* Lour.  
 CALOMÁLA, T. *Elaeocarpus lanceaefolius* Roxb.  
 CALOMANSÓLA, T. *Symplocos*.  
 CALOMÁTA, T. *Clausena excavata* Burm.  
 CALOMPÁN, T. *Sterculia foetida* L.  
 CALOMPÍ, T. *Terminalia edulis* Blanco.  
 CALONDÁGNI. *Bridelia stipularis* Blume.  
 CALÓO, V. *Abrus precatorius* L.  
 CALÓOY, V. *Ocimum basilicum* L.  
 CÁLÓ, Pang. *Dioscorea*.  
 CALÓTANG-BILÓG. *Trumfetta semitriloba* L.  
 CALOYÁNANG. *Diospyros pilosanthera* Blanco.  
 CALÚAG, T. *Casearia*.  
 CALÚBAY, V. *Lagenaria vulgaris* Seringe.  
 CALUBCÚB, T. *Eugenia*.  
 CALÚGAY, T. *Moringa oleifera* Lam.  
 CALUGCÓG, T. *Eugenia*.  
 CALÍS, T. *Streblus asper* Lour.  
 CALUMÁCAN, V. *Elaeocarpus*.  
 CALUMÁNAY, T. *Rapanea philippinensis* Mez.  
 CALUMÁNÓG, V. *Koordersiodendron pinnatum* Merrill.  
 CALUMÁNÓG, V. *Terminalia edulis* Blanco.  
 CALÚMBAN, T. *Aleurites moluccana* Blume.  
 CALUMÍÑGA, Ig. *Gaultheria*.  
 CALÚMPANG, T. *Sterculia foetida* L.  
 CALÚMPAG-SA-LÁTI, T. *Xylocarpus granatum* Koenig.  
 CALÚMPAG, T. *Sterculia foetida* L.  
 CALUMPAGÍN, T. *Marlea begoniaefolia* Roxb.  
 CALÚMPAN, Pamp. *Sterculia foetida* L.  
 CALUMPÁNG, T. *Sterculia foetida* L.  
 CALUMPAÑGÍN, T. *Guetarda speciosa* L.  
 CALUMPÁÑGA-SA-LÁTI, T. *Xylocarpus obovatum* Juss.  
 CALUMPÍ, T. *Terminalia edulis* Blanco.  
 CALUNÁCAN, V. *Elaeocarpus obovatus* Arn.  
 CALÚÑGAI, T., V., Pamp. *Moringa oleifera* Lam.  
 CALÚNGPANG, T. *Sterculia foetida* L.  
 CALUNTÍNGAN, V. *Anthocephalus candamba* Miq.  
 CALUNTÍNGAN-ÑGA-ITÍM, V. *Nauclea purpurea* Roxb.  
 CALUNTÍNGAN-ÑGA-MULÁTO, V. *Nauclea purpurea* Roxb.  
 CALÚPAD, V. *Clematis gouriana* Roxb.  
 CALUPCÚP, T. *Eugenia*.  
 CALUPÍNES, Z. *Avicennia officinalis* L.  
 CALUTPÁMO. *Phyllanthus acidus* Muell. Arg.  
 CÁLUT, Pamp. *Dioscorea hirsuta* Blume.  
 CAMACAMATÍSAN, T. *Solanum nigrum* L.  
 CAMACHÍLIS, T. *Pithecolobium dulce* Benth.

- CAMAGAHÁL (Morong). *Diospyros*.  
 CAMAGÓN, T. *Diospyros discolor* Willd.  
 CAMAGSÁ, T. *Rourea multiflora* Planch.  
 CAMAGSÁ, T. *Smilax indica* Vitm.  
 CAMAGSÁ-TAGUÍLIS, T. *Rourea heterophylla* Planch.  
 CAMAGSÁ-TAGUÍLIS, T. *Connarus*.  
 CAMAGÚAN. *Diospyros discolor* Willd.  
 CAMAISÁ, T. *Croton tiglium* L.  
 CAMAISÁ, T. *Macaranga mappa* Muell. Arg.  
 CAMAISÁ-SA-GÚBAT, T. *Cleidion*.  
 CÁMAL. *Allacanthus luzonicus*, Benth. and Hook.  
 CAMALÁGUI, V. *Tamarindus indica* L.  
 CAMALÓN, T. *Evodia*.  
 CAMALÓNGAY, T., V. *Moringa oleifera* Lam.  
 CAMALÚNGUE, Pamp. *Moringa oleifera* Lam.  
 CAMALÚSON, V. *Psophocarpus tetragonolobus* DC.  
 CAMANCHÍLE, T. *Pithecolobium dulce* Benth.  
 CAMANCHÍLES. *Pithecolobium dulce* Benth.  
 CAMANDÁG, V. *Croton tiglium* L.  
 CAMÁNŊA, T. *Croton*.  
 CAMÁNŊE, V. *Ocimum sanctum* L.  
 CAMÁNŊI, T. *Dalea nigra* Mart. and Gal.  
 CAMÁNŊI, T. *Gynura sarmentosa* DC.  
 CAMÁNŊSI, T., V. *Artocarpus camansi* Blanco.  
 CAMANŊUÍANIS, T. *Clausena excavata* Burm.  
 CAMANÓC, V. *Crypteronia*.  
 CAMANSÍLE, T. *Pithecolobium dulce* Benth.  
 CAMANTÁYO, V. *Cratoxylon formosum* Benth. and Hook. f.  
 CAMANTÍGUI, T., Pamp. *Impatiens balsamina* L.  
 CAMANTIRÍS, II. *Pithecolobium dulce* Benth.  
 CAMÁOG, V. *Geodorum semicristatum* Lindl.  
 CA-MARÍA, T. *Artemisia vulgaris* L.  
 CAMARLÁNG-SONGSÓNG, T. *Leonurus sibiricus* L.  
 CAMÁS (Zamboanga). *Myristica gutteriifolia* A. DC.  
 CAMASTÉLES. *Pithecolobium dulce* Benth.  
 CAMÁTIS, T., II. *Lycopersicum esculentum* Mill.  
 CAMÁTIS. *Physalis angulata* L.  
 CAMAYÚAN, T. *Gymnosporia*.  
 CAMAYÚAN, T. *Diospyros*.  
 CAMBÁL. *Pygeum latifolium* Miq.  
 CÁMBRA-CÁMBRA, V. *Heliotropium indicum* L.  
 CAMÍAS, T. *Averrhoa bilimbi* L.  
 CANÍGANG, T., V. *Ipomoea pes-caprae* Roth.  
 CAMÍGAY, II. *Cryptocarya ilocana* Vidal.  
 CAMÍN, Z. *Henslowia*.  
 CAMILÍNG (central Luzon). *Diplodiscus paniculatus* Turcz.  
 CAMÍRING, II. *Semecarpus*.  
 CAMÍT-CÁBAG, T. *Caesalpina nuga* Ait.

- CAM-MÁLEG (Abra). *Ficus*.  
 CAMOCAMOTÍHAN, T., V. *Ipomoea bona-nox* L.  
 CAMOCHÍLE. *Pithecolobium dulce* Benth.  
 CAMOCHÍLES, T. *Pithecolobium dulce* Benth.  
 CÁMOG, H. *Clethra canescens* Reinw.  
 CAMÓNAY, T. *Diospyros*.  
 CAMÓNG-CÁMONG. *Capparis aurantioides* Presl.  
 CAMONŨGÍ, T., V. *Artocarpus camansi* Blanco.  
 CAMONSÍLES, T. *Pithecolobium dulce* Benth.  
 CAMÓTIN, T. *Strychnos potatorum* L. f.  
 CÁMOT-CÁBAG, T. *Caesalpinia bonduc* Roxb.  
 CAMÓTE, Sp.-Fil. *Ipomoea batatas* L.  
 CAMÓTING-CÁHOY, T., V. *Manihot utilissima* Pohl.  
 CÁMOT-PÚSA, T. *Mezoneurum*.  
 CÁMOT-PÚSA, T. *Harrisonia bennetii* Benth. and Hook. f.  
 CAMPÓPOT, T. *Tabernaemontana pandacaqui* Poir.  
 CAMPÓPOT, Pamp. *Jasminum sambac* Ait.  
 CAMÚLAO, H. *Citrus hystrix* DC.  
 CAMŨNGUI (Zamboanga). *Harrisonia bennetii* Benth. and Hook. f.  
 CAMUNÍNG, T. *Atalantia*.  
 CAMUNÍNG, T. *Murraya exotica* L.  
 CAMÚMIN, T. *Rourea heterophylla* Planch.  
 CAMUNÍN, V., Pamp. *Murraya exotica* L.  
 CAMUNTÁY, V. *Citrus hystrix* DC.  
 CÁMUT-CÁBAG, T. *Dalbergia ferruginea* Roxb.  
 CÁMUT-CÁBAG, T. *Azima nova* Blanco.  
 CAMÚYO, T. *Citrus hystrix* DC.  
 CÁNA, V. *Cardiospermum halicacabum* L.  
 CANAASÁGA, Pamp. *Abrus precatorius* L.  
 CANÓBONG, V. *Tacca pinnatifida* Forst.  
 CANÁLA, V. *Musa*.  
 CANÁLONG, V. *Tacca rumphii* Schauer.  
 CANÁRA, V., T. *Musa*.  
 CANÁREM. *Bischofia javanica* Blume.  
 CANÁUAY, T. *Uncaria*.  
 CANDÁBA, V. *Gossypium herbaceum* L.  
 CANDARÓMA, H. *Cinnamomum pauciflorum* Nees.  
 CANDÓL, V. *Benincasa cerifera* Savi.  
 CANDÓN, H. *Memecylon edule* Roxb.  
 CANÉLA, V. *Ocimum basilicum* L.  
 CANÉLA. *Cinnamomum pauciflorum* Nees.  
 CANÉLA-DE-MÓNTE. *Cinnamomum*.  
 CANÉT, T. *Artocarpus*.  
 CÁÑGAY, Pamp. *Zanthoxylum avicennae* DC.  
 CÁÑGON-CÁÑGON, T. *Hygrophila salicifolia* Nees.  
 CÁÑGCÓNG, T., Pamp. *Ipomoea reptans* Poir.  
 CANGCÓAG-DÁPO, T. *Jussiaea repens* L.  
 CANÍÑGAG, T., V. *Cinnamomum mercadoi* Vidal.

- CANÍSI, V. *Piper betle* L.  
 CANLÁRA, V. *Strychnos ignatii* Berg.  
 CANÍÑGAG, T. *Xylopia*.  
 CANÓMAY, T., V. *Diospyros multiflora* Blanco, and other species.  
 CANÓNAY, T. *Croton*.  
 CANSASÁGA, Pamp. *Abrus precatorius* L.  
 CANSÍLAN, V. *Cratoxylon blancoi* Vidal.  
 CANLÍ SAY, V. *Cratoxylon*.  
 CANSÚYOT, *Aporosa*.  
 CANTÍÑGAN (Mang). *Pterospermum*.  
 CANTÍÑGÉN, H. *Cedrela toona* Roxb.  
 CÁNTO-CÁNTO, T. *Exacum tetragonum* Roxb.  
 CANTÓN. *Gossypium barbadense* L.  
 CANTÓN. *Boehmeria nivea*, H. and A.  
 CANTÓTAI, T., Pamp. *Paederia foetida* L.  
 CANTÓTAN. *Paederia foetida* L.  
 CANTÓTAN, T. *Vinca rosea* L.  
 CANTÓTAY, T. *Paederia foetida* L.  
 CANTÚTAC, T. *Paederia foetida* L.  
 CANTÚTAN, T. *Paederia foetida* L.  
 CANUBSÚBAN, T. *Scirpus*.  
 CANUBSÚBAN, T. *Panicum*.  
 CANUBSÚBAN, Pamp. *Polygonum barbatum* L.  
 CÁÑUS-CÁBAG, T. *Mezoneurum*.  
 CAÑA, Sp. *Bambusa*.  
 CAÑA-DÚLCE, Sp. *Saccharum officinarum* L.  
 CAÑA-ESPÍNA, Sp. *Bambusa*.  
 CAÑA-FÍSTOLA, T. *Cassia fistula* L.  
 CAÑA-FÍSTULA, Sp. *Cassia fistula* L.  
 CAÑÓN, H. *Lilium philippinense* Baker.  
 CAPÁL, T. *Hoya multiflora* Blume.  
 CAPALÁUAN, V. *Homalomena miqueliana*, Schott.  
 CÁPOL-CÁPOL, T. *Asclepias curassavica* L.  
 CÁPOL-CÁPOL, T. *Calotropis gigantea* R. Br.  
 CAPANITÚLOT, T. *Justicia gendarussa* L.  
 CÁPAS, H. *Ceiba pentandra* Gaertn.  
 CÁPAS-SÁÑGLAY, H. *Ceiba pentandra* Gaertn.  
 CAPÁYAS, T., V. *Carica papaya* L.  
 CAPCÁPA, H. *Polypodium quercifolium* L.  
 CAPÍLI, T. *Aleurites moluccana* Willd.  
 CÁPOC (Joló). *Ceiba pentandra* Gaertn.  
 CAPÓN, T. *Arcaea alba* Rumph.  
 CAPÓPAT-VISÁYA, V. *Jasminum sambac* Ait.  
 CAPÚLAO, V., T. *Cynomorium philippinense* Blanco.  
 CAPÚLI. *Physalis peruviana* L.  
 CAPÚTOL, V. *Oryza minuta* Presl.  
 CARABÁVI, H. *Bridelia stipularis* Blume.  
 CARADÁP, B. *Scheuchera*.

- CARACÁLLA. *Phaseolus caracalla* Blanco.  
 CARACATÓN, V. *Musa paradisiaca* L. var.  
 CARACHÚCHA, T. *Plumiera acutifolia* Poir.  
 CARACÓB-BUTIGUÍ, V. *Eugenia*.  
 CARÁDAT, V. *Leea javanica* Blume.  
 CARAGDÁ. *Trichosanthes amara* L.  
 CARAGLÍ, T. *Gardenia obscura* Vidal.  
 CARAHÚMAI, T. *Pandanus*.  
 CARÁMAY. *Phyllanthus*.  
 CARAMBUÁYA, H. *Euphorbia neriifolia* L.  
 CARAMPÁLIT, Pamp. *Sesuvium portulacastrum* L.  
 CARANCÁN, V., B. *Heptapleurium*.  
 CARANYÁN, V. *Gomphia angustifolia* Vahl.  
 CARAÑGÁNY, V. *Heptapleurum venulosum* Seem.  
 CARÁOL, Z. *Acacia*.  
 CARAPDÁP, T. *Erythrina indica* L.  
 CARÁUAN, B. *Duabanga moluccana* Blume.  
 CARÍQUIS, H. *Albizzia julibrissin* Durazz.  
 CARISQUÍS, T., H. *Albizzia julibrissin* Durazz.  
 CARITÁNA, V. *Bryophyllum calycinum* Salisb.  
 CARITÁNA, V. *Kalanchoe spathulata* DC.  
 CARLÍN, T. *Pogostemon cablin* Benth.  
 CARMÁI, T. *Glochidion*.  
 CARNÁTE, V. *Musa sapientum* L. var.  
 CÁRO, H. *Casuarina equisetifolia* Forst.  
 CAROBCÓB, B. *Eugenia*.  
 CAROBCÓB-BUTIGUÍ (Camarines). *Eugenia*.  
 CAROCSÁN, T. *Linociera*.  
 CARÓPI, V. *Amomum ciliatum* Blume.  
 CAROPSÁN. *Linociera luzonica* F. Vill.  
 CARÓT, H. *Amorphaphallus campanulatus* Blume.  
 CARÓT, H. *Dioscorea triphylla* L.  
 CARUCANSÓLI, T. *Leucas aspera* Spreng.  
 CARUGÚ, T., V. *Myristica*.  
 CASÁBANG, H. *Zanthoxylum oxyphyllum* Edgw.  
 CASABHÁ, V. *Carthamnus tinctorius* L.  
 CÁSAI, T. *Pithecolobium montanum* Benth.  
 CÁSA-SAGÁ. *Abrus precatorius* L.  
 CÁSAI, B. *Albizzia littoralis*, Teysm and Benn.  
 CÁSAI, T. *Aglaia*.  
 CÁSAI, V. *Pithecolobium montanum* Benth.  
 CÁSAI, V. *Adenanthera pavonina* L.  
 CASIBAINLÁNG (Paragua). *Iguanura*.  
 CASÍBEN, H. *Sapindus turezianowii* Vid.  
 CASINDÍC, T. *Erythrina indica* L.  
 CASÍFRAG, Z. *Dodonaea viscosa* L.  
 CASÍTAS, V. *Cassia alata* L.  
 CASLÁ, V. *Jatropha curcas* L.



- CASNÚT-CÁBAG, T. *Azima nova* Blanco.  
 CASOPANGUÍL, T. *Clerodendron intermedium* Cham.  
 CASOPANGUÍL-SA-GÚBAT, T. *Clerodendron*.  
 CASOPANGUÍL-NA-PUTÍ, T. *Clerodendron*.  
 CASÓY, T., V. *Anacardium occidentale* Linn.  
 CÁSTIO-CASTÍOGAN, T. *Hibiscus abelmoschus* L.  
 CASTÍOGAN, T. *Hibiscus abelmoschus* L.  
 CÁSTO-CASTOLÍAN, Pamp. *Hibiscus abelmoschus* L.  
 CASTÓLI, T. *Hibiscus abelmoschus* L.  
 CASTÚLI, T. *Hibiscus abelmoschus* L.  
 CASTÚMBA, Pamp., T. *Carthamus tinctorius* L.  
 CASÚBANG-ÁSO. *Argemone mexicana* L.  
 CASÚBBA. *Carthamus tinctorius* L.  
 CASUBHÁ, T., Pamp. *Carthamus tinctorius* L.  
 CASUBHÁNG-ÁSO, II. *Argemone mexicana* L.  
 CASÚI-CASÚIAN, T. *Dehaasia*.  
 CASÚIT, Pamp. *Capparis*.  
 CASUPÁÑGIL-GÚBAT, T. *Clerodendron blancoi* Naves.  
 CASUPÁÑGIL-GÚBAT, T. *Clerodendron infortunatum* L.  
 CÁSTIO, T. *Hibiscus abelmoschus* L.  
 CASÚY, T. *Anacardium occidentale* L.  
 CATACÁ-TACÁ, T. *Bryophyllum calycinum* Salisb.  
 CATACÁ-TACÁ, T. *Kalanchoe laciniata* DC.  
 CATALÓÑGA, V. *Strychnos ignatii* Berg.  
 CATAMANTÁS. *Antidesma cumingii* DC.  
 CATANDÁ, T. *Cassia alata* L.  
 CATANDÁ, T. *Cassia tora* L.  
 CATANDÁ, T. *Crotalaria*.  
 CATANDÁNG-ÁSO, T. *Cassia tora* L.  
 CATANGÁL, V. *Eurycles amboinensis* Herb.  
 CÁTANG-CÁTANG, T., B. *Ipomoea pes-caprae* Roth.  
 CÁTANG-CÁTANG. *Alpinia brevilabris* Presl.  
 CÁTANG-CÁTANG, T. *Ipomoea pes-caprae* Roth.  
 CÁTAP (Zamboanga). *Croton leiophyllus* Muell. Arg.  
 CATÁPANG. *Shorea guiso* Blume.  
 CATÁRAY (Balabac). *Blumea chinensis* DC.  
 CATÁYPA (Dinagat). *Ardisia perrottetiana* A. DC.  
 CATBALÓÑGA. *Strychnos ignatii* Berg.  
 CATCÁTAN, Pamp., V. *Alpinia brevilabris* Presl.  
 CATCÁTAN, V. *Hedychium coronarium* Koenig.  
 CATCHÍBONG, V. *Datura alba* Nees.  
 CATCHÚBUNG, V. *Datura alba* Nees.  
 CATCHÚBUNG, V. *Datura metel* L.  
 CATELÁNA, T.? *Diospyros*.  
 CATÍCOT, T. *Maesa indica* A. DC.  
 CATÍGUIS, T. *Sapindus turezaniowii* Vid.  
 CÁTIL, Ig. *Eriosema chinense* Vog.

- CATIMÓN, V. *Cucumis melo* L. and other species.  
 CATMÓN, T., V. *Dillenia philippinensis* Rolfe.  
 CATLUÉN, V. *Pogostemon cablin* Benth.  
 CATÓN (Albay). *Ficus*.  
 CATÓNGAL, T. *Paneratium zeylanicum* L.  
 CATÓN-MACHÍNG (Zamboanga). *Canarium*.  
 CATÓLAN, V. *Alpinia brevilabris* Presl.  
 CATÓTANG, V. *Hedychium coronarium* Koenig.  
 CATÓTANG, V., Pamp. *Alpinia gigantea* L.  
 CATÓTANG, V., Pamp. *Alpinia brevilabris* Presl.  
 CÁTOY (Albay). *Conocephalus*.  
 CÁTOY (Albay). *Artocarpus*.  
 CATSÚMBA, T. *Carthamus tinctorius* L.  
 CATUBACÚLAN, T. *Dysoxylum*.  
 CATUÍT, T. *Euphorbia tirucalli* L.  
 CATÚNGAL, T. *Eurycles amboinensis* Herb.  
 CATÚÑGAO, Ig. *Loranthus spicifer* F. Vill.  
 CATÚRAI, T. *Sesbania grandiflora* Benth.  
 CAUÁD-CAUÁRAN, T. *Panicum*.  
 CAUÁD-CAUÁSAN, T. *Naravalia*.  
 CÁUAI, T., V. *Sophora tomentosa* L.  
 CÁUAT-CAUÁRAN, T. *Cynodon dactylon* L.  
 CAUÁYAN-ÁÑOS?. *Bambusa longinodis* Miq.  
 CAUÁYAN-BALÍCAO, T. *Bambusa luzonica* Munro.  
 CAUÁYAN-BOCÁUI. *Schizostachyum acutiflorum* Munro.  
 CAUÁYAN-BÚHO. *Dendrocalamus*.  
 CAUÁYAN-CHÍNA?. *Schizostachyum blumei* Nees.  
 CAUÁYANG-BÓO, T. *Bambusa laevis* Blanco.  
 CAUÁYAN-GUÍD, V. *Bambusa blumeana* Roem. and Schult.  
 CAUÁYANG-TOTÓO, T. *Bambusa arundinacea* Retz.  
 CAUÁYANG-QUILÍNG, T. *Bambusa monogyna* Blanco.  
 CAUÁYAN-LUMANPÁO?. *Dendrocalamus*.  
 CAUÁYAN-ÑGA-ITÚM, V. *Phyllostachys bambusoides* Sieb. and Zucc.  
 CAUÁYAN-OSUÍ. *Schizostachyum acutiflorum* Munro.  
 CAUÁYAN-PÁNA. *Bambusa*.  
 CAUÁYAN-TÁYO-UÁNAC (Tayabas). *Schizostachyum acutiflorum* Munro.  
 CAUÁYAN-TAINÁNAC. *Dendrocalamus*.  
 CAUÁYAN-TINÍC. *Bambusa blumeana* R. and S.  
 CAUÁYAN-TÓBO. *Bambusa blumeana* Roem.  
 CAUÁYANG TOTÓO, T. *Bambusa arundinacea* Retz.  
 CAUMPÁNG (Jolo). *Sterculia foetida* L.  
 CÁUON, T. *Arenga sacchifera* Lab.  
 CAVÁL, T. *Garcinia*.  
 CAVILÁN, T. *Vitis carnosia* Wall.  
 CAYÁGA. *Hibiscus rosa-sinensis* L.  
 CAYÁÑGA, T., V., Pamp., Il. *Hibiscus rosa-sinensis* L.  
 CAYANÑGA-RÓSA, Il. *Hibiscus rosa-sinensis* L.

- CAYANŨGÁCÁN, V. *Heptapleurum venulosum* Seem.  
 BAYANŨGÁCÁN. *Dioscorea pentaphylla* Pers.  
 CAYANTÓL, Z. *Linociera*?.  
 CAYANTÓN, Z. *Ficus*.  
 CAYAOUÁO, T. *Alstonia spectabilis* R. Br.  
 CAYÁPO, V. *Pistia stratiotes* Linn.  
 CÁYO, B. *Ceiba pentandra* Gaertn.  
 CAYOB-CÓB (Cebu). *Ophiorrhiza*.  
 CAYOMÁNIS, V. *Cocos nucifera* L.  
 CÁYONG, V. *Glochidion littorale* Blume.  
 CÁYOS, V. *Dioscorea hirsuta* Blume.  
 CAYUMÁNIS, T. *Clausena pentaphylla* DC.  
 CAYUTÁNA, Pamp. *Zanthoxylum avicennae* DC.  
 CAYUTÁNA, T. *Zanthoxylum oxyphyllum* Edg.  
 CEBÓLLI-CEBOLLÍSAN, T. *Ipomoea*.  
 CERÉZAS, Sp.-Fil. *Muntingia calabura* L.  
 CHÁ, T. *Aphananthe*.  
 CHACHÁ-CHACHÁHAN, T. *Scoparia dulcis* L.  
 CHACHÁ-CHACHÁHAN, T. *Lippia nodiflora* Rich.  
 CHÁ-CIMARRÓN. *Ehretia*.  
 CHÁM-BÚNDOC, T. *Ehretia buxifolia* Roxb.  
 CHAMPÁCA, Sp.-Fil. *Michelia champaca* Linn.  
 CHAMPÁGA, T. *Michelia champaca* Linn.  
 CHANCHÁE. *Cissampelos pareira* L.  
 CHANG-PÁRANG (Angat). *Osbeckia chinensis* L.  
 CHÉCHE (Nueva Vizcaya). *Stephegyne*.  
 CHICALÓTE. *Argemone mexicana* L.  
 CHÍCO, Sp.-Fil. *Achras sapota* L.  
 CHÍCO-MAMÉY. *Lucuma mammosa* Gaertn.  
 CHÍLE, Sp.-Fil. *Capsicum minimum* Roxb.  
 CHÍLENG-BUNDÓC, T. *Capsicum minimum* Roxb.  
 CHÍLENG-BUNDÓC, T. *Piper*.  
 CHÍLI-PICÁNTE, Sp.-Fil. *Capsicum minimum* Roxb.  
 CHINCHÁO-CHINCHÁUAN, T. *Cissampelos pareira* Linn.  
 CIANBÓG-TÚGBA. *Ternstroemia toquian* F. Vill.  
 CÍDRA. *Citrus medica* L.  
 CÍDRA-CAYÓTE. *Cucumis citrullus* Sir.  
 CILINŨGIWA, V. *Averrhoa bilimbi* L.  
 CINAMÓMO, Sp.-Fil. *Lawsonia alba* Lam.  
 CINAMÓMO-DE-CHÍNA, Sp.-Fil. *Aglaia odorata* Lour.  
 CINCHÁO-CINCHÁUAN, T. *Cissampelos pareira* L.  
 CÍNCO-CÍNCO. *Gynandropsis pentaphylla* DC.  
 CÍNCO-ILÁGAS (Manila). *Erianthemum bicolor* Sch.  
 CÍNTAS-CINTÁSÁN, T. *Vallisneria spiralis* L.  
 CIRÚLLAS. *Spondias purpurea* L.  
 CÍSCA. *Imperata arundinacea* Cyrill.  
 CÍSIP, Ig. *Loranthus*.  
 CÓBAG, T. *Dioscorea sativa* L.

- CÓBAG-NA-QUIRÓI, T. *Dioscorea*.  
 COBÁMBA, T. *Canscora diffusa* R. Br.  
 CÓBE. *Dittelasma rarak* Benth.  
 CÓBONG-CÓBONG, V. *Cyperus elatus* Linn.  
 COCÁTMON, V. *Buchanania florida* Schauer.  
 CÓCO, Sp.-Fil. *Cocos nucifera* L.  
 CÓCONG-MANÓC, T. *Barleria prionitis* L.  
 CÓGON, T., V., B. *Imperata arundinacea* Cyrill.  
 CÓGON-CÓGON, T. *Hypoxis franquevillei* Miq.  
 COHÓMBRO. *Cucumis sativa* L.  
 CÓLA, T. *Geodorum semicristatum* Lindl.  
 COLABATÍAN, T. *Cyperus*.  
 CÓLANG-BUNDÓC, T. *Geodorum semicristatum* Lindl.  
 CÓLAS, T. *Geodorum semicristatum* Lindl.  
 COLASÍMAN, T. *Portulaca oleracea* L.  
 COLATCÓLAT. *Agaricus*.  
 COLÁTAY, T. *Cynodon dactylon* Pers.  
 COLÉNGAY, T. *Astronia*.  
 CÓLES, T. *Morinda bracteata* Roxb.  
 CÓLES, T. *Memecylon edule* Roxb.  
 CÓLES-MALÚEO, T. *Pisonia inermis* Forst.  
 COLIÁT, T. *Gnetum gnemon* L.  
 COLINTÁSAN, V. *Canna indica* L.  
 CÓLO, V. *Artocarpus incisa* L. f.  
 COLOBÓT, T., V. *Citrus hystrix* DC.  
 COLOCANTÍNG. *Clitoria ternatea* Linn.  
 COLOCÓGO, V. *Ocimum sanctum* L.  
 COLOCOLÓG, V. *Clerodendron intermedium* Cham.  
 COLOHÁDIA, Pamp. *Diospyros*.  
 COLONÁUAS, T. *Averrhoa bilimbi* L.  
 COLONCÓGON, B. *Hernandia peltata* Meissn.  
 COLONCÓGON, V. *Ocimum gratissimum* L.  
 COLOPCÓP, T. *Eugenia*.  
 CÓLOT, V. *Dioscorea hirsuta* Blume.  
 COLÓTAN, T. *Triumfetta semitriloba* L.  
 COLÓTAN, T., V., Pamp. *Urena sinuata* L.  
 COLÓT-COLÓTAN, T. *Chrysopogon aciculatus* Trin.  
 COLÓT-COLÓTAN, T., V., Pamp. *Urena sinuata* L.  
 COLOYÁNANG, Pamp. *Diospyros*.  
 CÓLUNG-CÓLUNG, V. *Crotolaria*.  
 COMBÁR-COMBÁRAN, T. *Hyptis brevipes* Poir., *H. capitata* Jacq.  
 COMIMPÓL, V. *Hyptage madablota* Gaertn.  
 COMMONSÍL, V. *Pithecolobium dulce* Benth.  
 CONÁCON. *Elaeocarpus floribundus* Blume.  
 CONDÓL, T. *Benincasa cerifera* Savi.  
 CONGÍ, Pamp. *Oxalis corniculata* L.  
 CONTÍNG-COTÍNGAN, T. *Heliotropium indicum* L.  
 CÓNTRY, T. *Solanum migrum* L.

- CÓPANG, T., II. *Parkia roxburghii* G. Don.  
 CŌPCŌP, T. *Eugenia montana* Blanco.  
 COPRALÍN, T. *Ichnocarpus frutescens* R. Br.  
 COROBCÓB, B. *Eugenia*.  
 COROCARCÚDAN, V. *Lippia nodiflora* Rich.  
 CŌRONG, T. *Chailletia*.  
 CORÓNG-CŌRONG, V. *Erythrina ovalifolia* Roxb.  
 CORONÍAS, Sp.-Fil. *Lantana camara* L.  
 CORÓS-CORŌSAN, T. *Chloris barbata* Sw.  
 CORŌT, V. *Dioscorea fasciculata* Roxb.  
 CORŌT, II. *Amorphophallus campanulatus* Blume.  
 COSIBÉN, II. *Sapindus turczaninowii* Vid.  
 COSINDÍC. *Erythrina indica* L.  
 CŌSOL, V. *Eurycles amboinensis* Herb.  
 CŌSOL, V. *Kaempheria galanga* L.  
 CŌSOL-CŌSOL, V. *Monochoria hastaeifolia* Presl.  
 CŌTING-CŌTÍNGAN. *Heliotropium indicum* L.  
 COTMŌC, B. *Terminalia edulis* Blanco.  
 COTŌLAN. *Urena multifida* L.  
 CROCALÁSAY. *Selaginella*.  
 CUACUACÓHAN, T. *Abutilon indicum* G. Don.  
 CUANTÓN, II. *Amaranthus spinosus* L.  
 CÚBAO. *Dietyoneura*.  
 CUBATÍLI, T. *Aglaia grandis* Miq.  
 CÚBI, V. *Artocarpus cumingiana* Tree.  
 CÚBI. *Dittelasma rarak* Benth.  
 CUBILI (Bulacan). *Cubilia rumphii* Blume.  
 CUCILAI, T. *Allium uliginosum* Don., *A. tricoceum* L.  
 CUCUBÍTAN, T., V., Pamp. *Trichosanthes anguina* L.  
 CUCÚN-BANÚC (Masbate). *Hymenodictyon excelsum* Wall.  
 CUDIÁPA, V. *Celosia argentea* Linn.  
 CUDIÁPA, V. *Amaranthus paniculatus* L.  
 CUÉLA. *Homalium villarianum* Vidal.  
 CUÉLANG (Benguet). *Cratoxylon floribundum* F. Vill.  
 CUINTÁS-CUINTÁSAN, T. *Canna indica* Linn.  
 CUÍSOL, V. *Kaempheria galanga* L.  
 CULÁD, V. *Dioscorea fasciculata* Roxb.  
 CULÁLAO, Pamp. *Curcuma longa* Linn.  
 CULAMBÍSAN, B. *Garcinia*.  
 CULANTÁ, T. *Barleria prionitis* Linn.  
 CULANTRÍLLO, Pamp. *Adiantum lunulatum* Burm.  
 CULÁNTRO (Manila). *Coriandrum sativum* L.  
 CULÁPO, T. *Boletus*.  
 CULÁSI, B. *Decaspermum paniculatum* Turcz.  
 CULÁSI, T. *Lumnitzera purpurea* Presl.  
 CULÁTAI, Pamp. *Jasminum sambac* Ait.  
 CÚLES, T. *Memecylon edule* Roxb.

- CULÉTES, V. *Amaranthus spinosus* L.  
 CULIÃO, II. *Curcuma longa* Linn.  
 CULIÁPA (Iloilo). *Amaranthus mangostanus* L.  
 CULIÁT, V., T. *Gnetum gnemon* L.  
 CULÍCUL, V. *Pithecolobium lobatum* Benth.  
 CULILÍI. *Commersonia platyphylla* Andr.  
 CULÍLIS, T. *Isolepis barbata* R. Br.  
 CULÍLIS, T. *Amaranthus viridis* L.  
 CULILÍSIAO (Tayabas). *Linociera cumingiana* Vidal, *Elaeocarpus*.  
 CULÍNG-BÁBUY, T. *Chisocheton*.  
 CULÍNG-MANÓC, V. *Canthium*.  
 CÚLIOT, Pang. *Hopea*.  
 CÚLIS, T. *Memecylon edule* Roxb.  
 CÚLIS-NA-PULÁ, V. *Aporosa microcalyx* Hassk.  
 CÚLIT, T., V. *Morinda bracteata* Roxb.  
 CÚLOC-CÚLOC, V. *Eugenia*.  
 CULUBÚNG, Pamp. *Musa*.  
 CÚLU-CULÚ, B. *Calophyllum*.  
 CULÚTAN. *Urena sinuata* L.  
 CULU-CULUTÁN, T. *Urena sinuata* Linn.  
 CULÚT-PÁMO, Pamp. *Vitis carnosae* Wall.  
 CUMBÁR, Pamp. *Hypoestes laxiflora* Nees.  
 CÚNAG, T. *Calamus*.  
 CUNÁLON, V. *Diospyros cunala* A. DC.  
 CÚNIG, II. *Curcuma longa* Linn.  
 CÚNTI, T. *Solanum nigrum* L.  
 CÚPANG, T., II. *Parkia roxburghii* G. Don.  
 CÚPANG-BUNDÓC, B. *Gleditschia maculata* H. B. K.  
 CUPCÚP, Pamp. *Eugenia*.  
 CÚPIT-CÚPIT, II. *Lepistemon reniformis* Hassk.  
 CÚRAG. *Calamus*.  
 CURAGDÁ, V., Pamp. *Trichosanthes anguina* L.  
 CURCANÉLA (Albay). *Rauwolfia*.  
 CURRIBUETBUÉT, II. *Tabernaemontana pandacaqui* Poir.  
 CURÚCAT (Nueva Viscaya). *Shorea guiso* Blume.  
 CURYÁO (Nueva Viscaya). *Shorea guiso* Blume.  
 CUSCUSÍPA, II. *Cissampelos pareira* L.  
 CUSIBÉN, II?. *Cupania*.  
 CUSNÁO, II. *Curcuma longa* Linn.  
 CÚSOL, Pamp., V. *Kaempheria galanga* L.  
 CÚSUNG, Pamp. *Cyperus rotundus* L.  
 CUTCÚRAN, T. *Plectranthus*.  
 CÚTI, B. *Solanum nigrum* L.  
 CUTÍL, Ig. *Eriosema chinense* Vog.  
 CÚTO-CÚTO, T. *Bridelia stipularis* Blume.  
 CUYAO-YÁO (Masbate). *Alstonia*.  
 CUYA-QUÍA, Z. *Pometia*.

- CUYANYÁN, B. *Alstonia*.  
 CÚYON-CÚYON, V. *Lepiniopsis ternatensis* Valetón.  
 CÚYOS-CÚYOS, V. *Taxotrophis ilicifolia* Vidal.  
 CÚYOS-CÚYOS, T. *Cupania*.

**D.**

- DÁAT, T. *Xerotes longifolia* R. Br.  
 DÁAT, T. *Scleria*.  
 DACANDÁNG, V. *Tephrosia*.  
 DACÚTUNG (Jolo). *Clerodendron cumingianum* Schauer.  
 DAGÁBAS, T., V. *Pteris opaca* J. Sm.  
 DAGALÍGUAN, V. *Astronia*.  
 DAGÁMIT, V. *Rubus glomeratus* Blume and other species.  
 DAGANGDÁNG, V. *Tephrosia luzonensis* Vogel.  
 DAGANGDÁNG (Jolo). *Maesa*.  
 DÁGMAY. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-APÍPI, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-BOLÍLAO, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-INÍTLOG, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-QUINSÓL, V. *Colocasia antiquorum* Schott.  
 DÁGMAY-ÑGA-TAPÓL, V. *Colocasia antiquorum* Schott.  
 DAGUÍNOT, V. *Rubus parviflorus* L.  
 DAGUÍNOT, V. *Fragaria indica* Andr.  
 DÁHA. *Mallotus*.  
 DAHÍLI, V. *Cocos nucifera* Linn.  
 DAÍLA, V. *Epipremnum medium* Engl.  
 DAITÁNAG, Pamp. *Pterocarpus indicus* Willd.  
 DALÁCAN, H. *Palaquim oleiferum* Blanco.  
 DALAGÁNUN, V. *Uvaria dulcis* Dunal.  
 DALÁGAO, V. *Uvaria dulcis* Dunal.  
 DALÁGUIT, V. *Ficus indica* L.  
 DALÁMO, V. *Fleurya interrupta* Gaud.  
 DALÁNAN, V. *Tectona grandis* Linn. f.  
 DALANDÁN, T. *Citrus aurantium* Linn.  
 DALANDÓN, V. *Tectona grandis* Linn. f.  
 DALANGÍAN, V., T. *Artocarpus camansi* Blanco.  
 DALAÑGUÍL. *Ficus indica* L.  
 DALANTÁ, V. *Zizyphus dalanta* Blanco.  
 DALAÓRA, V. *Justicia dichotoma* Blume.  
 DALÁQUIT, V. *Ficus*.  
 DALÁRA. *Terminalia catappa* L.  
 DALÁYAP, V. *Citrus medica* Linn.  
 DALÁYAT, Z. *Linociera*.  
 DALÉNSE, T. *Terminalia*.  
 DALENSÍN, T. *Terminalia*.  
 DALÍMA (Jolo). *Punica granatum* Linn.  
 DALINDÍNGAN, T. *Shorea*.  
 DALÍÑGA, V. *Dioscorea fasciculata* Roxb.

- DALÍÑGAG, V. *Dioscorea fasciculata* Roxb.  
 DALINIÁS, T. *Polyalthia*.  
 DALINSÍ, B. *Terminalia catappa* Linn.  
 DALIPÁCO, II. *Adiantum lunulatum* Burm.  
 DALIPÁOEN, II. *Alstonia scholaris* R. Br.  
 DALÍSAY (Mindanao). *Terminalia catappa* L.  
 DALÍVI-DALÁGA. *Musa paradisiaca* L.  
 DAL-LOPÁVEN, II. *Alstonia scholaris* R. Br.  
 DALOCNÁSAN, B. *Eugenia*.  
 DALONDÓN, V. *Tectona grandis* L. f.  
 DALONDÓNG, V. *Diospyros pilosanthera* Blanco.  
 DALONÓBAN. *Pipturus asper* Wedd.  
 DALÓNOT, T., Pamp. *Pipturus asper* Wedd.  
 DALONÓTAN, V. *Pipturus asper* Wedd.  
 DALUGDÚG, V. *Caesalpinia bonducella* Fleming.  
 DALUGUÍAN. *Artocarpus camansi* Blanco.  
 DALÚNOT, T. *Pipturus asper* Wedd.  
 DALÚPAN, T., V., Pamp. *Urena sinuata* L.  
 DALÚPAN, T. *Hibiscus abelmoschus* L.  
 DALÚPANG, V. *Urena sinuata* Linn.  
 DALÚRAY. *Aglaia argentea* Blume.  
 DALÚRU-BABÁE, B. *Lumnitzera purpurea* Presl.  
 DALÚRU-LALÁQUE, B. *Sonneratia pagatpat* Blanco.  
 DALÚRUY, Pamp. *Aglaia*.  
 DAMA DE NÓCHE, Sp. *Cestrum nocturnum* L.  
 DAMÁR (Camarines). *Agathis loranthifolia* Salisb.  
 DAMBUHÁLA, T. *Diospyros*.  
 DAMÓ-HÍA, T. *Mimosa pudica* L.  
 DAMÓNG-DÁGAT, T. *Spinifex squarrosus* L.  
 DAMÓNG-HÍYA, T. *Biophytum sensitivum* DC.  
 DAMÓRO, T., Pamp. *Carum copticum* Benth.  
 DAMÓRO, V. *Fleurya interrupta* Gaud.  
 DAMÓRO, T., V. *Carum copticum* Benth.  
 DAMORTÍS, II. *Pithecolobium dulce* Benth.  
 DAMPÁLIT, T., V., Pamp. *Sesuvium portulacastrum* L.  
 DAMPÓL, T. *Glochidion*.  
 DAMPÓL, T. *Terminalia*.  
 DAMPÓL, T. *Bischofia javanica* Blume.  
 DAMÚ-MARÍA. *Artemesia grata* Wall.  
 DAMÚÑG-GÚBAT, T. *Pogonatherum crinitum* Trin.  
 DAMÚÑG-PÁSIG, T. *Panicum*.  
 DAMÚS-APÍ, T. *Panicum*.  
 DÁNAG, T. *Capparis*.  
 DANÁPRA, *Pterocarpus*.  
 DANCÁGI, V. *Strychnos ignatii* Berg.  
 DANCÁLAN, T., V., B. *Calophyllum inophyllum* L.  
 DANĠLÍ, II. *Vitex trifolia* L. f.  
 DANĠLÍ (Tayabas). *Grewia laevigata* Vahl.



- DANGLÍN, H. *Grewia laevigata* Vahl.  
 DANGLÍN, H. *Dipterocarpus*.  
 DANGLÍN-GAN, T. *Callicarpa*.  
 DANGLÍNG-ÁSO, V., T. *Helicteres spicata* Colinh.  
 DANGLÍNG-ÁSO, T., V. *Grewia multiflora* Juss.  
 DANGLÚC, T. *Saccopetalum longipes* Vidal.  
 DÑGOY, T. *Grewia*.  
 DANÍGGA (Cagayan). *Cedrella toona* Roxb.  
 DANÍRI, V. *Oldenlandia diffusa* Roxb.  
 DANLÍG, T. *Shorea*.  
 DANLÓY. *Grewia umbellata* Roxb.  
 DANSÓ, T. *Selaginella*.  
 DANÚPRA (Cagayan). *Cedrella toona* Roxb.  
 DANYLIN, T. *Grewia laevigata* Vahl.  
 DÁO, T., V. *Dracontomelum mangifera* Blume.  
 DÁO, V. *Zingiber zerumbet* Rose.  
 DÁOA, V. *Setaria italica* Beauv.  
 DAO-DÁUA, V. *Fleurya interrupta* Gaud.  
 DÁPAL, V. *Opuntia cochinillifera* Mill.  
 DAPDÁP, T., V., Pamp. *Erythrina indica* Lam., and other species.  
 DAPEDÁPE. *Erythrina indica* Lam.  
 DAPNÍT, Pamp. *Schleichera*.  
 DÁPO, T. Universally applied to epiphytic orchids, ferns, lycopodiums, etc.  
 DÁPO-MARIPÓSA. *Phalaenopsis amabilis* Blume.  
 DAPONÁYA, V. *Coleus acuminatus*.  
 DAPÓ-SA-CÁHUY. *Loranthus philippinensis* Blanco.  
 DAPÓÑG-BÁBA, T. *Hoya multiflora* Blume.  
 DAPÓÑG-TIBÁTIB, T. *Rhaphidophora montana* Schott.  
 DAPÓ-SA-CAUÁYAN, T. *Cleisistoma amabile* T. and B.  
 DAPÓ-SA-PÁJO, T. *Loranthus ampullaceus* L.  
 DARACÁN, H. *Palaquium oleiferum* Blanco.  
 DARACÓT, V. *Triumfetta semitriloba* L.  
 DARÁPUT, V. *Samadera indica* Gaertn.  
 DARÁSIG, V. *Oxalis acetosella* L.  
 DARÁYA, T. *Cratoxylon polyanthum* Korth.  
 DARIÑGÁO, T. *Albizzia procera* Benth.  
 DARÍAS, T., V. *Pteris opaca* J. Sm.  
 DARÍPAY, T., B., V. *Ipomoea pes-caprae* Roth.  
 DAROBCÓB, T. *Eugenia macrocarpa* Roxb.  
 DÁT, V. *Scleria*.  
 DÁTILES. *Muntingia calabura* Linn.  
 DÁUA, T., V. *Setaria italica* Beauv.  
 DÁUA, T. *Eugenia tetragona* Wight.  
 DÁUA-DÁUA, T. *Panicum crusgalli* L.  
 DÁUAG, T. *Capparis micrantha* DC.  
 DÁUAG, T. *Capparis horrida* L. f.  
 DAÚSUM, V. *Eurycles amboinensis* Herb.  
 DÁUT, T. *Scleria*.

- DÁVA, T., V. *Setaria italica* Beauv.  
 DAYÁCA, T. *Wallichia tremula* Mart.?  
 DAYAGSÁC. *Ficus quercifolia* Roxb.  
 DÁYANG, T. *Blechnum browni* Juss.  
 DÁYANG, T. *Anisoptera*.  
 DÁYANG, T. *Cyathula prostrata* Blume.  
 DÁYAP, T. *Citrus acida* Roxb.  
 DÁYAP-DÁYAP. *Plectrona horrida* H. and T.  
 DÁYAP-DAYÁPAT, T. *Atalantia*.  
 DÁYAP-GÚBAT, V. *Xanthophyllum*.  
 DÁYAP-NA-MONTÍ, T. *Atalantia monophylla* Corr.  
 DAYÁQUIT. *Ficus indica* Linn.  
 DAYÍA, V. *Rhaphidophora pertusa* Schott.  
 DAYTÁNAG, Pamp. *Pterocarpus*.  
 DECDEC, Il. *Chaillietia griffithii* Hook. f.  
 DÍÁ, Z. *Zizyphus*.  
 DÍAC, Pamp. *Memecylon*.  
 DIBÁTIR, V. *Epipremnum medium* Engl.  
 DICLÁP. *Zizyphus trinervis* Poir.  
 DICÚTA, Pamp. *Paederia foetida* L.  
 DIÉGO-DE-NÓCHE. *Mirabilis jalapa* L.  
 DIGLÁS, T. *Terminalia*.  
 DIGQUÍT-DIGQUÍT, T. *Pisonia aculeata* L.  
 DIGTÁN (Tayabas) ?. *Calamus mollis* Blanco.  
 DÍIS, V. *Bauhinia tomentosa* L.  
 DILÁAN, V. *Buchanania florida* Schauer.  
 DÍLA-DÍLA, T. *Elephantopus mollis* H. B. K.  
 DÍLA-DÍLA, Pamp. *Lepidopetalum*.  
 DÍLA-DÍLA, T. *Cynometra inequalifolia* A. Gray.  
 DÍLA-DÍLA (Marinduque). *Excoecaria agallocha* Linn.  
 DÍLA-DÍLA. *Onychium auratum* Kaulf.  
 DÍLAG-BUTÍQUÍ, T. *Podocarpus*.  
 DÍLAN-BUTÍQUÍ. *Dentella repens* L.  
 DÍLANG-ÁSO, T. *Hypoestes*.  
 DÍLANG-BÁCA, B. *Olea*.  
 DÍLANG-BÁCA, T. *Opuntia cochinillifera* Mill.  
 DÍLANG-BOÁYA, V. *Aloe barbadensis* Mill.  
 DÍLANG-BUTÍQUÍ, T. *Tylophora bifida* F. Vill.  
 DÍLANG-BUTÍQUÍ, T. *Blumea laciniata* DC.  
 DÍLANG-BUTÍQUÍ, T. *Dentella repens* Forst.  
 DÍLANG-ILÁLO, V. *Aloe barbadensis* Mill.  
 DÍLANG-USÁ, T. *Elephantopus spicatus* Juss.  
 DÍLANG-USÁ, T. *Carallia integririma*.  
 DILÁO, T. *Cureuma longa* L.  
 DILÁO-PUTÍ, T. *Cureuma*.  
 DILÁNAN. *Citrus hystrix* DC.  
 DÍJG, Il. *Canthium confertum* Korth.  
 DILIMÁN (Manila). *Polypodium*.

- DILIVÁRIO, T. *Acanthus ilicifolius* L.  
 DILUÁRIO, T. *Argemone mexicana* L.  
 DINCÁLIN, T. *Calophyllum inophyllum* L.  
 DINGLÁS, T.? *Terminalia*.  
 DINGLÁS. *Eugenia*.  
 DINGLÁS?, H. *Hopea*.  
 DINGCÁLIN. *Calophyllum inophyllum* L.  
 DINLÁS, T. *Eugenia*.  
 DINUGÚAN, T. *Musa paradisiaca* L. var.  
 DIRÁN, H. *Zizyphus*.  
 DÍRIG, H. *Ottophora blancoi* Blume.  
 DÍRIG, H. *Capura*.  
 DIRÍTA, T. *Alstonia*.  
 DÍTA, V., T. *Alstonia scholaris* R. Br.  
 DITÁA. *Alstonia scholaris* R. Br.  
 DITÁAN (Zambales). *Calamus haenkeanus* Mart.  
 DÍTA-DÍTA (Camarines). *Astronia pulchra* Vidal.  
 DIUÁLAT-NA-ÍTEM, T. *Dysoxylum*.  
 DOÁTLO. *Urophyllum glabrum* Jack.  
 DOBLÉSA, T. *Lumnitzera purpurea* Presl.  
 DÓCAT-DÉCAT, V. *Cyathula prostrata* Blume.  
 DÓCOT-DÉCOT, T. *Achyranthes aspera* L.  
 DÓCOT-DÓCOT, V. *Pupalia atropurpurea* Moq.  
 DÓCOT-DÓCOT, V. *Desmodium laxiflorum* DC.  
 DÓGUE. *Dioscorea sativa*.  
 DALDÓL, V. *Ceiba pentandra* Gaertn.  
 DOLÍTAN. *Palaquium luzonense* Vidal.  
 DOLÍTAN-PACÁTAN, T. *Sideroxylon*.  
 DOLÓTAN-PULÁ, T. *Sideroxylon*.  
 DOLÍTAN-PUTÍ, T. *Garcinia*.  
 DOLOÁRIN, T. *Acanthus ilicifolius* L.  
 DOLOCNÁSAN, B. *Eugenia*.  
 DOLOÑGÍAN, T., V. *Artocarpus*.  
 DOLOÑGÍAN, T., V. *Artocarpus camansi* Blanco.  
 DOLÓNTAS, T. *Chrysanthemum indicum* L.  
 DOLOVÁRIO. *Acanthus ilicifolius* L.  
 DONDÓL, H. *Ceiba pentandra* Gaertn.  
 DONGÓN, T. *Heritiera littoralis* Dry.  
 DONHÁO, T. *Astronia*.  
 DÓOL, V., Pamp. *Moringa oleifera* Lam.  
 DÓSOL, Z. *Kaempheria galanga* L.  
 DOYÓC-DOYÓC, V. *Gynotroches axillaris* Blume.  
 DUADUÁRAN, T. *Panicum*.  
 DÚAT, T., V., Pamp. *Eugenia jambolana* Lam.  
 DÚCA, V. *Dittelasma rarak* H. f.  
 DÚCA, V. *Erioglossum edule* Blume.  
 DUCLÁP, T. *Zizyphus trinervis* Poir.  
 DUCLÍTAN, T. *Sideroxylon duclitan* Blanco.

- DUCTÚLAN, T. *Eugenia*.  
 DUCTÚNG-ÁHAS, T. *Naravelia laurifolia* Wall.  
 DUCÚM, V. *Hibiscus abelmoschus* L.  
 DÚEG. *Bischofia javanica* Blume.  
 DUELÍTAN. *Sideroxylon cinereum* L.  
 DÚGAN, T. *Eugenia*.  
 DUGÁRON, T. *Bridelia stipularis* Blume.  
 DUGAYÓN, V. *Decaspermum paniculatum* Turcz.  
 DUGÓAN. *Myristica philippinensis* Lam.  
 DUGÓN-LÁTE, T. *Heritiera littoralis* Dry.  
 DUGTÓNG-ÁHAS, T. *Parameria philippinensis* Radlk.  
 DUGTÚNG-ÁHAS, T. *Streptocaulon baumii* Decne.  
 DUGÚNG-ÁHAS, T. *Vitis quadrangularis* Wall.  
 DUGMÁN, V. *Wolffia schleideni* Miq.  
 DUGÓAN, B. *Myristica*.  
 DUGÚAN, T. *Myristica cumingii* Warb. and other species.  
 DÚHA?, V. *Pterocymbium javanicum* R. Br.  
 DUHÁO (Zamboanga). *Myristica mindanaensis* Warb.  
 DÚHAT, T., V., Pamp. *Eugenia jambolana* Lam.  
 DÚHAT-MANÓC, T. *Ixora*.  
 DUÍAN (Jolo). *Durio zibethinus* Linn.  
 DULANÁRI. *Acanthus iliciformis* L.  
 DÚLAO, V. *Curcuma longa* L.  
 DÚLAO-BABÁE, T. *Globba strobilifera* Zoll.  
 DULAUÁRI, Pamp. *Acanthus ilicifolius* L.  
 DULÍAN (Jolo). *Durio zibethinus* Linn.  
 DULÍAN, H. *Dioscorea batatas* Decne.  
 DULÍTAN-PULÁ, T. *Palaquium*.  
 DULUÁRIO, T. *Argemone mexicana* L.  
 DULÚPANG, V. *Abutilon indicum* G. Don.  
 DUMALÍ, T. *Oryza sativa* L. var.  
 DUMÁNAI, T. *Homonoia riparia* Lour.  
 DUMAYÁCA, T. *Wallichia tremula* Mart.  
 DUNĠÁO, T. *Astronia*.  
 DUNĠÁRUG, V. *Ficus cuneata* Miq.  
 DUNĠON, T., V. *Heritiera littoralis* Dry.  
 DUNĠÓN. *Tarrietia sylvatica* Merrill.  
 DUNĠÓL. *Tarrietia sylvatica* Merrill.  
 DUNĠÓN-DUNĠÓNAN, T. *Pygeum*.  
 DUNĠÓN-LÁTE, T. *Heritiera littoralis* Dry.  
 DUNĠÚN, T., V. *Heritiera littoralis* Dry.  
 DUNĠÚN, V. *Tarrietia sylvatica* Merrill.  
 DUNĠURÚNGUT, C. *Citrus hystrix* DC.  
 DÚRA, V. *Ruta graveolens* L.  
 DÚRANG-PÁRANG, T. *Dalea nigra* Mart. and Gal.  
 DURÍAN. *Durio zibethinus* Linn.  
 DURÚGU, T., V. *Myristica*.  
 DÚS. *Bauhinia binnata* Blanco.

DÚSO, T. *Kaempheria galanga* L.  
 DÚSUL, T. *Kaempheria galanga* L.  
 DÚYONG, II. *Shorea*.

## E.

ÉBANO. *Maba buxifolia* Pers.  
 EM-ÉM, Ig. *Chloranthus brachystachys* Blume.  
 ESCÓBANG-HABÁ, T., V., Pamp. *Sida rhombifolia* L.  
 ESCOBANG-HABÁ, T. *Sida carpinifolia* L.  
 ESES-MÁYA, T. *Ficus*.

## F.

FALUMORÉA, T. *Calophyllum*.  
 FANGFÁNGGUN, Ig. *Vernonia*.  
 FANŢĠNHAN. *Pterocymbium javanicum* R. Br.  
 FARÍCTAN, T. *Geodorum semieristatum* Lindl.  
 FÉSA, T. *Canarium*.  
 FRÚTA, Sp.-Fil. *Strychnos ignatii* Berg.

## G.

GÁBI, Cag., T., V., Pamp. *Colocasia antiquorum* Schott.  
 GÁBI-GÁBI, V. *Monochoria hastaefolia* Presl.  
 GÁBI-GÁBI, V. *Boottia cordata* Wall.  
 GÁBI-GABÍHAN, T. *Typhonium divaricatum* Deene.  
 GABÍHAN, T. *Monochoria hastaefolia* Presl.  
 GABÍLO, T. *Garuga*.  
 GÁBING-MORÁDA, V. *Colocasia antiquorum* Schott.  
 GÁBING-ONÁC, T. *Alocasia indica* Schott.  
 GÁBING-POLÁ, T. *Colocasia antiquorum* Schott.  
 GÁBING-SILÁŢĠGAN, T. *Colocasia antiquorum* Schott.  
 GÁBLOS, T. *Ardisia*.  
 GABUÉN, V. *Blumea balsamifera* DC.  
 GÁBY-ŢĠGA-GUINÁTOS, V. *Colocasia antiquorum* Schott.  
 GÁBY-NA-SIBÓYAS, T. *Colocasia antiquorum* Schott.  
 GÁBY-NA-SINIBÓYAS, T. *Colocasia antiquorum* Schott.  
 GÁCCA, Ig. *Loranthus*.  
 GÁ-GA, T. *Mallotus ricinoides* Muell. Arg.  
 GÁLA-GÁLA, T. *Agathis loranthifolia* Salisb.  
 GALÁMAI-ÁMO, T., V. *Heptapleurum venulosum* Seem.  
 GALAMÍNY-AMÚC, B. *Walsura robusta* Roxb.  
 GALÁŢĠGA. *Maranta arundinacea* L.  
 GALÍANG, V. *Colocasia antiquorum* Schott.  
 GALONÁLPAS, Pamp. *Cyperus rotundus* L.  
 GAMAGAMATÍSAN, T. *Solanum nigrum* L.  
 GAMÓT-SAMBÁLI, T. *Parameria philippinensis* Radlk.  
 GANDÁ, V. *Allium sativum* L.  
 GANDÚS, T., V., Pamp. *Colocasia antiquorum* Schott.  
 GAN-GÁN, V. *Flemingia strobilifera* R. Br.

- GÁPAS, V. *Gossypium herbaceum* L.  
 GÁPAS-CÓSTA. *Gossypium herbaceum* L.  
 GÁPAS-GÁPAS, V. *Vitex obovata* Thunb.  
 GARÁDAT, B. *Leea javanica* Blume.  
 GARAMANSÁTAY, T. *Ternstroemia toquian* F. Vill.  
 GARANGÁN, V. *Averrhoa carambola* Linn.  
 GARBÁN, V. *Epipremnum medium* Engl.  
 GAROÑGÓN, Cag. *Hopea*.  
 GAS-GÁS, V. *Rhodamnia glabra* Vidal.  
 GASPÁS-CASÉRA. *Gossypium herbaceum* L.  
 GÁTAS-GÁTAS. *Euphorbia pilulifera* L.  
 GATÁSAN, T. *Garcinia duodecandra* Pierre.  
 GATÁSAN, T. *Terminalia*.  
 GATÁSAN, V. *Fagraea morindaefolia* Blume.  
 GATÁSAN, T., V. *Garcinia cornea* Linn. and other species.  
 GATÁSAN DILÁO (Tayabas). *Garcinia*.  
 GATÁSAN-PULÁ, T. *Garcinia venulosa* Choisy.  
 GÁTAS-GÁTAS, T., V. *Euphorbia pilulifera* L.  
 GÁUAY-GÁUAY, V. *Sesbania grandiflora* Pers.  
 GÁUAY-GÁUAY ÑGA PULÁ, V. *Sesbania grandiflora* Pers.  
 GÁUAY-SING-BUÁYA, V. *Alocasia*.  
 GÁVAI-GÁVAI, V., T., Pamp. *Nymphaea lotus* Linn.  
 GÁVAY, T., V., Pamp. *Colocasia antiquorum* Schott.  
 GÁWAY-GÁWAY. *Nymphaea lotus* L.  
 GAYÓMAN-MANÓC, T. *Adiantum lunulatum* Burm.  
 GÁYOS, V. *Dioscorea hirsuta* Blume.  
 GÍCOS-GÍCOS, V. *Abrus precatorius* L.  
 GILALÁS, T. *Mirabilis jalapa* L.  
 GILIG-GILÍGAN, T. *Abutilon indicum* Don.  
 GIMUBÁON, V. *Vitex*.  
 GINÁBANG, Il. *Macaranga*.  
 GINGUÍU, T. *Holarrhena macrocarpa* Hassk.  
 GINLAGÁSE (Mindoro). *Hopea*.  
 GÍNTIN-GÍNTIN, V. *Blumea balsamifera* DC.  
 GOÁN-GOÁN, V. *Aristolochia indica* L.  
 GÓGO, T. *Entada scandens* Benth.  
 GÓGO-CÁSAY, T. *Pithecolobium*.  
 GÓGON-TOCÓ. *Albizzia saponaria* Blume.  
 GÓGONG BISÁYA, T.? *Aglaia grandis* Miq.  
 GÓIHONG BÁCAY, V., Pamp. *Entada scandens* Benth.  
 GOLANDRÍNA, Sp. *Euphorbia pilulifera* L.  
 GOLASÍMAN, T. *Portulaca oleracea* L.  
 GOMAMÍLA, T., V., Pamp. *Hibiscus rosa-sinensis* L.  
 GÓNA, Pamp. *Polypodium quercifolium* L.  
 GORGORÉTA, Il. *Nepenthes alata* Blanco.  
 GÓRUNG-GÓRUNG, V. *Crotolaria*.  
 GOYABÁNO, Sp.-Fil. *Anona muricata* L.  
 GOYÓN-GOYÓN, T. *Cratoxylon*.

- GOYÓRAN, T. *Musa paradisiaca* L. var.  
 GRANÁDA, Sp. *Punica granatum* L.  
 GRANÁTES, T. *Nelitris*.  
 GRANÁTES. *Melastoma*.  
 GRANÁTIS, T. *Melastoma malabatricum* L.  
 GUANABÁNO, Sp.-Fil. *Anona muricata* L.  
 GUAYÁBAS, Sp. *Psidium guayava* L.  
 GUBGÚBAO, Ig. *Ardisia*.  
 GUAYÁBO. *Psidium guayava* L.  
 GUENÁYANG, T. *Eugenia*.  
 GUÍCOS-GUÍCOS, T. *Connarus*.  
 GUÍCOS-GUÍCOS, T. *Rourea heterophylla* Planch.  
 GUÍCOS-GUÍCOS, V. *Abrus precatorius* L.  
 GUÍO (Tiagan). *Citrus hystrix* DC.  
 GUÍJO, T. *Shorea guiso* Blume.  
 GUILALÁS, T. *Mirabilis jalapa* L.  
 GUILÁMHON, V. *Cyperus difformis* Linn.  
 GUÍLING-GUÍLÍÑGAN, T. *Abutilon indicum* G. Don.  
 GUÍLIT, T. *Pygeum*.  
 GUÍNÁBANG (Abra). *Macaranga tanarius* Muell. Arg.  
 GUINÁTOS, V. *Colocasia antiquorum* Schott.  
 GUINBABAÓ. *Allaenanthus*.  
 GUÍÑGUEN, T. *Glycosmis pentaphylla* Corr.  
 GUÍÑGUIN, T. *Holarrhena*.  
 GUÍNTIN-GUÍNTIN, V. *Blumea balsamifera* DC.  
 GUIRÍC-GUTÍN, B. *Cupania*?.  
 GUÍSAY-CALABÁO, T. *Cyperus*.  
 GUIS-GUÍS, T. *Rhodamnia glabra* Vidal.  
 GUISÍAN, T. *Nephelium glabrum* Noronh.  
 GUISÍAN, T. *Ratonia montana* B. and H.  
 GUISÍAN, T. *Kayea racemosa* Pl. and Tr.  
 GUISÍHAN, T. *Eugenia*.  
 GUISÍHAN, T. *Dittelasma rarak* Hook f.  
 GUISÍHAN, T. *Nephelium glabrum* Noronh.  
 GUISÍHANG. *Shorea guiso* Blume.  
 GUÍSO, T. *Shorea guiso* Blume.  
 GUISÓC, T. *Shorea guiso* Blume.  
 GUISÓC-GUISÓC. *Aglaiia*.  
 GUÍSOL, T. *Kaempheria galanga* L.  
 GUÍSON, T., V. *Sophora tomentosa* L.  
 GUÍSONG-DILÁO, T. *Shorea mangachapuy* F. Vill.  
 GUÍSUL, V. *Kaempheria galanga* L.  
 GUÍTIN-GUÍTIN. *Blumea balsamifera* L.  
 GULANGULAMÁNAN, T. *Cissampelos pareira* L.  
 GULILÍSIAO (Tayabas). *Elacocarpus*.  
 GUMAMÉLA. *Hibiscus rosa-sinensis* L.  
 GÚME, T. *Eriachne*.  
 GUMÍAN, V. *Artocarpus blumei* Tree.

- GÚMI-GÚMI, T. *Xyris complanata* R. Br.  
 GÚMI-GÚMI, T. *Fimbristylis schoenoides* Vahl.  
 GÚMI-GÚMI, T. *Eleocharis pellucida* Presl.  
 GÚMI-GÚMI, T. *Cyperus*.  
 GÚMI-GÚMI, T. *Eriocaulon sexangulare* Linn.  
 GURAYÁCAN, T. *Rourea heterophylla* Planch.  
 GURUGUANÁBAO, V. *Linociera luzonica* F. Vill.  
 GÚRUNG-GÚRUNG, V. *Crotalaria linifolia* L. f.  
 GUSUTÁN. *Elaeocarpus floribundus* Blume.  
 GÚTA-GÁMBA. *Garcinia venulosa* Choisy.  
 GUTLÍ, T., V. *Acalypha grandis* Benth.  
 GUYÁBA, Sp. *Psidium guayava* L.  
 GUYÁBAS, Sp. *Psidium guayava* L.  
 GUYÓN-GUYÓN, T. *Cratoxylum blancoi* Blume.

## H.

- HÁBA, Sp. *Phaseolus lunatus* L.  
 HÁBUL, V. *Elephantopus spicatus* Juss.  
 HAGACHÁC, T. *Dipterocarpus pilosus* Roxb.  
 HAGADHÁD. *Dipterocarpus*.  
 HAGÁHO, V. *Eugenia*.  
 HAGANÁSI (Camarines). *Leucosyke capitellata* Wedd.  
 HAGNÁYA. *Polypodium*.  
 HAGOBÁOA, V. *Pancratium zeylanicum* L.  
 HÁGON, B. *Memecylon*.  
 HAGÓNAY, T. *Wedelia biflora* DC.  
 HAGÓNOG. *Uncaria*.  
 HAGÓNOG, T. *Spilanthes acmella* L.  
 HAGÓNOI, T. *Spilanthes acmella* L.  
 HAGÓNOY-SA-BÚQUID. *Sambucus javanica* Blume.  
 HAGÓNOY-SA-LÁSANG, V. *Elaeocarpus*.  
 HAGORÍLIS, T. *Deeringia celosioides* R. Br.  
 HAGOSÓS, T. *Ficus*.  
 HAGNICHÍC, V. *Phrynium*.  
 HAGUÍGUIT, V. *Leptosolena haenkei* Presl.  
 HAGUÍNUT, V. *Ficus*.  
 HAGUPÁNŶGA, T. *Aglaia*.  
 HAGÚPIT, V. *Ficus*.  
 HAGUSHÚS, B. *Canarium*.  
 HAGUSNÁY, T. *Panicum*.  
 HAGUYÚY (Tayabas). *Dodonaea viscosa* Linn.  
 HÁLA-HÁLA, T. *Trichosanthes anguina* L.  
 HALAMHÁM?, V. *Daemonorops*.  
 HALAÚMO, V. *Mallotus paniculatus* Muell. Arg.  
 HALIBUTBÚT, B. *Tabernaemontana cumingiana* A. DC.  
 HALIGÁNŶGO, T. *Hymenodictyon*.  
 HALIMÓMO, T. *Ehretia*.  
 HALENTIHÍNAO, V. *Astronia cumingiana* Vidal.



- HALOBAGBÚG, T. *Ipomoea*.  
 HÁLOM, T., V. *Amaranthus viridis* L.  
 HÁLON, T. *Morinda tinctoria* Roxb.  
 HÁLON, T. *Amaranthus melancholicus* L.  
 HALÓPAG-ÁMO (Tayabas). *Nephelium lit-ehi* Camb.  
 HALUGÁBAT, T. *Capparis micrantha* DC.  
 HAMAMÁLE, V. *Leea sambucina* Willd., and other species.  
 HAMBABÁI, V. *Nauclea*.  
 HAMBABÁLOD, T., V. *Nauclea obtusa* Blume.  
 HAMBABÁLOS, T. *Sarcocephalus cordatus* Miq.  
 HAMBABÁYOD, V. *Nauclea*.  
 HAMBÁLOD, T., V. *Nauclea*.  
 HAMÍNDAN, V. *Macaranga bicolor* Muell. Arg.  
 HAMÍNDAN, B. *Clerodendron brachyanthum* Schauer.  
 HAMITANÁGO, V. *Kleinhovia hospita* L.  
 HAMLÍBNO, V. *Blumea balsamifera* DC.  
 HAMOLÁUON, V. *Vitex*.  
 HAMPAPÁRE, V. *Cissampelos pareira* Linn.  
 HAMPÁS-TABÁLANG, T. *Smilax*.  
 HAMPÁS-TAGBÁLANG. *Dioscorea*.  
 HAMTÁC, V. *Vigna catjang* Endl.  
 HAMULÁON, T., B. *Vitex littoralis* Decne., and other species.  
 HANAGÓ, B. *Albizzia*.  
 HANÁRION, T. *Trema amboinensis* Blume.  
 HANÁRION, T. *Sponia*.  
 HANDALÁMAY. *Pipturus asper* Wedd.  
 HANDARÁMAI, V. *Pipturus asper* Wedd.  
 HANÉLE, T. *Ficus*.  
 HANGÁRAY, T. *Bruguiera ritchieii* Merrill.  
 HANGÓR, T., V. *Achyranthes aspera* L.  
 HÁÑGOT, T. *Achyranthes aspera* L.  
 HÁÑGUT-NA-BABÁE. *Lepidagathis*.  
 HANLILIMÓCON, V. *Deeringia celosioides* R. Br.  
 HANMABABÁO, T., V., Pamp. *Rourea heterophylla* Planch.  
 HANMABABÁO, T., V., Pamp. *Connarus*.  
 HANMABALÁR. *Oncotis trifolia* Pers.  
 HANÓPOL, T., V. *Conocephalus erectus* Blanco.  
 HANTUTÚÑGAO, T. *Melastoma*.  
 HANÚGDONG, T. *Gyrocarpus jacquinii* Roxb.  
 HAPÍTON, T., V. *Dipterocarpus grandiflorus* Blanco.  
 HÁRA, T. *Leea*.  
 HARÁÑGAN, T., V. *Centripeda orbicularis* Lour.  
 HÁRAS, V. *Piper corylistachyon* C. DC.  
 HÁRAS, V. *Scleria*.  
 HÁRAS, V. *Garcinia cowa* Roxb.  
 HÁRUM, V. *Amaranthus spinosus* L.  
 HAUÍLI, T. *Ficus*.

- HAÚLI? (Jolo). *Cyanotis axillaris* Roem. and Schult.  
 HAWÍLI, T. *Ficus*.  
 HÁYA-HÁYA, V. *Buddleia neemda* Hamilt.  
 HÁYOC (Tayabas). *Vitis lanceolaria* Roxb.  
 HAYÓPAG, T. *Quercus llanosii* A. DC.  
 HEBÓNG, Mang. *Aglaia*.  
 HIBIÓC, Vis. *Arenga saccharifera* Lab.  
 HICAMÁS, T. *Pachyrhizus angulatus* Rich.  
 HIDIÓC, V. *Arenga saccharifera* Lab.  
 HIÉRBA DE SAN PÉDRO, Sp. *Phyllanthus niruri* Muell. Arg.  
 HIGANTÓNG, V. *Clerodendron fragrans* Vent.  
 HIGOTBALÁTO, T., V., Pamp. *Sida carpinifolia* L.  
 HÍGUIS-MANÓC?, T. *Eclipta alba* Hassk.  
 HILALAY-ÓN. *Heliotropium indicum* L.  
 HÍMAG, V. *Ipomoea paniculata* R. Br.  
 HIMAMÁO, T. *Chisocheton*.  
 HIMAMÁO, T. *Dysoxylum blancoi* Vidal.  
 HIMBABÁLOB, T. *Nuclea*.  
 HIMBABÁO, Pamp., V. *Excoecaria agallocha* L.  
 HIMBABÁO, T. *Allacanthus luzonicus* Benth. and Hook.  
 HIMPAPÁRAY, V. *Melochia indica* A. Gray.  
 HIMPAPÁRA, V. *Cissampelos pereira* Linn.  
 HIMPÁS-LAGRÁLANG. *Smilax divaricata* Blanco.  
 HIMÚLAO, V. *Clausena wilddenovii* W. and A.  
 HINAGDÚNG, V. *Trema aspera* Blume.  
 HIMARÁMAY, V. *Pipturus asper* Wedd.  
 HINDALÁMAI, V. *Pipturus asper* Wedd.  
 HINDURÚGU, T., V. *Myristica*.  
 HINGASÍN, V. *Derris uliginosa* Benth.  
 HINGASINÁN, V. *Derris uliginosa* Benth.  
 HINŌNŌGÓTO, T. *Bridelia stipularis* Blume.  
 HINGÚE-CALÁBO, T. *Beaumontia*.  
 HINŌGUÉN, T. *Malasia tortuosa* Blanco.  
 HINŌGUÍO, T. *Ichnocarpus frutescens* R. Br.  
 HINŌGUÍON. *Monochoria vaginalis* Presl.  
 HIMLALAY-ÓN, T. *Heliotropium indicum* L.  
 HINTÁN. *Terminalia catappa* L.  
 HINTIPÁLO, T. *Drosera indica* L.  
 HINTOTÓOR, T. *Crudia blancoi* Rolfe.  
 HIPGÍ, V. *Ichnocarpus ovatifolius* A. DC.  
 HÍPON-HÍPON, V. *Vernonia chinensis* Less.  
 HÍTAM, V. *Terminalia catappa* L.  
 HOÁG, V. *Flagellaria indica* Linn.  
 HOJA CRUZ, Sp. *Crescentia alata* H. B. K.  
 HOJAS DE BUYO. *Piper betle* L.  
 HALIGÁNŌA, T. *Hymenodictyon*.  
 HOLÓG, V. *Rhaphidophora*.  
 HOLÓG-ŌGA-ISÁ, V. *Pothos cylindricus* Presl.

HOMÁI-HOMÁI, V. *Typha angustifolia* Linn.  
 HÓNGO, T. *Elaeocarpus*.  
 HÓPONG-HÓPONG. *Litsea*.  
 HÓROG, V. *Epipremnum medium* Engl.  
 HOTHÓT, T. *Trichosanthes anguina* L.  
 HÓTOG, V. *Rhaphidophora*.  
 HUÁC, V. *Flagellaria indica* Linn.  
 HUALÍS, T. *Lepidopetalum*.  
 HUAMPÍ, T.? *Clausena wampi* Oliv.  
 HÚBAR (Balabac). *Jasminum sambac* Ait.  
 HULABLÚB, V. *Solanum nigrum* L.  
 HULÁYA, V. *Gynandropsis pentaphylla* DC.  
 HULÁYA-SANG-ÁYAM, V. *Cleome viscosa* Linn.  
 HULIGÁÑGA, T. *Hymenodictyon excelsum* Wall.  
 HÚPONG-HÚPONG, V. *Buchanania florida* Schauer.  
 HÚSU-HÚSU, B. *Eugenia*.  
 HÚYA-HÚYA, V. *Mimosa pudica* L.  
 HÚYA-HÚYA, V. *Biophytum reinwardtii* Wall.

## I.

IÁCAL, T. *Hopea plagata* Vidal.  
 ÍBA, T., Pamp. *Phyllanthus distichus* Muell. Arg.  
 ÍBA, V. *Averrhoa bilimbi* Linn.  
 IBABÁ. *Aglaiia*.  
 IBABÁO, V. *Cassia fistula* L.  
 IBA-IBÁAN, T. *Phyllanthus urinaria* L.  
 IBAIBÁN, T. *Rourea*.  
 IBÍOC, V. *Arenga saccharifera* Lab.  
 ÍBO, V. *Chisocheton tetrapetalus* Turcz.  
 ÍBUD-ÍBUD, V. *Tristellateia australasica* A. Rich.  
 ÍCOG-ÍCOG-SANG-CUTÍ, V. *Heliotropium indicum* Linn.  
 IDÍAO. *Pterocarpus*.  
 IDÍOC, V. *Arenga saccharifera* Lab.  
 ÍGANG, T. *Vitex aherniana* Merrill.  
 IGÁSUD, V. *Strychnos ignatii* Berg.  
 IGÁSUR. *Trichosanthes amara* L.  
 IGÍNĞA, T. *Clerodendron intermedium* Cham.  
 IGNÁMA. *Dioscorea divaricata* Blanco.  
 IGUÍA, *Turraea virens* L.  
 IGUÍO, Pamp. *Dysoxylum blancoi* Vid.  
 IGUÍNĞA. *Clerodendron intermedium* Cham.  
 IGÚT, V. *Eugenia*.  
 ÍGIW, T. *Dysoxylum blancoi* Vidal.  
 ILAI-BÁQUIR, Il. *Basella rubra* L.  
 ILALU-GÁBAT. *Capparis*.  
 ÍLANG-ÍLANG, T., V., Il. *Cananga odorata* H. and Th.  
 ÍLANG-ÍLANG DE CHÍNA. *Artabotrys odoratissimus* R. Br.  
 ÍLIB, Pamp. *Imperata arundinacea* Cyr.

ILÓILO, Pamp. *Aglaia argentea* Blume.  
 ILÓNGO, T. *Elaeocarpus*.  
 INÁLIA, T. *Lemna*.  
 INANGDÓN, T. *Callicarpa*.  
 INÁTA, T. *Linnophila gratioloides* R. Br.  
 INÁTA (Bulacan). *Utricularia flexuosa* Vahl.  
 INÁTA, T. *Ceratophyllum submersum* Linn.  
 INÁTA, T. *Hydrilla*.  
 INAUÁQUI, V. *Albizzia saponaria* Blume.  
 INDÁNG, V. *Litsea perrottetii*, B. and H.  
 INGÁS. *Semecarpus perrottetii* March.  
 INÍAM, V. *Antidesma ghaesembilla* Gaertn.  
 INIGNÍN, T. *Casearia glomerata* Roxb.  
 INOYÁBAN. *Parastemon*.  
 INÚMANG-CÁLO, T. *Nepenthes*.  
 INYÁM, V. *Antidesma*.  
 IOÁS, T. *Harpullia blancoi* F. Vill.  
 ÍPIL, T., V. *Azelia bijuga* A. Gray.  
 ÍPIL, Z. *Adenantha*.  
 ÍRING, T. *Grewia*?  
 ÍRIS, Mang. *Tabernaemontana*.  
 ÍROC, T. *Arenga saccharifera* Lab.  
 ÍSAI, T. *Enhalus koenigii* Rich.  
 IS-ÍS, T., V., Pamp. *Ficus aspera* L?.  
 ISIOÍSIO, T., V., Pamp. *Ficus hispida* L?.  
 ITÍBAN, T. *Parameria philippinensis* Radlk.  
 ITMÓ, V., T. *Piper betle* L.  
 ITMÓNG-DALÁGA, T. *Ehretia blancoi* A. DC.  
 ITMÓNG-OUÁC, T. *Gnetum gnemon* L.

## J.

JAMOLÁUON. *Vitex littoralis* Decne.  
 JANDAYAGCÓT, V. *Tabernaemontana*.  
 JÁRAS. *Garcinia*.  
 JARRÍTO, T. *Nepenthes*.  
 JÁBRO, H. *Nepenthes alata* Blanco.  
 JATSAHENGÍM, T. *Canarium*.  
 JAUNÁQUI (Albay). *Albizzia saponaria* Blume.  
 JAVÍLI (Zamboanga). *Bridelia*.

## L.

LABÁYO (Tayabas). *Commersonia platyphylla* Andr.  
 LÁBBA-LÁBBA, H. *Zizyphus trinervis* Poir.  
 LÁBIG, H. *Livistona rotundifolia* Mart.  
 LABINDANÁIA, H. *Livistona rotundifolia* Mart.  
 LABNÉI, Pang. *Calamus albus* Pers.  
 LABNÍ-ÁUAY-NA-MALÓTO, Pamp. *Calamus albus* Pers.  
 LABNÍB, B. *Calamus*.

- LABNIS, H. *Boehmeria nivea* Hook. and Arn.  
 LABNÍ, B. *Calamus albus* Pers.  
 LÁBOG, V. *Hibiscus surattensis* Linn.  
 LÁBOG-LÁBOG, V. *Malachra bracteata* Cav.  
 LÁBON, V. *Abroma alata* Blanco.  
 LABRÚS. *Boehmeria nivea* H. and A.  
 LABSÓB. *Ficus pseudopalma* Blanco.  
 LÁCAB-BÚLAN, V. *Blumea balsamifera* DC.  
 LACATÁN, T. *Musa sapientum* L.  
 LACBÓNG-LACBÓNG, V. *Vernonia chinensis* Less.  
 LACDÁN-BÚLAN, V. *Blumea balsamifera* DC.  
 LAC-HÁ. *Ficus*.  
 LACLÁY-GUÍNAN, T. *Flemingia*.  
 LACTÁNG, T., V., Pamp. *Anamirta cocculus* W. and A.  
 LADCÓ, Ig. *Wendlandia luzoniensis* DC.  
 LÁGA (Cebu). *Abrus precatorius* L.  
 LAGÁRI. *Phyllanthus*.  
 LAGAYRÁI, T., B. *Ipomoea pes-caprae* Roth.  
 LAGBÁNGAN. *Guettarda speciosa* L.  
 LÁGI-LÁGI, V. *Eugenia lineata* Duthie.  
 LAGÍNI, V. *Vitis carnosa* Wall.  
 LAGÍWLAGÍW, T. *Acanthus ilicifolius* L.  
 LÁGNA, T. *Conocephalus suaveolens* Blume.  
 LÁGNI, Pamp. *Calamus*.  
 LAGÍNI. *Cedrela toona* Roxb.  
 LAGNÍG. *Clausena*?  
 LAGNÓB. *Ficus*.  
 LAGNÚB. *Ficus*.  
 LÁGO, T. *Carthamus tinctorius* L.  
 LAGÓG (Iloilo). *Celtis philippinensis* Blanco.  
 LAGÓLO, T. *Acrostichum aureum* L.  
 LAGÓNHON, V. *Ardisia serrata* Pers.  
 LAGPÁCUM, V. *Solanum nigrum* L.  
 LAG-TÁL, V. *Anamirta cocculus* W. and A.  
 LÁGU, T. *Olax*.  
 LAGUCDÍ, Mang. *Diospyros*.  
 LAGUÍNO, V. *Capparis horrida* Linn.  
 LÁGUIO-LÁGUIO, T. *Acanthus ilicifolius* L.  
 LAGÚNDI, T. *Vitex obovata* Thunb.  
 LAGÚNDI, T. *Vitex negundo* Linn.  
 LAGÚNDI-LÁTI, T. *Pluchea indica* Less.  
 LAGÚNDI-SALÁSA, V. *Buddleia asiatica* Lour.  
 LAGUNDÍN-DÁGAT. *Vitex trifolia* L.  
 LAGUNDÍNG-GAPÁNG, T. *Vitex obovata* Thunb.  
 LAGUÍNO, V. *Capparis*.  
 LAGVÁY, T., V., Pamp. *Colocasia antiquorum* Schott.  
 LÁHA? (Jolo). *Pandanus odoratissimus* Linn. f.  
 LÁHO, V. *Myristica*.

- LAIÓC-LAIÓC, V. *Jasminum marianum* DC.  
 LAÍYA. *Harrisonia bennetii* B. and H.  
 LALACDÁN, V. *Blumea balsamifera* DC.  
 LALÁSI, Ig. *Leucosyke capitellata* Wedd.  
 LALÓGO, V. *Pandanus sylvestris* Rumph.  
 LAMBAYÓNG, T., B., II. *Ipomoea pes-caprae* Roth.  
 LAMBÓTAN, T. *Calamus*.  
 LAMHÁY, V. *Corchorus capsularis* L.  
 LAMÍO, T. *Dracontomelon mangiferum* Blume.  
 LAMÍSI, C. *Wrightia ovata* A. DC.  
 LÁMOT-LAMÓTAN, T. *Adiantum lunulatum* Burm.  
 LAMPACÁNAI, V. *Typha angustifolia* Linn.  
 LAMPARAHÁN, T. *Gnetum gnemon* L.  
 LAMPAYÓNG, T., B., V. *Ipomoea pes-caprae* Roth.  
 LAMPÚYAN, T. *Zingiber*.  
 LAMPÚYANG, V. *Zingiber zerumbet* Rose.  
 LAMPÚYANG, T. *Curcuma xanthorrhiza* Roxb. and other species.  
 LAMPÚYANG-DORÁC, V. *Curcuma caesia* Roxb. and other species.  
 LAMPÚYANG-ITÁYAM, V. *Zingiber*.  
 LAMPÚYANG-ŊGA-GUINATÓLA. *Globba marantina* Linn.  
 LAMPÚYANG-ŊGA MAPULÁ, V. *Globba marantina* Linn.  
 LAMPÚYANG-ŊGA-MAPUTÍ, V. *Amomum cardamomum* L.  
 LAMPÚYANG-TÁPOL, V. *Curcuma caesia* Roxb. and other species.  
 LAMÚDIO, T., V. *Carum copticum* Benth.  
 LAMÚYO, T. *Oryza sativa* L. var.  
 LANÁ. *Sesamum indicum* L.  
 LANÁRAY (Tayabas). *Bruguiera parviflora* W. and A.  
 LANCÁ, T. *Artocarpus integrifolia* L. f.  
 LANCÓAS, Pamp. *Alpinia galanga* Swartz.  
 LÁNDO, T. *Bridelia*.  
 LANÉTE, V. *Pierasma javanica* Blume.  
 LANÉTE, T. *Wrightia ovata* A. DC.  
 LÁŊGA (Cag.). *Sesamum indicum* L.  
 LAŊGÁLA, V. *Fleurya interrupta* Gaud.  
 LAŊGCÁ, II. *Artocarpus integrifolia* L. f.  
 LAŊGCÁUAS, V. *Alpinia galanga* Swartz.  
 LANGGÁSI, V. *Leucosyke capitellata* Wedd.  
 LÁŊGAS, V. *Semecarpus microcarpa* Wall. and other species.  
 LANGÉRAY, T. *Bruguiera ritchieii* Merrill.  
 LÁŊGIL. *Albizzia saponaria* Blume.  
 LÁŊGIL, T. *Albizzia lebbek* Benth.  
 LÁŊGIL, T. *Albizzia retusa* Benth.  
 LAŊGÍNŊI, V. *Vitis carnosae* Wall.  
 LAŊGÍS, Pamp. *Sesamum indicum* L.  
 LANGŊGÁ, T. *Sesamum indicum* L.  
 LAŊGPÁ. *Cedrela toona* Roxb.  
 LAŊGUÍGI. *Phyllanthus acidus* Muell. Arg.  
 LAŊGUÍL. *Albizzia lebbek* Benth.

- LANŨGUÍS. *Sesamum indicum* L.  
 LANÍGDA, B., V. *Cedrela toona* Roxb.  
 LANÍGPA, V. *Cedrela toona* Roxb.  
 LANÍNGUING, T. *Ficus cumingii* Miq.  
 LANÍPGA, V., B. *Cedrela toona* Roxb.  
 LANÍTI, T. *Wrightia ovata* A. DC.  
 LANÓGO, V. *Pandanus sylvestris* Rumph.  
 LÁNOT, V. *Musa textilis* Nees. var.  
 LANÓTAN, T. *Hibiscus grewiaeifolius* Hassk.  
 LANÓTAN, V. *Musa textilis* Nees. var.  
 LANÓTAN, T. *Goniiothalamus*, and other arborescent species of *Anonaceae*.  
 LANÓTANG-ITÍM, T. *Phacanthus nutans* Hook. f. and Th.  
 LANÓTAN-ITÍM. *Hibiscus*.  
 LANÓTI, T. *Zizyphus trinervis* Poir.  
 LANSÍNA, T. *Ricinus communis* L.  
 LANSÓNE, T. *Lansium domesticum* Rumph.  
 LANSÓNES, T. *Lansium domesticum* Jack.  
 LANTÁ, T., V., Pamp. *Anamirta cocculus* W. and A.  
 LANTÍN, T. *Plantago erosa* Wall.  
 LANTÚNDAL. *Musa paradisiaca* L.  
 LANÚSI, Cag. *Wrightia ovata* A. DC.  
 LANÚTAN, T. *Saccopetalum longipes* Vidal, and other species of *Anonoeae*.  
 LANÚTAN, T. *Thespesia campylosiphon* Rolfe.  
 LANÚTAN, T. *Xylopia dehiscens* Merrill.  
 LANÚTAN-ITÍM. *Phacanthus nutans* H. f. and T.  
 LANÚTAN-PUTÍ. *Goniiothalamus giganteus* Hook. f. and Th.  
 LANÚTI, Il. *Wrightia ovata* A. DC.  
 LANZÓN. *Lansium domesticum* Jack.  
 LAOPÁO, Cag. *Vernonia arborea* Ham.  
 LAPNÉI, Zamb. *Calamus albus* Pers.  
 LAPNÍS, C. *Boehmeria nivea*. H. and A.  
 LAPNÍS. *Malachra bracteata* Cav.  
 LAPNÍS NA BOLOHÁN, T. *Malachra bracteata* Cav.  
 LÁPO-LÁPO, Il. *Gyrocarpus jacquini* Roxb.  
 LAPONÁYA, V. *Coleus acuminatus* Benth.  
 LÁQUIS-LÁQUIS. *Acanthus ilicifolius* L.  
 LÁRA. *Capsicum minimum* Roxb.  
 LARÓAN-ANÍTO, T. *Clerodendron intermedium* Cham.  
 LÁSA. *Nipa fructicans* Wurm. b.  
 LASÁLIA. *Wendlandia luzonensis* DC.  
 LASGÁS, B. *Villaria philippinensis* Rolfe.  
 LASŨGÁTON, T., V. *Laportea gaudichaudiana* Wedd.  
 LÁSO, V. *Allium sativum* Linn.  
 LASONÁ, Il. *Allium cepa* Linn.  
 LASTÓN, V. *Vigna catjang* Endl.  
 LASUNÁ, T. *Allium cepa* L.  
 LAUÁAN, T., V. *Anisoptera thurifera* Blume.  
 LÁUAN-NA-PULÁ, T. *Vatica*.

- LÁUAN-MAPUTÍ, T. *Dipterocarpus*.  
 LÁUAN SANDÁNA. *Anisoptera thurifera* Blanco.  
 LÁUAS, T., *Nymphaea stellata* Willd.  
 LÁUAS, T. *Limnanthemum cristatum* Griseb.  
 LÁUAT, V. *Litsea chinensis* Lam., and other species.  
 LÁVAS, T., V., Pamp. *Nymphaea lotus* Linn.  
 LAYÁ, H. *Alstonia scholaris* R. Br.  
 LAYÁ, B. *Zingiber zerumbet* Rose.  
 LAYÁL, Z. *Zingiber officinale* Linn.  
 LAYASÍN, T. *Leucosyke capitellata* Wedd.  
 LÁYO, B. *Alyxia odorata* Wall.  
 LAYÓHAN, V. *Phyllanthus distichus* Muell. Arg.  
 LEÁSIN, T. *Leucosyke capitellata* Wedd.  
 LECHÍA, *Nephelium litchi* Camb.  
 LECHÍAS, T. *Nephelium longana* Camb.  
 LECHÍAS, T. *Nephelium glabrum* Noronh.  
 LÉGAS, T. *Semecarpus perrottetii* March.  
 LÉNĠAY, T. *Melastoma*.  
 LÉNGŊGA, T. *Sesamum indicum* L.  
 LÉNGUA-DE-PÉRRO, Sp. Fil. *Euphorbia neriifolia* L.  
 LÉNO, T. *Psychotria malayana* Jack.  
 LETERÁN, T. *Gouania*.  
 LÉTLET-TÚRUY, T. *Piper corylistachyum* C. DC.  
 LÍA, T. *Wofflia schleideni* Miq.  
 LIÁPA, Z. *Terminalia*.  
 LIBÁCAN, T. *Litsea*.  
 LÍBAI, T. *Achryanthes aspera* L.  
 LÍBAS. *Eugenia*.  
 LÍBAS. *Modecca trilobata* Roxb.  
 LÍBAS-LÍBAS. *Symplocos*.  
 LIBÁTO, T. *Lumnitzera purpurea* Presl.  
 LIBÁTO, T. *Basella rubra* L.  
 LIBÁTO-PUTÍ, T. *Cumingia philippinensis* Vidal.  
 LIBÁTO-NA-PUTÍ, T. *Nesia altissima* Blume.  
 LIBÁTO-PULÁ (Tayabas). *Lumnitzera purpurea* Presl.  
 LIBÁTO-PULÁ, T. *Xylocarpus granatum* Koenig.  
 LÍBAY, T. *Achyranthes obtusifolia* Lam.  
 LIBÍRAN, T. *Scirpus*.  
 LIBÚN, V. *Emilia sonchifolia* DC.  
 LICTÁNG, T., V., Pamp. *Anamirta cocculus* W. and A.  
 LIGÁAS, T. *Semecarpus perrottetii* March.  
 LÍGAO, T. *Zizyphus trinervis* Poir.  
 LÍGAO, T. *Zizyphus arborea* Merrill.  
 LÍGAO. *Grewia*.  
 LÍGAS, T. *Semecarpus perrottetii* March.  
 LIGÁSAN, T. *Ceriops candolleana* Arn.  
 LÍGUID-LÍGUID, V. *Alpinia*.  
 LILÍTAN, V. *Paederia foetida* L.



- LIMÁ-LIMÁ, T., V. Dioscorea.  
 LIMÁ-LIMÁ, T. V., Pamp. Heptapleurium caudatum Vidal.  
 LIMÁNG-SÚGAT. Erianthemum bicolor Schrank.  
 LIMBÁON, V. Cocos nucifera Linn.  
 LIMOLÍMO, T. Heptapleurium caudatum Vidal.  
 LIMOLÍMO, Il. Vitex.  
 LIMÓN, Sp. Fil. Citrus medica L. var.  
 LIMONÁTO. Triphacea aurantiola Lour.  
 LIMONCÍTO, Sp. Triphacia trifoliata DC.  
 LIMORÁN. Zolacca edulis Reinw.  
 LIMORÁN, T. Calamus.  
 LINALÍNA-ÁHAN, T. Zinziber.  
 LÍNAS, B. Eugenia.  
 LINATOGÁNAC, V. Samadera indica Gaertn.  
 LINCAMÁS, Il. Eriosema chinense Vog.  
 LÍNGÁ, T. Sesamum indicum L.  
 LÍNGA-LÍNGÁHAN, T. Hyptis capitata Jacq.  
 LÍNGASÍNA, T. Ricinus communis L.  
 LÍNGAT, T. Begonia rhombicarpa A. DC.  
 LÍNGATÓN (?). Laportea gaudichaudiana Wedd.  
 LÍNGO. Sesamum indicum L.  
 LÍNO, Pamp. Morinda bracteata Roxb.  
 LÍNO, V. Morinda citrifolia Linn.  
 LÍNOG, Z. Scaevola koenigii Vahl.  
 LINTÁNG-ÁGUIN, T., V., Pamp. Anamirta cocculus W. & A.  
 LINTÓN-GÁMAI, V. Samadera indica Gaertn.  
 LÍO-LÍO, Ig. Ficus.  
 LIOSÍN (Zambales). Heritiera littoralis Dry.  
 LIPÁ, T. Laportea gaudichaudiana Wedd.  
 LIPÁ, T. Fleurya interrupta Gaudich.  
 LÍPAI, T. Mucuna monosperma DC.  
 LIPÁNG-ÁSO. Fleurya interrupta Gaud.  
 LIPÁNG-CASTÍLA, T. Fleurya interrupta Gaud.  
 LIPÁNG-DÓTON, Pamp. Laportea gaudichaudiana Wedd.  
 LIPÁTA, V. Excoecaria agallocha L.  
 LIPÁTA, T. Rauwolfia.  
 LIPÁTA (Ticao). Cerbera odollam Gaertn.  
 LIPATÁT-GÚBAT, B. Ixora amboinica DC.  
 LÍPAY, V. Laportea gaudichaudiana Wedd.  
 LÍPAY, V. Mucuna pruriens DC.  
 LÍPÓTE, T. Eugenia.  
 LIPSIPÁN, T. Lepidagathis luzoniac Nees.  
 LÍRIO, V. Rhaes discolor Hance.  
 LÍRIO, V. Crinum.  
 LÍRIO, T. Habranthus versicolor Herb.  
 LISÁC, T. Nauclea.  
 LISÁNGAY, Z. Curcuma longa Linn.  
 LISÓHAN, V. Musa.

- LISONG-INSIC, T. Payena.  
 LITA, V. Voacanga.  
 LITBIT, V. *Piper corylistachyon* C. DC.  
 LITLI, V. *Piper corylistachyon* C. DC.  
 LITLIT. *Piper*.  
 LINAS, V. *Bauhinia tomentosa* L.  
 LIVIAN. *Castanopsis philippinensis* Vidal.  
 LOBALOB, T. *Bridelia stipularis* Blume.  
 LORAS, Pamp. *Vitis geniculata* Blume.  
 LÓBIS, V. *Cocos nucifera* Linn.  
 LÓBI-LÓBI, V. *Eulophia elongata* Blume.  
 LOBÍO, T. *Mollugo hirta* Thunb.  
 LÓBI-ÑGA-HINBÁON, V. *Cocos nucifera* Linn.  
 LÓBI-ÑGA PILÍPOG, V. *Cocos nucifera* Linn.  
 LOCÁY? T. *Limnophyton obtusifolium* Miq.  
 LOCÓAN (Masbate). *Calamus*.  
 LÓCO-LÓCO, V. *Hyptis suaveolens* Poir.  
 LÓCO-LÓCO, T., Pamp. *Ocimum sanctum* L.  
 LOCTÓN. *Trichocarya*.  
 LOCTÓN. *Duabanga moluccana* Blume.  
 LOBÓCONG, Pamp. *Moschosma polystachyum* Benth.  
 LOBÓNO. *Celtis philippinensis* Blanco.  
 LORÓNG, Ig. *Rhododendron verticillatum* Vidal.  
 LOGÓG, V. *Celtis philippinensis* Blanco.  
 LOGONHÓN (Iloilo). *Ardisia serrata* Pers.  
 LOHÓD-LOHÓD, V. *Polia sorzogonensis* Endl.  
 LOLÍO, T. *Artocarpus odoratissima* Blanco.  
 LOLÓAN, Il. *Pistia stratiotes* L.  
 LOLOQUÍSEN, Il. *Limnanthemum cristatum* Griseb.  
 LOMBAYÓNG, V. *Cassia fistula* L.  
 LOMBÓY, T. *Eugenia jambolana* L.  
 LÓMOT, T. *Potamogeton javanicus* Hassk.  
 LÓMOT-LOMÓTAN, T. *Hydrilla verticillata* Casp.  
 LÓMOT-LOMÓTAN, T. *Adiantum lunulatum* Burm.  
 LÓÑGA, V. *Sesamum indicum* L.  
 LÓÑGAS (Cebu). *Semecarpus pubescens* Thw.  
 LÓÑGAYAN. *Wrightia ovata* A. DC.  
 LONÍTI. *Wrightia ovata* A. DC.  
 LONÓC, V. *Ficus*.  
 LÓNO-LÓNO. Payena.  
 LOPÁ, Pamp. *Fleurya interrupta* Gaud.  
 LÓPO-LÓPO, V. *Alhmania nodiflora* R. Br.  
 LÓPO-LÓPO, V. *Achyranthes aquatica* R. Br.  
 LÓUAN-LÓUAN, V. *Pistia stratiotes* Linn.  
 LOVIAN, T. *Castanopsis philippinensis* Vidal.  
 LÓY-A, V. *Zingiber*.  
 LUBÁCAN, V. *Cocos nucifera* Linn.  
 LUBÁLUB, T. *Bridelia stipularis* Blume.

- LUBÍ. *Cocos nucifera* L.  
 LUBÍGAN, T. *Acorus calamus* Linn.  
 LUBÍ-LUBÍ, V. *Geodorum semicristatum* Lindl.  
 LUBÍ-LUBÍ. *Osmelia*.  
 LUBÍ-LUBÍ, T., V., B. *Solanum nigrum* L.  
 LÚBID-LÚBID, B. *Semecarpus*.  
 LUBÍ-LUBÍLI (Bataan). *Cubilia rumphii* Blume.  
 LUBTÓB. *Ficus*.  
 LUBTÚB. *Duabanga moluccana* Blume.  
 LUCBÁN, T. *Citrus decumana* Linn.  
 LUCBÁN-GÚBAT. *Citrus*.  
 LUÉTI (Zamboanga). *Ardisia philippinensis* DC.  
 LUGÓ, H. *Terminalia catappa* L.  
 LÚGOS (Zamboanga). *Arcea catechu* Linn.  
 LUJÚLA. *Oxalis acetosella* L.  
 LULÚPAO, H. *Abutilon indicum* Don.  
 LUMÁNPAO, T. *Bambusa lumampao* Blanco.  
 LUMÁNAI, T. *Homonoia riparia* Lour.  
 LÚMANG, Cag. *Caryota rumphiana* Mart.  
 LUMÁNÓG, V. *Terminalia calamansanay* Rolfe.  
 LUMÁTI. *Lagerstroemia batitinan* Vid.  
 LUMBÁN, T. *Aleurites moluccana* Willd.  
 LUMBÁNG, T. *Aleurites moluccana* Willd.  
 LUMBÍAC (Tayabas). *Iguanura*.  
 LUMBÓI, T., Pamp., V., H. *Eugenia jambolana* L.  
 LUNÁ. *Ficus caulocarpa* Miq.  
 LÚNAS, T. *Lunasia amara* Blanco.  
 LÚNAS, T. *Gonocaryum tarlacense* Vidal.  
 LÚNAS, T. *Oleandra neriiformis* Cav.  
 LÚNAS. *Paneratium zeylanicum* L.  
 LÚNAS. *Nymphaea lotus* L.  
 LÚNAS-BUNDÓC, T. *Lunasia amara* Blanco.  
 LÚNAS-NA-ITÍM. *Gonocaryum tarlacense* Vidal.  
 LUNBÁN, T. *Aleurites trisperma* Blanco.  
 LÚPID, A. *Bauhinia*.  
 LÚPO, V. *Vitis carnosae* Wall.  
 LURÚT?, Cag. *Calamus rhomboideus* Blume.  
 LÚSONG (Lepanto). *Vaccinium barandanum* Vidal.  
 LUTÚNAN (Zamboanga). *Eugenia*.  
 LÚYA, T. *Zingiber officinale* L.  
 LÚYA-LÚYA, T. *Panicum*.  
 LÚYA-LÚYA, V. *Cyanotis cristata* Roem. and Schult.  
 LÚYA-LÚYA, T. *Zingiber*.  
 LÚYA-LUYÁHAN, T. *Panicum repens* L.  
 LÚYA-LÚYA-IT-ÁYAM (Iloilo). *Globba parviflora* Presl.  
 LÚYAN, T. *Diospyros nigra* L.  
 LÚYANG-ÁSO, T. *Zingiber*.  
 LÚYA-ÑGA-ISÁ, V. *Zingiber*.

LÚYANG-ÓSIU, T. *Zingiber*.  
 LÚYONG. *Diospyros nigra* Retz.  
 LÚYONG-LÚYONG, V. *Cratoxylon sumatranum* Blume.  
 LÚYOS, Pamp. *Areca catechu* L.  
 LUYÚSIN, T. *Pygeum*.

### M.

MAASÍC, Pamp. *Tephrosia luzonensis* Vogel.  
 MABÁLOT, T. *Sarcocephalus cordatus* Miq.  
 MABÓLO, T., V. *Diospyros discolor* Willd.  
 MABÚLO, T. *Trichodesma zeylanicum* R. Br.  
 MACAÁSIN, T. *Carallia integerrima* DC.  
 MACAÁSIN, T. *Eugenia lineata* Duthie.  
 MACAÁSIN, V. *Shorea*.  
 MACAÁSIN-PULÁ, T. *Eugenia*.  
 MACAÁSIN-PUTÍ, T. *Palaquium*.  
 MACABÁLO, Pang. *Lagerstroemia speciosa* Pers.  
 MACABÁÑGON. *Aglaia*.  
 MACABÍÑGAO, T. *Quercus llanosii* A. DC. and other species.  
 MACABÚHAI, T. *Tinospora crispa* Miers.  
 MACABÚHAI, T. *Lunasia amara* Blanco.  
 MACAISÁ, T. *Cleidion javanicum* Blume.  
 MACAISÁ, B. *Elhretia philippinensis* A. DC.  
 MACAISÁ, T. *Ailanthus moluccana* DC.  
 MACAHÍYA, T. *Mimosa pudica* L.  
 MACAHÍYA, T. *Biophytum sensitivum* DC.  
 MACALALÁNANG, T. *Clerodendron intermedium* Cham.  
 MACALASCÁLAS, B. *Talauma*.  
 MACALBÁNG, V. *Dendrocalamus membranaceus* Munro.  
 MACALÍÑGAG, T. *Cinnamomum pauciflorum* Nees.  
 MACAMBÓJO (Iloilo). *Garcinia venulosa* Choisy.  
 MACÁN, V. *Panax fruticosum* L.  
 MACÁPIL, T. *Dalbergia lanceolaria* Linn.  
 MACASAMPÁLOC, T. *Tamarindus indica* L.  
 MACASÍLAD, T. *Corypha*.  
 MACASÍLI, V. *Dysoxylum blancoi* Vidal.  
 MACÁSIN. *Eugenia*.  
 MACÁSIN-MULÁTO, T. *Eugenia*.  
 MACÁSILA, V. *Croton tiglium* L.  
 MACATÚRAY. *Stereospermum*.?  
 MACHÍN. *Musa paradisiaca* L. var.  
 MACÚPA, T. *Eugenia jambos* L.  
 MACÚPA, T., V. *Eugenia malaccensis* L.  
 MÁDANG, T. *Litsea magnifica* B. and H.  
 MADONDÓN, T. *Vangueria spinosa* Roxb.  
 MÁDRE-CACÁO, Sp. Fil. *Glircida maculata* H. B. K.  
 MAGAÁN, B. *Kayea*.  
 MAGABAGÁBA, T. *Arytera rufescens* Radlk.

- MAGABÓYO, V. *Celtis philippinensis* Blanco.  
MÁGAI, V. *Agave americana* Linn.  
MAGÁLAT. *Harpullia arborea* Radlk.  
MAGÁLAY, T. *Bruguiera ritchiei* Merrill.  
MAGALÁYAO, C. *Azelia rhomboidea* Vidal.  
MAGARANBÚLO (Tayabas). *Cyclostemon*.  
MAGARAPÁLA, T. *Terminalia*.  
MAGARÍLAO, T. *Nauclea*.  
MAGARÍLAO, T. *Terminalia*.  
MAGASPÁNG, V. *Fluggea obovata* Wall.  
MAGATÁDI?, Cag. *Mangifera altissima* Blanco.  
MAGÁTAS, Pamp. *Euphorbia pilulifera* L.  
MAGCABÚGAO, V. *Atalantia monophylla* Correa.  
MAGCÁSAO, V. *Aralia javanica* Miq.  
MAGLIMÓCON. *Urophyllum glabrum* Jack.  
MAGLOLOPOY, Z. *Stereulia*.  
MAGOTAMBÍS, V. *Antidesma*.  
MAGSALÓRO, V. *Tacca palmata* Blume.  
MAGSALÓRO-NGA-DACÚ, V. *Tacca pinnatifida* Forst.  
MAGSINÁYA. *Aglaia*.  
MAGTÁBIG, V., Pamp. *Rourea heterophylla* Planch.  
MAGTAMBÓCAO (Leyte). *Canavalia ensiformis* DC.  
MAGUÉY, Sp. Fil. *Agave americana* Linn.  
MAGUÍLIC, Z. *Litsea*.  
MAGUÍLIC, T. *Geunsia cumingiana* Rolfe.  
MAGÚLOC, T. *Buchanania florida* Schauer.  
MAGULÍVE, T. *Chisochaeton tetrapetalus* Turcz.  
MAGÚMU (Albay). *Vitex*.  
MAGUSÁYAC, V. *Fagraea morindaefolia* Blume.  
MAGUTTÁTA, V. *Maesa haenkeana* Miq.  
MAHHÍIN, H. *Biophytum sensitivum* DC.  
MAHÓTAY, V. *Mallotus*.  
MAISIPAÍSI, T. *Clausena excavata* Burm.  
MAÍZ, Sp. Fil. *Zea mays* L.  
MALAACHUÉTE, Pamp. *Mallotus ricinoides* Muell. Arg.  
MALAACHUÉTE, T. *Melochia arborea* Blanco.  
MALAÁCLE (Tayabas). *Dracontomelum*.  
MALAADÚAS, T. *Ailanthus moluccanus* DC.  
MALAADÚAS, T. *Dracontomelum cumingianum* Baill.  
MALAAMÚYON, T. *Ormosia calavensis* Blanco.  
MALAANÍS, Pamp. *Scoparia dulcis* L.  
MALAANÓNAN, T. *Shorea malaanonan* Blume.  
MALAÁPI, T. *Premna*.  
MALAAPÓLID, Pamp. *Kyllinga monocephala* Rottb.  
MALAAPÓLID, Pamp. *Cyperus rotundus* L.  
MALAASÍS, T. *Vangueria spinosa* Roxb.  
MALAÁTES, T. *Glochidion*.  
MALÁBAC, V. *Atalantia nitida* Oliv.

- MALABACÁUAN, T. *Randia*.  
 MALABÁCHAO (Cebu). *Loranthus blancoanus* F. Vill.  
 MALABÁGA, T. *Clerodendron*.  
 MALABÁGAN, Pamp. *Dysoxylum blancoi* Vidal.  
 MALABÁGNA, T. *Croton*.  
 MALABÁGO, V. *Hibiscus tiliaceus* L.  
 MALABÁGUIO, T. *Olex imbricata* Roxb.  
 MALABÁGUIS, B. *Eugenia*.  
 MALABÁHI, B. *Eugenia*.  
 MALABAHÍO, B. *Memecylon*.  
 MALABALÁNTE, T. *Polygonum*.  
 MALABALÁTONG, Pamp. *Flemingia*.  
 MALABALÚBAT?. *Semecarpus gigantifolia* Vidal.  
 MALABALÚBUG-DÁGIS, Pamp. *Oxalis corniculata* L.  
 MALABANABÁ, T. *Amoora grandifolia* C. DC.  
 MALABANABÁ, T. *Duabanga moluccana* Blume.  
 MALABÁN̄GAO, Pamp. *Dysoxylum blancoi* Vidal.  
 MALABÁN̄QUILÍN, V. *Connaropsis philippica* F. Vill.  
 MALABATÓAN, T. *Garcinia ovalifolia* Hook. f.  
 MALABÁYA, T. *Chisocheton tetrapetalus* Turcz.  
 MALABAYÁBAS. *Dysoxylum*.  
 MALABAYÁBAS, T. *Eugenia*.  
 MALABAYÁBAS, T. *Gardenia obscura* Vidal.  
 MALABAYÁBAS, T. *Gardenia pseudopsidium* Blanco.  
 MALABÁYO. *Hibiscus tiliaceus* L.  
 MALABILÚCAS, T. *Litsea*.  
 MALABOCBÓC. *Ipomoea quamoclit* L.  
 MALABOCBÓC. *Meusa ferrea* Linn.  
 MALABOCBÓC, T. *Calophyllum*.  
 MALABOHÓC, T., V. *Cassytha filiformis* L.  
 MALABOHÓC, V. *Casuarina equisetifolia* Forst.  
 MALABÓN̄GA, T. *Iteadaphne confusa* Blume.  
 MALABÓN̄GA, T. *Macaranga*.  
 MALABÓN̄GA. *Beilschmeidia madang* Blume.  
 MALABONÓT. *Sterculia stipularis* R. Br.  
 MALABOTÓNES, V. *Kyllinga monocephala* Rottb.  
 MALABUCBÚC?, T. *Meusa ferrea* L.  
 MALABÚLAC, T. *Bombax malabaricum* DC.  
 MALABULÁON, Pamp. *Symphorema luzoniense* Vid.  
 MALABÚNAO, B. *Ochrocarpus*.  
 MALABÚN̄GA. *Macaranga tanarius* Muell. Arg.  
 MALABÚN̄GA, B. *Phoebe umbelliflora* Blume.  
 MALABUNÓT, T. *Sterculia*.  
 MALABÚTONG, T. *Olea*.  
 MALACABÚGAO, V. *Citrus*.  
 MALACABÚYAO, T. *Aegle decandra* Naves.  
 MALACACÁO, T. *Erioglossum edule* Blume.  
 MALACACÁO. *Lepidopetalum*.

- MALACACÁO, T. *Lunasia grandiflora* Muell. Arg.  
 MALACACÁO, T. *Sterculia*.  
 MALACÁDIOS, B. *Dehaasia*.  
 MALACÁDIOS, T. *Phoebe*.  
 MALACÁDIOS. *Myristica*.  
 MALACADPÓ, T. *Micromelum tephrocarpum* Turcz.  
 MALACAFÉ, T. *Glochidion*.  
 MALACAFÉ?, V. *Mussaenda grandiflora* (Meyen) Rolfe.  
 MALACAFÉ, T. *Randia*.  
 MALACAFÉ (Paragua). *Agrostistachys maesoana* Vidal.  
 MALACAFÉ (Tayabas). *Webera*.  
 MALACAPÍ, T. *Elaeocarpus*.  
 MALACAUÍOS, T. *Sesbania aegyptiaca* Pers.  
 MALACÁHUC, T. *Rourea multiflora* Planch.  
 MALACALANTÁS, B. *Canarium*.  
 MALACÁLLOS. *Elaeocarpus monocera* Cav.  
 MALACALESQUÍS, T. *Adiantum*.  
 MALACALUBCÚB, T. *Litsea*.  
 MALACALÚMPIT, B. *Terminalia calamansanay* Rolfe.  
 MALACAMONSÍLE, T. *Pithecolobium montanum* Benth.  
 MALACAMÓTE, V. *Ipomoea bona-nox* Linn.  
 MALACAMÓTE, T. *Beddomea luzonensis* Vidal.  
 MALACÁPAI, T. *Diospyros malacapai* A. DC.  
 MALACÁRIOS, Z. *Desmodium umbellatum* DC.  
 MALACÁRO, V. *Desmodium*.  
 MALACAROPCÓP (Bataan). *Eugenia montana* Blanco.  
 MALACÁRPA. *Randia*.  
 MALACATMÓN, T. *Delima sarmentosa* L.  
 MALACATMÓN, T. *Tetracera macrophylla* Wall.  
 MALACATMÓN, T. *Dillenia speciosa* Gilg.  
 MALACATÚRAY, Z. *Sterospermum*.  
 MALACATÚRAY, T. *Cassia*.  
 MALACAUÁYAN, T. *Panicum*.  
 MALACAUÝAN, Z. *Hemiglyssa*.  
 MALACBÁN, T. *Vatica*.  
 MALACBÓC (Morong). *Acalypha tiliacifolia* Muell. Arg.  
 MALACBÓG, H. *Combretum*.  
 MALACLÁC. *Clethra canescens* Reinw.  
 MALACMÁC, T., Pamp. *Pygeum*.  
 MALACMÁC, T., Pamp. *Palaquium oleiferum* Blanco.  
 MALACULÁIN-BÍSAN, T. *Gynotroches axillaris* Blume.  
 MALADÍAC. *Tristira triptera* Radlk.  
 MALADÍTA, T. *Rauwolfia amsoniaefolia* A. DC.  
 MALADOSDÓS, V. *Erianthemum bicolor* Schrank.  
 MALADÚHAT, B. *Eugenia*.  
 MALADÚÑGUN, T. *Heritiera littoralis* Dry.  
 MALAGAHÁNIP, T. *Dalbergia*.  
 MALAGAHÁNIP, T. *Terminalia*.

- MALAGAÍTMON, T. *Diospyros*.  
 MALAGÁNIT, T. *Albizzia*.  
 MALAGARÁYAT, T. *Strychnos*.  
 MALAGARÁYAT, T. *Eugenia*.  
 MALAGASÁHA, B. *Pisonia umbellata* Seem.  
 MALAGÓSO, T. *Mollugo stricta* L.  
 MALAGQUÍT, T. *Oryza sativa* L. var.  
 MALAGUIBÚYO, V. *Celtis philippinensis* Blanco.  
 MALAGUINÍSAN, V. *Kayea philippinensis* Planch.  
 MALAÍBA, T. *Melia candollei* Juss.  
 MALAÍBA, T. *Phyllanthus reticulatus* Muell. Arg.  
 MALAIBÓHOD. *Buchanania florida* Schauer.  
 MALAÍCMO, T. *Celtis philippinensis* Blanco.  
 MALAÍGOT B. *Ixora*.  
 MALAÍHAO, T. *Dracontomelum*.  
 MALAIPÚTAI, B. *Streblus asper* Lour.  
 MALAISÁ, T. *Ardisia pyramidalis* Pers.  
 MALAISÍS, T. *Ficus*.  
 MALAISÍS, T. *Malaisia tortuosa* Blanco.  
 MALAÍTMO, T. *Celtis philippinensis* Blanco.  
 MALAÍTMO, T. *Gnetum gnemon* L.  
 MALAÍYAO, T. *Dracontomelum mangiferum* Blume.  
 MALALÍGAS-NA-BABÁE. *Lunasia*.  
 MALALÍGAS-NA-LALÁQUE, T. *Buchanania*.  
 MALALIMÓN. *Taxotrophis ilicifolia* Vidal.  
 MALALÚCBAN, T. *Champerea griffithii* Planch.  
 MALALÚPAY, Pamp. *Micromelum*.  
 MALALÚYA, T. *Globba parviflora* Presl.  
 MALAMÁNGA, Cag. *Litsea*.  
 MALAMAYÁNA, T. *Coleus acuminatus* Benth.  
 MALAMBÁNG, T. *Mallotus*.  
 MALABANGCÁBAS (Zamboanga). *Pittosporum*.  
 MALAMOLÁUIN, T. *Evodia*.  
 MALAMOLÁUIN, T. *Glycosmis*.  
 MALANÁNCA. *Ficus luzonensis* Merrill.  
 MALANÚIG, Cag. *Caryota rumphiana* Mart.  
 MALAPACPÁC-BALÁUAY, T. *Epipremnum medium* Engl.  
 MALAPÁCO, T. *Jussiaea suffruticosa* L.  
 MALAPÁHO, T. *Dipterocarpus vernicifluus* Blanco.  
 MALAPÁHO, T. *Mangifera*.  
 MALAPÁHO, T. *Sindora wallichii* Benth.  
 MALAPAITPÍT, *Sapindus turezaniinowii* Vidal.  
 MALAPÁJO. *Dipterocarpus vernicifluus* Blanco.  
 MALAPALÍTPIT, Pamp. *Sapindus turezaniinowii* Vidal.  
 MALAPANDACÁQUE, B. *Gonocaryum*.  
 MALAPANGDÁN, T. *Freycinetia insignis* Blume.  
 MALÁPAO. *Dipterocarpus vernicifluus* Blanco.  
 MALAPAPÁYA, T., V. *Polyscias nodosa* Seem.



- MALAPATÓPAT, T. *Canthium confertum* Korth.  
 MALAPÍGAS, T. *Desmodium umbellatum* DC.  
 MALAPILÁUAY, B. *Canarium*.  
 MALAPÓCO, T. *Jussiaea suffruticosa* L.  
 MALAPOTOCÁN, T. *Clerodendron macrostegium* Schauer.  
 MALAPÚAD, Pamp. *Olea*.  
 MALAPÚSO, B. *Litsea*.  
 MALAPUTÁD, T. *Barringtonia racemosa* Blume.  
 MALAPUTÁT, T. *Cleidion*.  
 MALAPUTÁT, T. *Terminalia*.  
 MALAPUTÁT, T. *Palaquium*.  
 MALAPUTÚTAN, T. *Palaquium*.  
 MALAPÚYAO, T. *Pygeum*.  
 MALAPÚYAO, T. *Cynometra*.  
 MALARÁYAP, T. *Gymnosporia montana* Roxb.  
 MALARÁYAT, T. *Cratoxylon formosum* B. and H.  
 MALARÁYAT. *Atalantia nitida* Oliv.  
 MALARICONDÚRON, Pamp. *Callicarpa*.  
 MALARÚHAT, T. *Eugenia operculata* Roxb.  
 MALARÚHAT-NA-PULÁ, T. *Eugenia cymosa* Lam.  
 MALARÚNGON, T. *Heritiera littoralis* Dry.  
 MALASÁCOT, T. *Terminalia*.  
 MALASÁGA, T. *Ormosia calavensis* Blanco.  
 MALASÁGA, T. *Derris scandens* Benth.  
 MALASÁGUIN. *Dysoxylum arborescens* Miq.  
 MALASÁGUIN?, T. *Aglaiia palembanica* Miq.  
 MALASÁGUIN-PUTÍ (Tayabas). *Erioglossum edule* Blume.  
 MALASÁGUIN-LALÁQUE. *Kayea*.  
 MALASÁGUIN-PULÁ, T. *Amoora*.  
 MALASÁGING-PULÁ, T. *Alaia*.  
 MALASÁGING-PUTÍ, T. *Eugenia*.  
 MALASAMBÓNG, T. *Vernonia vidalii* Merrill.  
 MALASAMPÁGA, T. *Wikstroemia indica* Mey.  
 MALASANDÍA, V. *Ipomoea pes-tigridis* Linn.  
 MALASÁNGUI. *Cinnamomum*.?  
 MALASANTÓL, T. *Sandoricum*.  
 MALASANTÓL, T. *Thespesia populnea* Corr.  
 MALASAPSÁP, T. *Pterocymbium javanicum* R. Br.  
 MALASAPUTÍ, Pamp. *Palaquium*.  
 MALASCÓG, T. *Symphorema luzonensis* Vidal.  
 MALASÍAC, B. *Ardisia humilis* Vahl.  
 MALASÍCO, T. *Litsea*.  
 MALASINÓRO, B. *Fagraea*.  
 MALASITUÍN, Pamp. *Gonocaryum tarlacense* Vidal.  
 MALASÓRO, B. *Diospyros*.  
 MALASUCÁ, V. *Antidesma*.  
 MALASÚRUT, B. *Guettarda speciosa* Linn.

- MALATABÁ, T. *Callicarpa*.  
 MALATÁCO, T. *Albizzia*.  
 MALATADIÁNG (Morong). *Canthium arboreum* Vidal.  
 MALATÁGUN, B. *Canarium*.  
 MALATÁLANG, T. *Myristica cumingii* Warb.  
 MALATÁLANG, Pamp. *Diospyros*.  
 MALATALÍSAY, V. *Terminalia*.  
 MALATAMBÍS. *Kibara coriacea* Perk.  
 MALATAMÓYAN, T. *Casearia*.  
 MALATAMPÓY, T. *Eugenia*.  
 MALATÁÑGAN-TÁÑGAN, B. *Hernandia peltata* Meissn.  
 MALATÁPAY, T. *Alanguim octopetalum* Blanco.  
 MALATÁPAY, T. *Grewia*.  
 MALATÁPAY, T. *Diospyros discolor* Willd.  
 MALATÁYON, Pang. *Adenanthera*.  
 MALATIBÍG, T. *Anneslea crassipes* Hook.  
 MALATIBÍ (Morong). *Melia*.  
 MALATÍGUI. *Albizzia*?  
 MALATÍNTA, T. *Phyllanthus reticulatus* Muell. Arg.  
 MALATOCÓ, T. *Albizzia odoratissima* Benth.  
 MALATÓRO. *Albizzia saponaria* Blume.  
 MALATÚBA, V. *Cleidion javanicum* Blume.  
 MALATÚBA, B. *Croton consanguineum* Muell. Arg.  
 MALATÚBIG, T. *Eugenia*.  
 MALATUMBÁGA, T. *Crudia blancoi* Rolfe.  
 MALATUMBÁGA, T. *Combretum squamosum* Roxb.  
 MALATUMBÁGA, T. *Nelitris*.  
 MALATÚÑGAO, Cag. *Melastoma*.  
 MALANBÁN, T. *Planchonia*.  
 MALAÚBE, T., V. *Aristolochia tagala* Cham.  
 MALAÚPLI. *Ficus ampelas* Burm.  
 MALAÚNOT, T. *Stereulia*.  
 MALÁWIN, T. *Vitex negundo* L.  
 MALAYÁMRO, T. *Eugenia*.  
 MALAYANTÓC, T. *Holarrena macrocarpa* Hassk.  
 MALIÁNA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 MALIBÁGO, T. *Thespesia populnea* Corr.  
 MALIBÁGO, T. *Hibiscus tiliaceus* L.  
 MALICASCÁSAN, V. *Talauma angatensis* F. Vill.  
 MALÍCO, V. *Evodia mindanaensis* Merrill.  
 MALÍ-MALÍ, T., Pamp. *Leca aculeata* Blanco.  
 MALÍÑGA, T. *Benincasa cerifera* Savi.  
 MALÍNTA, T. *Phyllanthus reticulatus* Muell.  
 MALÍS, V. *Abutilon indicum* G. Don.  
 MALÍSA. *Capsicum minimum* Roxb.  
 MALÍSA (Camarines). *Ananassa sativa* Lindl.  
 MALÍSA, T. *Piper nigrum* L.  
 MALISMALÍS, Pamp. *Euphorbia pilulifera* L.

- MÁLIT, T. *Cynodon dactylon* Pers.  
MÁLIT-CALABÁO, T. *Panicum*.  
MALONGÁIN, T. *Melia candollei* Juss.  
MALUBÁGO, B. *Hibiscus tiliaceus* L.  
MALÚBO, T., V. *Diplodiscus paniculatus* Turcz.  
MALÚCO, T. *Pisonia inermis* Forst.  
MALUGÁGNAO, V. *Vitex*.  
MALÚGIT, V., Pamp. *Moringa oleifera* Lam.  
MALUGÓSO, V. *Mollugo pentaphyllum* Linn.  
MALULÚCBAN, T. *Champerea griffithii* Planch.  
MALUNÁL-UNĠÁYAM, T. *Dalbergia*.  
MALÚŊGAY, T., V. *Moringa oleifera* Lam.  
MALUŊGAYEN. *Melia candollei* Juss.  
MALÚŊGIT, V., Pamp. *Moringa oleifera* Lam.  
MALUSÚŊGAY, T. *Crudia blancoi* Vidal.  
MALÚTAY, T. *Erycibe*.  
MÁLVAS, Sp. *Abutilon indicum* G. Don.  
MÁLVAS DE CASTÍLLA, Sp. Fil. *Abutilon indicum* G. Don.  
MÁLVAS-TAGBÁLANG, T. *Delima sarmentosa* L.  
MAMAGUÉL, T. *Harrisonia bennetii* B. and H. f.  
MAMÁLE, V. *Leea sambucina* Willd. and other species.  
MAMÁLIS, T. *Pittosporum fernandezii* Vidal.  
MAMÁLIS-BABÁE, T. *Pittosporum*.  
MAMANÉD. *Columbia longipetiolata* Merrill.  
MÁMAO (Jolo). *Rhaphidophora pertusa* Schott.  
MAMBÓB. *Stephegyne diversifolia* Hook.  
MAMBÓG, T. *Mitragne*.  
MAMBÓG, B. *Nauclea blancoi* Vidal.  
MAMBÓG. *Stephygne speciosa* Korth. and other species.  
MAMBÓG, T., V. *Morinda bracteata* Roxb.  
MAMÉY, T. *Lucuma mammosa* Gaertn.  
MAMÍN, B., T. *Piper betle* L.  
MAMÍTIC, T., V. *Hygrophila salicifolia* Nees. and other species.  
MAMÓLIS, T., V., Pamp. *Sida frutescens* Blanco.  
MAMÓN, V. *Piper betle* L.  
MAMPÁLAN (Jolo). *Mangifera indica* Linn.  
MAMPÉL, V. *Uncaria acida* Roxb.  
MAMPÓL, V. *Loranthus pentandrus* L.  
MAN. *Cinnamomum pauciflorum* Nees.  
MANÁ, T., Il. *Jatropha multifida* L.  
MANABÁ, B. *Premna*.  
MANABRÓNG, B. *Aglaia*.  
MANÁLAO, T. *Aglaia oligantha* C. DC.  
MANALÍSID, V. *Heliconiopsis amboinensis* Miq.  
MANANANĠTÁNG, V. *Dysoxylum blancoi* Vidal.  
MANANÁOG, V. *Strychnos ignatii* Berg.  
MANÁOG, V. *Saccolabium*.  
MANÁPO, B. *Sindora wallichii* Benth.

- MANÁSA, T. *Bridelia ovata* Muell. Arg.  
 MANÁUL, V. *Tournefortia argentea* L. f.  
 MANÁYAO (Central Luzon). *Diplodiscus paniculatus* Turcz.  
 MANBÁN, T. *Maranta dichotoma* Wall.  
 MANCÓNO, V. *Xanthostemon verdergonianus* Naves.  
 MANDALÚSA (Cebu). *Erianthemum bicolor* Schrank.  
 MÁNGA, T., V. *Mangifera indica* L.  
 MÁNGA-ANÍS. *Mangifera anisodora* Blanco.  
 MANGACHAPÓI, T. *Vatica mangachapoi* Blanco.  
 MANGA-DÓLONG, V. *Abrus precatorius* L.  
 MANGÁGAO, V. *Hoya multiflora* Blume.  
 MANGASINÓRO, Z. *Shorea*.  
 MANGASINÓRO, Z. *Albizzia*?.  
 MANGASINÓRO, T. *Fagraea volubilis* Jack.  
 MANGASIRÍQUI (Bulacan). *Quercus philippinensis* A. DC.  
 MANGATÓLAY?. *Koordersoidendron pinnatum* Merrill.  
 MÁNGGA, T., V. *Mangifera indica* L.  
 MÁNGGIS (Jolo). *Garcinia mangostana* Linn.  
 MÁÑGHA, T. *Clerodendron*.  
 MANÑÍPOD, T. *Areca catechu* L.  
 MANÑÍT. *Ehretia buxifolia* Roxb.  
 MANÑLÁTI. *Lagerstroemia batitanan* Vidal.  
 MANÑLÁY, Pamp. *Zingiber*.  
 MANGOSTÁN, V. *Garcinia cornea* Linn.  
 MANGOSTÁNA, V. *Garcinia ovalifolia* H. f. and T.  
 MANÑQUÍET, T. *Desmodium*.  
 MANGUÍS (Jolo). *Garcinia mangostana* Linn.  
 MANGUÍT, T., V. *Ehretia buxifolia* Roxb.  
 MANGÚPOD. *Areca catechu* L.  
 MANGÚYAO, B. *Sophora tomentosa* L.  
 MANÍ. *Arachis hypogaea* L.  
 MANÍC-MANÍCAN, T. *Cyperus*.  
 MANÍLAD, T. *Scyphiphora hydrophyllacea* Gaertn.  
 MANI-MANÍAN, T. *Desmodium*.  
 MANI-MANÍHAN, T. *Cassia tora* L.  
 MANKÍT, T. *Urena*.  
 MANÍÓAB, T. *Quercus*.  
 MANÑÁL, T. *Samadera indica* Gaertn.  
 MANQUÍL, T. *Eugenia javanica* Lam.  
 MANQUÍT. *Desmodium pulchellum* Benth.  
 MANTALÁ, T., V. *Sophora tomentosa* L.  
 MANÚL, V. *Jasminum sambac* Ait.  
 MANUMBÁGA (Zamboanga). *Myristica simiarum* A. DC.  
 MANUNGÁL, T., B., V., Pamp. *Samadera indica* Gaertn.  
 MANUNÑBÁGA, V. *Hemigyrosa canescens* Thw.  
 MANZÁNAS, Sp. Fil. *Zizyphus jujuba* Linn.  
 MANZÁNA-RÓSA, Sp. Fil. *Eugenia jambos* Linn.  
 MANZANÍTAS, Sp. Fil. *Zizyphus jujuba* Linn.

- MAÓRO, V. *Lumnitzera purpurea* Presl.  
 MAPOLÁ. *Hibiscus mutabilis* Linn.  
 MAPUTÍ, T. *Leucas aspera* L.  
 MAQUITARÍN (Tayabas). *Orophea*.  
 MARABÍCAT, T. *Diospyros*.  
 MARACÚLAN, H. *Litsea*.  
 MARAGAHÚLO, T. *Symplocos*.  
 MARAGAOÉD, H. *Cinnamomum*.  
 MARALÍGAO, V. *Casuaria cinerea* Turcz.  
 MÁRANG, T. *Litsea*.  
 MÁRANG, T. *Artocarpus*.  
 MARANMÁRANG, V. *Ficus*.  
 MARAPÁCO, H. *Polypodium dipteris* Blanco.  
 MARAPÓTO, V. *Hibiscus abelmoschus* L.  
 MARARÁYAT-CÁHOY, T. *Capparis mierantha* DC.  
 MARASAGÁT, H. *Vitex*.  
 MARAVÍCAL (Morong). *Diospyros*.  
 MARAVÍLLAS, Sp. Fil. *Mirabilis jalapa* L.  
 MARAYÁBAY, T. *Cerbera odollam* Gaertn.  
 MARAYÁPA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 MARÉÁAR, V. *Zanthoxylum avicennae* DC.  
 MARGÓSO, T. *Momordica balsamina* L.  
 MARGÓSO-DAMÚLOG, Pamp. *Mollugo*.  
 MARICACÁO, T. *Gliricidia maculata* H. B. K.  
 MARINDÁTO. *Cnestis trifolia* Pers.  
 MARICÚM, V. *Hibiscus abelmoschus* L.  
 MARÍSCOS, T. *Chrysopogon aciculatus* Trin.  
 MAROPÓTO, V. *Hibiscus abelmoschus* L.  
 MARUCÚM, V. *Hibiscus abelmoschus* L.  
 MARULÍNAO, V. *Bauhinia tomentosa* L.  
 MARUMANCÁS, T. *Sideroxylon*.  
 MARUMANCÁS-NA-LALÁQUE, T. *Sideroxylon*.  
 MASAMBÓNG. *Desmodium*.  
 MASIPÓN, Cag. *Saurauja*.  
 MATÁRES, T. *Micromelum*.  
 MATABÁNG-DÍCUT, Pamp. *Paederia foetida* L.  
 MATALÁPAY, B. *Symplocos*.  
 MATAMATÁ, B. *Schleichera*.  
 MATÁNG-ÁRAN, V. *Mussaenda grandiflora* Rolfe.  
 MATÁNG-ÁRAO, T. *Melicope ternata* Forst.  
 MATÁNG-DIÁBLO, T. *Evodia roxburghiana* Benth.  
 MATÁNG-OLÁNG, T. *Salacia prinoides* DC.  
 MATÁNG-OLÁNG, V. *Phyllanthus reticulatus* Muell. Arg.  
 MATÁNG-PÚNE, V. *Abrus precatorius* L.  
 MATÁNG-ÚLÁN (Tayabas). *Breynia cernua* Muell. Arg.  
 MATÁNG-ULÁNG (Tayabas). *Breynia cernua* Muell. Arg.  
 MATÁVIA, T. *Musa paradisiaca* L. var.  
 MATINGGÁIN. *Mussaenda frondosa* L.

- MAUÍNG-DÁTO, V. *Samadera indica* Gaertn.  
 MAÚBAN, T. *Planchonia*.  
 MAÚRING, T. *Quercus*.  
 MAYINDÁTO, V., Pamp. *Rourea heterophylla* Planch.  
 MAYACYÁT, B. *Canarium*.  
 MAYAGÁRIN. *Citrus hystrix* DC.  
 MAYÁGOS, V. *Homonoia riparia* Lour.  
 MAYÁGOS-LALÁQUI, V. *Acalypha*.  
 MAYAMÁGAR, V. *Commersonia platyphylla* Andr.  
 MAYÁNA, T., V., Pamp. *Coleus atropurpureus* Benth.  
 MAYÁNO (Paragua). *Gardenia*.  
 MAYÁPIS, T. *Dipterocarpus mayapis* Blanco.  
 MAYÓRO. *Timonius philippinensis* Merrill.  
 MAYÓYOS, V. *Homonoia riparia* Lour.  
 MAYÚMUS. *Micromelum tephrocarpum* Turcz.  
 MABÚTBOT, B., V. *Eugenia*.  
 MÉLBAS, T. *Abutilon indicum* Don.  
 MELÍNDRES (Manila). *Lagerstroemia indica* L.  
 MELÓN, Sp. Fil. *Cucumis melo* Linn.  
 MELÓNG-OUÁC, T. *Modecca heterophylla* Blume.  
 MIÁGOS, V. *Homonoia riparia* Lour.  
 MIÁGUS, V. *Eugenia*.  
 MIÁPI, T., V. *Avicennia officinalis* L.  
 MÍDILLA, Pamp. *Lagerstroemia*.  
 MÍQUI, Pamp. *Xylocarpus obovatus* Juss.  
 MÍJO (Cebu). *Setaria italica* Beauv.  
 MÍLI-PÍLI, V. *Canarium*.  
 MILÓN-DAGÁ, T. *Melothria indica* Lour.  
 MÍMBRE. *Homonoia riparia* Lour.  
 MIMÓÑGA, T. *Macaranga tanarius* Muell Arg.  
 MÍSAY-CALABÁO, T. *Cyperus*.  
 MÍTLA, Pamp. *Lagerstroemia speciosa* Pers.  
 MOBÓTI, V. *Antidesma*.  
 MÓCO (Iloilo). *Musa sapientum* L. var.  
 MOGBÓC, V. *Xanthophyllum*.  
 MOLÁUIN, T. *Vitex littoralis* Decne.  
 MOLÁUIN, T. *Murraya exotica* L.  
 MOLÁUIN-ÁSO, T. *Premna nauseosa* Blanco.  
 MOLÁVE, T. *Vitex littoralis* Decne. and other species.  
 MOLÁVIN, T. *Murraya exotica* L.  
 MOLÁVIN, T. *Vitex negundo* L.  
 MOLÁVIN, T. *Vitex littoralis* Decne.  
 MOLOPÓLO, T., V., Pamp. *Urena sinuata* L.  
 MOLUGÓSO, T. *Mollugo stricta* L.  
 MONGO-MONGÓHAN, T. *Cassia tora* L.  
 MÓNGOS, T. *Phaseolus mungo* L.  
 MÓPIO, V. *Erianthemum bicolor* Schrank.  
 MÓRO, Sp. Fil. *Andropogon muricatus* Retz.

- MORÁDO, Sp. Fil. *Graptophyllum hortense* Nees.  
 MORÁDONG. *Justicia*.  
 MORÁDONG-MAPUTÍ, T. *Justicia gendarussa* L.  
 MORÁDONG-MAPUTÍ, T. *Graptophyllum hortense* Nees.  
 MORÁL. *Morus alba* Linn.  
 MORÁNDONG-MAPUTÍ. *Graptophyllum hortense* Nees.  
 MÓRAS. *Morus alba* L.  
 MOSBORÓN, T., V. *Scaevola koenigii* Vahl.  
 MÓTA, Pamp. *Cyperus rotundus* L.  
 MOSTÁZA, Sp. *Brassica juncea* H. f. and Th.  
 MUGUÉY, Sp. Fil. *Agave americana* Linn.  
 MUGUÍS. *Koordersoidendron pinnatum* Merrill.  
 MULÁON (Hilo). *Vitex littoralis* Deene.  
 MULÁTO, T. *Vitex*.  
 MULÁUEN-BABÁE. *Vitex*.  
 MULÁUIN, T. *Vitex littoralis* Deene.  
 MULÁUIN-ÁSO, T. *Premna vestita* Schauer.  
 MULING-MULING, T. *Diplodiscus paniculatus* Turcz.  
 MÚNGO, V. *Phaseolus mungo* L.  
 MUNTÁUI, V. *Harrisonia bennetii* B. and H. f.  
 MURÁON-BALONĠÓN (Hilo). *Jasminum*.  
 MURÚGNA, V. *Phyllanthus*.  
 MÚTHA, V. *Kyllinga monocephala* Retth.  
 MÚTHA, T. *Cyperus rotundus* L.  
 MUNTÁNI, V. *Harrisonia bennetii* B. and H. f.

## N.

- NÁBO, B. *Gnetum gnemon* L.  
 NÁBO, V. *Abroma alata* Blanco.  
 NÁBO, V. *Ficus*.  
 NACBOLÍGAN, Il. *Clerodendron macrostegium* Schauer.  
 NÁGA, V. *Pterocarpus indicus* Willd. and other species.  
 NAGBOLÍGAN, Il. *Clerodendron macrostegium* Schauer.  
 NÁLA, Z. *Azelia bijuga* A. Gray.  
 NÁLIS. *Picrasma javanica* Blume.  
 NAMÁUED, T. *Columbia*.  
 NAMBABÁLOS. *Sarcocephalus cordatus* Miq.  
 NAMACPÁCAN, Il.? *Ochrocarpus pentapetalus* Blanco.  
 NÁME. *Dioscorea sativa* L. and other species.  
 NÁNCA, T. *Artocarpus integrifolia* L. f.  
 NÁNĠA, V. *Plectocomia elongata* Mart. and Blume.  
 NÁNGCA, T. *Artocarpus integrifolia* Linn. f.  
 NÁNĠOS, V. *Eugenia*.  
 NÁPAN, B. *Piper corylistachyon* C. DC.  
 NAPNÁP, V. *Cephalostachyum capitatum* Munro.  
 NARANGÍTAS, T., V. *Citrus aurantium* Hook. f.  
 NARÁNJA, T. *Citrus decumana* L.  
 NARANJÍTAS, T. *Citrus aurantium* L. var.

- NÁRDO (Cebu). *Polyanthes tuberosa* Linn.  
 NÁRRA, T., V. *Pterocarpus indicus* Willd. and other species.  
 NÁRRA-PULÁ (Unisan). *Pterocarpus vidalianus* Rolfe.  
 NÁTO, V. *Palaquium barnesii* Merrill, n. sp.  
 NÁTO, T. *Sterculia rubiginosa* Vent.  
 NÁTO, V. *Terminalia catappa* L.  
 NÁTOB, T. *Terminalia*.  
 NENÉNU, Cag. *Anisoptera thurifera* F. Vill.  
 NĠÁLUY, Ig. *Boehmeria weddelliana* Vidal.  
 NĠANGÁÍTA, T. *Ehretia onava* A. DC.  
 NĠSINĠÍSI, T. *Lepidopetalum*.  
 NĠÓNĠOT, Pamp. *Cocos nucifera* L.  
 NĠGUI, T. *Xylocarpus obovatus* Juss.  
 NĠLÁD, T. *Scyphiphora hydrophyllacea* Gaertn.  
 NĠLÁR, T. *Scyphiphora hydrophyllacea* Gaertn.  
 NĠLÓMOT (Tayabas). *Oryza sativa* L.  
 NĠNO, T., V. *Morinda citrifolia* Linn.  
 NĠNO, T., V. *Morinda bracteata* Roxb.  
 NĠOG, T., C., II., B., V. *Cocos nucifera* L.  
 NĠOG-NĠGA-POTÍ, V. *Cocos nucifera* Linn.  
 NĠOG-NĠOG, T. *Geodorum semicristatum* Lindl.  
 NĠOG-NĠOG, T. *Osmoxylon*.  
 NĠOG-NĠÓGAN, T. *Quisqualis indica* L.  
 NĠÓG-NĠÓGAN, T. *Ficus pseudopalma* Blanco.  
 NĠPA, T. *Nipa fruticans* L.  
 NĠPAI, V. *Mucuma atropurpurea* DC.  
 NĠPAY, T. *Mucuna pruriens* DC. and other species.  
 NĠPIN (Zamboanga). *Phyllanthus reticulatus* Poir.  
 NĠPIS. *Agave americana* L.  
 NĠTO, T., V. *Lygodium dichotomum* Sw. and other species.  
 NĠTONG-PUTÍ, T. *Lygodium scandens* Sw.  
 NĠC-NĠOC, V. *Ficus*.  
 NĠLALÁQUI, T. *Litsea*.  
 NĠNOC, V. *Ficus indica* L. and other species.  
 NĠÓOG-NĠÓOG (Cebu). *Solanum verbascifolium* L.

## O.

- OÁY, II. *Calamus pisicarpus* Blume.  
 ÓBAT, T. *Smilax*.  
 ÓBĠEN, II. *Artocarpus*.  
 ÓBUD-ÓBUD, V. *Cyperus*.  
 ÓBÁÓDEG, Ig. *Berchemia philippinensis* Vidal.  
 ÓDLING, V. *Cynometra ramiflora* Linn.  
 ÓĠY, Pang. *Calamus buroensis* Mart.  
 ÓGÁO, B. *Diospyros*.  
 ÓGOB, B.? *Artocarpus incisa* L. f.  
 ÓISÁC, T. *Nauclea*.  
 ÓLÁNG, T. *Smilax indica* L.



- OLÁÑGO, V. *Pandanus radicans* Blanco.  
 OLAÓMAG, T., V. *Sophora tomentosa* L.  
 OLASÍMAN, T. *Portulaca oleracea* L.  
 OLÁYAN. *Quercus soleriana* Vidal.  
 OLÉT, Ig. *Helicia cumingiana* Presl.  
 OLÍÑGON, V. *Cratoxylon celebicum* Blume.  
 OLÍVAS, Sp.-Fil. *Eusideroxylon*.  
 ÓLOB. *Artocarpus rima* Blanco.  
 ÓLOD, Pamp. *Cynometra inaequifolia* A. Gray.  
 OLONGÁIN. *Trichodesma zeylanicum* R. Br.  
 ÓLOY, T. *Artocarpus*.  
 OMÁDING, Pamp. *Cyperus rotundus* L.  
 OMÁDIUNG, Pamp. *Cyperus rotundus* L.  
 ONÁNAT, Ig. *Gnaphalium luteo-album* L.  
 ONÁOA, T. *Capura*.  
 ONÁVA, T. *Ehretia acuminata* R. Br.  
 ÓÑGOT, Z. *Cocos nucifera* Linn.  
 ÓÑGSAY (Manila). *Coriandrum sativum* Linn.  
 ONORÁN, Pamp. *Cyperus rotundus* L.  
 ÓNTI, T. *Solanum nigrum* L.  
 OÓÑGON, Il. *Bruguiera gymnorhiza* Lam.  
 OÓÑGON, Il. *Rhizophora mucronata* Lam.  
 OÓNOG, Il. *Albizia julibrissen* Duraz.  
 OPLÁY. *Alstonia scholaris* R. Br.  
 OPLÍ, T. *Ficus*.  
 OPLING-MÁYA (Tayabas). *Ficus*.  
 ÓPO, T. *Lagenaria vulgaris* Seringe.  
 ÓPONG-ÓPONG, B. *Litsea*.  
 ORACIÓN, Sp. Fil. *Mirabilis jalapa* L.  
 ORATÁN, Il. *Aglaia*.  
 ORÁYI, T., V. *Amaranthus spinosus* L.  
 ORÉGANO, Sp. Fil. *Limnophila repens* Benth.  
 ORÉGANO, Sp. Fil. *Coleus aromaticus* Benth.  
 ORÉGANO-LALÁQUI, T. *Coldenia procumbens* L.  
 ORÓT, V. *Dioscorea hirsuta* Blume.  
 ÓROY, V. *Amorphophallus campanulatus* Blume.  
 ÓSIU, T. *Bambusa diffusa* Blanco.  
 ÓTE-ÓTE. *Pittosporum*.  
 OUÁY, Il. *Calamus pisticarpus* Blume.  
 ÓVAI-NA-PANGLÁO, Il. *Naravelia*.  
 OYANÑGÍA, V. *Abrus precatorius* L.  
 OYÍSAN, T. *Myristica*.  
 OYÓC, Ig. *Myristica*.

## P.

- PAANBALIVÍS, T.? *Boerhaavia repens* L.  
 PÁBTO, T. *Acalypha*.  
 PÁC. *Artocarpus camansi* Blanco.

- PACÁC, H. *Artocarpus camansi* Blanco.  
 PACÁCAL. *Mallotus ricinoides* Muell. Arg.  
 PACAGONCÓN-CASTÍLA. *Cassia alata* L.  
 PACALCÁL, Pamp. *Mallotus ricinoides* Muell. Arg.  
 PACANCÁL, Pamp. *Palaquium latifolium* Blanco.  
 PACÁPIS, V. *Clerodendron intermedium* Cham.  
 PÁCAT-ÁRO, T. *Pisonia aculeata* DC.  
 PACAYÓMCOM-CASTÍLA, Pamp. *Cassia alata* L.  
 PACAYÓMCON. *Lycopodium*.  
 PACHAÍÑGAN, T. *Canarium*.  
 PÁCO. *Asplenium esculentum* Presl.  
 PÁCOL, V. *Musa*.  
 PÁCONG-ANÚANG. *Onychium auratum* Kaulf.  
 PACÓPOD, T. *Vitis carnosae* Wall.  
 PACPÁC-BÁLANG, T. *Berrya*.  
 PACPÁC-LÁÑGAO, T. *Desmodium triflorum* DC.  
 PACPÁC-LÁUIN, T. *Rhaphidophora pertusa* Schott.  
 PACPÁC-LÁUIN, T. *Polypodium quercifolium* L.  
 PACNÁN, T. *Quercus*.  
 PACÚPIS, T. *Trichosanthes anguina* L.  
 PADDÁN, Cag. *Pandanus odoratissimus* Linn. f.  
 PADÓNG-PADÓÑGAN, V. *Celosia cristata* Miq.  
 PAÉTAN, V. *Lunasia amara* Blanco and other species.  
 PAGÁLO. *Acrostichum*.  
 PAGAPLACÍM, H. *Ficus*.  
 PÁGAT, Ig. *Chiocis wallichii* DC.  
 PÁGAT-PÁGAT (Laguna). *Diospyros*.  
 PAGATPÁT, T., V., B. *Sonneratia pagatpat* Blanco.  
 PAGATPÁT, T. *Diospyros*.  
 PAGBÚT, Pamp. *Gardenia obscura* Vidal.  
 PÁGLA, B. *Garcinia*.  
 PAGLUMHÚYEN. *Eugenia*.  
 PAGPÁGAN, Cag. *Hilpe betis* Merrill.  
 PAGAINGÁIN, T. *Canarium luzonicum* Miq.  
 PÁGUA, V. *Musa textilis* Nees. var.  
 PAGUÍLING, T. *Ficus*.  
 PAGURÍÑGON, B. *Cratogeomys floribundum* F. Vill.  
 PAHAMPÁC, Pamp. *Gouania*.  
 PÁHO, T., V. *Mangifera longipes* Griff.  
 PAHOHOTAN, V., T. *Mangifera odorata* Griff.  
 PÁHO-SÉCO (Cebu). *Mangifera longipes* Griff.  
 PAHÚTAN, T. *Semecarpus*.  
 PAÍHOD, V. *Albizzia procera* Benth.  
 PAÍHOT. *Albizzia procera* Benth.  
 PAÍLAN. *Hilpe betis* Merrill.  
 PAIMAÍBAI, T. *Litsea*.  
 PAÍMO. *Sindora wallichii*, Benth.  
 PAÍNA, T. *Hopea plagata* Vidal.

- PAIPAÍ-ÁMO, T. *Polypodium quercifolium* L.  
 PAIPAÍSI, V. *Leucas aspera* Spreng.  
 PAÍT. *Micromelum*.  
 PAÍT, T. *Lunasia amara* Blanco.  
 PAÍT-PAÍT (Zamboanga). *Lunasia amara* Blanco.  
 PAÍT-PAÍT. *Micromelum tephrocarpum* Turcz.  
 PAITÁN, T. *Garcinia*.  
 PAITÁN, T. *Lunasia amara* Blanco.  
 PAITÁN, T. *Terminalia*.  
 PÁJA-DE-MÉCA, Sp. Fil. *Andropogon schoenanthus* L.  
 PÁJO, T. *Mangifera longipes* Griff.  
 PÁLAC-PÁLAC, T. *Palaquium latifolium* Blanco.  
 PÁLAD-PÁLAD, V. *Hemigraphis repens* Blanco.  
 PALAGÁRIUM, V. *Samadera indica* Gaertn.  
 PALÁGIUM, V. *Samadera indica* Gaertn.  
 PALAGÚCON, V. *Crinum asiaticum* Linn.  
 PALÁLI, B. *Dillenia speciosa* Gilg.  
 PÁLANG. *Acalypha*.  
 PÁLANG-PÁLANG, V. *Canavalia obtusifolia* DC.  
 PALÁO-AN, V. *Homalomena miqueliana* Schott.  
 PALÁPAD, T. *Sonneratia pagatpat* Blanco.  
 PALÁPAR, V. *Alpinia brevibras* Presl.  
 PALAPASÁGUI, V. *Hyptis capitata* Jacq.  
 PALÁPIL. *Flacourtea*.  
 PALÁSAN, Z. *Calamus albus* Pers.  
 PALÁTI. *Dillenia speciosa* Gilg.  
 PALATPÁT, T. *Sonneratia pagatpat* Blanco.  
 PALÁUAN, V. *Daemonorops*.  
 PALÁY, T. *Oryza sativa* L.  
 PALÁYEN, Ig. *Quercus jordanae* Lag.  
 PÁLI, V. *Mangifera odorata* Griff.  
 PALÍA, V. *Momordica balsamina* L.  
 PALIÁVAN, V. *Tinospora crispa* Miers.  
 PALICPÍC-PÍTO, Pamp. *Sapindus turezaniinowii* Vidal.  
 PALINDÁN, T. *Oraia regalis* Zipp.  
 PALÍNG HUÁI, B. *Walsura robusta* Roxb.  
 PALINLÍN, T. *Buchanania*.  
 PALÍPAL, T. *Maesa*.  
 PÁLIS, T. *Callicarpa bicolor* Juss.  
 PALÍTIC. *Ficus ameples* Burm.  
 PALLÁ, T. *Momordica balsamina* L.  
 PAL-LÁM, H. *Psophocarpus tetragonolobus* DC.  
 PÁLMA-BRÁVA. *Livinstonia rotundifolia* Mart.  
 PÁLO, T. *Xylopia* sp.  
 PALOÁHAN. *Otophora spectabilis* Blume.  
 PALOÁHAN, V. *Capura*.  
 PALOÁÍ, B. *Litsea*.  
 PALOCHÍNA, V. *Cassia alata* Linn.

- PALO-DE-HIÉRRO, V. *Xanthostemon verdugonianus* Naves.  
 PALO-DÚRO (Zamboanga). *Eugenia*.  
 PALO-MARÍA, T., Pamp. *Calophyllum inophyllum* L.  
 PALO-MARÍA, T. *Vidalia lepidota* F. Vill.  
 PALO-MARÍA DE MÓNTE. *Calophyllum wallichianum* Planch and Triana.  
 PALO-MARÍA DE PLÁYA. *Calophyllum inophyllum* L.  
 PALO-MARIANG-GÚBAT, T. *Vidalia navesii* F. Vill.  
 PALONÁPIN. *Tarrietia sylvatica* Merrill.  
 PALONÁPOY, Z. *Heritiera littoralis* Dry.  
 PALONÁPOY, Z. *Tarrietia sylvatica* Merrill.  
 PÁLONÉGRÓ. *Lepidopetalum*.  
 PALONPALÓNGAN. *Celosia cristata* Moq.  
 PÁLO-PÁLO, B. *Randia cumingiana* Vidal.  
 PALOPÍNO. *Pinus insularis* Endl.  
 PALOSÁNTÓ, T. *Rourea heterophylla* Planch.  
 PALOSÁNTÓ, T. *Orophea*.  
 PALOSÁNTÓ, T. *Koordersiodendron pinnatum* Merrill.  
 PALOSÁPIS. *Shorea*.  
 PALOSÁPIS, T. *Pinus mercusii* Jungh. and de Vriese.  
 PALSAHINHÍN, T. *Canarium cumingii* Engl.  
 PALSANHINGUÍN, T. *Canarium*.  
 PÁLTUG-PALTÚCAN, Pamp. *Cardiospermum halicacabum* L.  
 PALNHAMBOBÓCAG, V. *Dysoxylum blancoi* Vidal.  
 PALÚNAG. *Spilanthus acmella* L.  
 PALUMBÚYEN, Pang. *Eugenia*.  
 PALÚNAI, Pamp. *Spilanthus acmella* L.  
 PALUNGÁPOY, H. *Heritiera littoralis* Dry.  
 PAMALALÁIN, Cag. *Sindora wallichii* Benth.  
 PAMALATANGUÉN, H. *Canthium mite* Bartl.  
 PAMALATAGUÉN, H. *Amoora*.  
 PAMÁLIS, T., V., Pamp. *Sida carpinifolia* L.  
 PAMANANGPÁNGON, V. *Boehmeria nivea* H. and A.  
 PAMANGQUÍLON, V. *Amorphophallus campanulatus* Blume.  
 PAMANGQUÍLON, V. *Leca aculeata* Blanco.  
 PAMAYUGSÚCON. *Ixora*.  
 PAMITAÓGUEN, H. *Calophyllum inophyllum* L.  
 PAMITLÁIN, H. *Ochrocarpus pentapetalus* Blanco.  
 PAMITLÁIN, H. *Calophyllum inophyllum* L.  
 PAMITLATÉN, H. *Calophyllum inophyllum* L.  
 PAMITLATÍN, H. *Ochrocarpus pentapetalus* Blanco.  
 PAMLOMBÓYEN, H. *Eugenia*.  
 PAMÓCOL, T. *Cocos nucifera* L.  
 PAMPÁNG, V. *Musa sapientum* L. var.  
 PAMPÁR. *Kleinhovia hospita* L.  
 PAMÚCUG, V. *Pollia*.  
 PAMÚHAT, V. *Premna vestita* Schauer.  
 PAMULACLÁQUIN, T. *Gorocaryum tarlacense* Vidal.  
 PAMULACLÁQUIN, T. *Symphorema luzonensis* Vidal.

- PAMULACLÁQUIN, T. *Combretum ovalifolium* Roxb.  
 PAMUNOÁN, V. *Feronia elephantopus* Corr.  
 PANÁBANG. *Aglaia*.  
 PANABÓLONG. *Scaevola koenigii* Vahl.  
 PANÁBON, T. *Ardisia*.  
 PANÁBOR, V. *Euryeles amboinensis* Herb.  
 PANABÓLONG, T., V. *Scaevola koenigii* Vahl.  
 PANÁCLA (Bulacan). *Pisonia aculeata* L.  
 PANAGUÍTMON, B. *Diospyros*.  
 PANALAYÁPIN, T., II. *Champereia grillithii* Planch.  
 PANALINĠÁEN. *Pterospermum oblicuum* Blume.  
 PANAMPÁT, Pamp. *Kleinhovia hospita* L.  
 PANANCULÁNAN, B. *Vitex*.  
 PANANGQUÍLON, V. *Leca aculeata* Blanco.  
 PANÁO, T. *Dipterocarpus vernicifluus* Blanco.  
 PANÁON, V. *Elettaria*.  
 PANAPTÚM, V. *Erianthemum bicolor* Sehrank.  
 PANAGUITÍN, T. *Stereulia*.  
 PANARIÉN, II. *Tacca pinnatifida* Forst.  
 PANÁVAN, V. *Tinospora crispa* Miers.  
 PANAYANĠTAGÓN, V. *Leca javanica* Blume.  
 PANAYPÁY. *Memecylon*.  
 PANCALIAN, Cag. *Sindora walliebii* Benth.  
 PANCÚDO, T., V. *Morinda bracteata* Roxb.  
 PANDACÁGUC, T. *Tabernaemontana pandacaeque* Poir.  
 PANDACÁQUE-LALÁQUE, T. *Rauwolfia amsoniacifolia* A. DC.  
 PANDACÁQUI, T., V., Pamp. *Tabernaemontana pandacaequi* Poir. and other species.  
 PANDÁN, T., V. *Pandanus odoratissimus* Linn. f. and other species.  
 PANDÁN, II. *Terminalia catappa* L.  
 PANDÁN-SABOTÁN, T. *Pandanus*.  
 PANDAPÁNDA, T. *Ganophyllum falcatum* Blume.  
 PANDAPÁNDA, T. *Dysoxylum*.  
 PANDÁYA, V. *Tabernaemontana pandacaequi* Poir.  
 PANĠGAGUÁSON, V. *Strychnos ignatii* Berg.  
 PANĠGALÁŠGAN, T., V. *Sophora tomentosa* L.  
 PANĠGANÁN. *Quercus*.  
 PANĠGANÁUA, Cag. *Orophea enterocarpoidea* Vidal.  
 PANĠGANĠTÓLONG, T., V. *Scaevola koenigii* Vahl.  
 PANĠGAS, Pamp. *Tournefortia*.  
 PANĠGAS, Z. *Zingiber officinale* Linn.  
 PANĠGAS, Pamp. *Curcuma longa* Linn.  
 PANĠGOSÍN. *Cocos nucifera* L.  
 PANĠGDÁN, V. *Pandanus odoratissimus* Linn. f.  
 PANĠGDÁN, T. *Freycinetia luzonensis* Presl.  
 PANĠGHÁS (Dinagat). *Ardisia humilis* Vahl.  
 PANĠGHÍNG-BÚYEN (Abra). *Eugenia*.  
 PANĠGI, T. *Pangium edule* Reinw.

- PANGLÁVAN, V. *Tinospora crispa* Meirs.  
 PANGLÍNÓN, Z. *Wormia*.  
 PANGLANCAÉN, H. *Gelonium glomerulatum* Hassk.  
 PANGLOMBÓYAN, H. *Eugenia*.  
 PANGLONBÓYEN, Ig. *Loranthus*.  
 PANGMÁVAN. *Anamirta cocculus* W. and A.  
 PANĜOSÍN, V. *Cocos nucifera* L.  
 PÁNĜUI, V. *Pangium edule* Reinw.  
 PANĜURÍNĜU, V. *Cratoxylon blancoi* Blume.  
 PANILÁCAD, V. *Pandanus odoratissimus* Linn. f.  
 PANILÓNĜA-BÁCA. *Memecylon*.  
 PANLAMBÚYEN, H. *Eugenia*.  
 PANÍNĜUÍNÓN, Z. *Wormia luzonensis* Vidal.  
 PANÍTAN. *Globba marantina* Linn.  
 PANITLÁIN. *Ochrocarpus pentapetalus* Blanco.  
 PANNILTASQUÍN, H. *Calophyllum*.  
 PANNIRIÉN, H. *Tacca pinnatifida* Forst.  
 PÁNNO. *Dipterocarpus vernicifluus* Blanco.  
 PANODÍAS, V. *Saurauja*.  
 PANOSIBÉN (Tiagan). *Sapindus turezaniinowii* Vid.  
 PANSIPANSÍ, T., V. *Leucas aspera* Spreng.  
 PANSIPANSÍ, T. *Hypoestes laxiflora* Nees.  
 PANSIPANSÍAN, T. *Hyptis suaveolens* Poir.  
 PANTÍGUI, V. *Pemphis acidula* Forst.  
 PANTÓĜ-SANG-USÁ, V. *Orchipeda foetida* Blume.  
 PÁNUO, T. *Dipterocarpus vernicifluus* Blanco.  
 PÁO, H. *Mangifera longipes* Griff.  
 PAOPÁNAN. *Mangifera longipes* Griff.  
 PAOPÁUAN, T. *Mangifera foetida* Lour.  
 PAPÁCA, Z. *Cratoxylon*.  
 PAPALSÍS, T. *Callicarpa bicolor* Juss.  
 PÁPAS. *Solanum tuberosum* L.  
 PAPÁYA, Sp. Fil. *Carica papaya* L.  
 PAPOHÓTAN. *Mangifera longipes* Griff.  
 PAPÓNYA. *Mangifera longipes* Griff.  
 PAPÓNĜA, Z. *Eugenia*.  
 PAPPÁGAY, Cag. *Illipe betis* Merrill.  
 PÁQUIT. *Dioscorea*.  
 PAPÚA, T., V. Pamp. *Panax frutescens* L.  
 PAQUILÍNG, Pamp. *Ficus*.  
 PÁQUIT, T. *Dioscorea*.  
 PARÁCAN, H. *Rhizophora mucronata* Lam.  
 PARAGÍS, T. *Paspalum*.  
 PARAÍSO, V., T. *Melia azedarach* L.  
 PÁRANG (Paranaque). *Alysicarpus tetragonolobus* Edgw.  
 PARANĜISÁT-IT-MANATÁD, V. *Tacca*.  
 PARÁPAD, Ig. *Alpinia*.  
 PARAPARANÁHAN, T. *Desmodium*.

- PARÁPIT-HÁÑGIN, T. *Naravelia*.  
 PARÁSAN, V. *Calamus albus* Pers.  
 PÁRI, V. *Cissampelos pareira* Linn.  
 PARÍA, H. *Momordica balsamina* L.  
 PARITÚLOT, T. *Justicia gendarussa* L.  
 PARNIPANSÍ. *Leucas linifolia* Spreng.  
 PARONÁPIN, H. *Helicteres*.  
 PARONÁPIN, H. *Heritiera littoralis* Dry.  
 PARONÁPIN, H. *Tarrietia sylvatica* Merrill.  
 PAROÑGTÓNG-ÁHAS, T. *Streptocaulon baumii* Decne.  
 PARSÓTIS, T. *Chenopodium ambrosioides* L.  
 PÁRUA, H. *Pinus insularis* Endl.  
 PASÁC. *Paranarium philippensis* Radlk.  
 PASÁC, T., Z. *Mimusops elengi* L.  
 PASÁC, T. *Pygeum arboreum* Endl.  
 PASÁCIA, H. *Ficus*.  
 PASAÍÑGIN, T. *Canarium*.  
 PÁSASO. *Corchorus capsularis* L. and other species.  
 PÁSASO, V. *Graptophyllum hortense* Nees.  
 PÁSASO-NA-BILÓG, T. *Corchorus capsularis* L.  
 PÁSASO-NA-HABÁ, T. *Corchorus acutangulus* Lam.  
 PASÁPLA, H. *Ficus*.  
 PASASABLÚT, H. *Litsea*.  
 PASCUÁS. *Euphorbia pulcherrima* Willd.  
 PÁSI, B. *Cinnamomum*.  
 PÁSIG, V. *Buchanania lucida* Blume.  
 PASÍTIS, T. *Capsicum minimum* Roxb.  
 PASÓTIS, T. *Chenopodium ambrosioides* L.  
 PASNÍT (Tiagan). *Alstonia scholaris* R. Br.  
 PASQUÍT, T. *Memeceylon paniculatum* Jack.  
 PASURÍAO, V. *Dendrobium lunatum* Lindl.  
 PÁTA, Ig. *Cinnamomum pauciflorum* Nees.  
 PATABUGUÍN (Paragua). *Vernonia arborea* Ham.  
 PATACTÓL, Pamp. *Ardisia*.  
 PATAÍ-ÓOD, V. *Tournefortia sarmentosa* L.  
 PATÁLO, T. *Commersonia platyphylla* Andr.  
 PATÁNI, V. *Phaseolus lunatus* Linn.  
 PATÁNING-DÁGAT, T. *Canavalia ensiformis* DC'.  
 PATÁPTO. *Ardisia*.  
 PATÁTAS, Sp. Fil. *Solanum tuberosum* Linn.  
 PATÉPUT, T. *Maesa*.  
 PATICÁN, V. *Caryota rumphiana* Mart.  
 PATÍNI (Mindoro). *Phaseolus tunkinensis* Lour.  
 PATÍPOL (Morong). *Maesa*.  
 POTÓLA, T., V. *Luffa aegyptiaca* Mill. and other species.  
 POTÓLO, T. *Commersonia platyphylla* Andr.  
 PATÚBO, T. *Cycas circinalis* L.  
 PAÚHAN (Mindoro). *Litsea*.

- PAUHÁPI, T. *Shorea*.  
 PAUNÑGÁGAN, T. *Castanopsis philippinensis* Vidal.  
 PAÚTAN, T. *Santiria*.  
 PAUPAÚTAN, T. *Mangifera*.  
 PAYÁLE. *Timonius philippinensis* Merrill.  
 PAYÁÑGCA (Bulacan). *Flemingia*.  
 PAYANGPÁYANG, T. *Desmodium pulchellum* Benth.  
 PAYANGUÍT, V. *Marsdenia tinctoria* R. Br.  
 PÁYAO-PÁYAO, V. *Monochoria hastaeifolia* Presl.  
 PAYÁPA, T. *Ficus payapa* Blanco.  
 PÁYHOD. *Albizzia procera* Benth.  
 PÁYNA, T. *Scolopia*.  
 PÁYONG-PÁYONG, V. *Cyperus*.  
 PÁYONG-PAYÓÑGAN, T. *Boletus*.  
 PAYPÁYSI, V. *Leucas aspera* Spreng.  
 PEDPÉD, H. *Casearia*.  
 PELÓTAN. *Rhizophora mucronata* Lam.  
 PEPÍNO, Sp. *Cucumis sativus* L.  
 PEPIÁ, T. *Strychnos ignatii* Berg.  
 PEPIÁ-DE-SAN IGNÁCIO, Sp. Fil. *Strychnos ignatii* Berg.  
 PEPIÁ-SA-CATBALÓÑGAN, V., T., B., Pamp. *Strychnos ignatii* Berg.  
 PERNAMBÚCO, Sp. Fil. *Gossypium barbadense* L.  
 PETÚTAN, T. *Bruguiera gymnorrhiza* Lam.  
 PIÁGAO, T. *Xylocarpus obovatus* Juss.  
 PIAÍO, V. *Agathis loranthifolia* Salisb.  
 PIÁPI, T., V. *Avicennia officinalis* L.  
 PIÁS, H. *Averrhoa bilimbi* L.  
 PIÁYO, V. *Agathis loranthifolia* Salisb.  
 PICHÉL, T. *Nepenthes*.  
 PIDPÍD, H. *Casearia*.  
 PÍLA. *Codiaeum variegatum* Blume.  
 PILÁNI, T. *Canarium luzonicum* Miq.  
 PILÁPIL, T.? *Scolopia*.  
 PILÁUI, T. *Canarium ovatum* Engl.  
 PILDÍS, Pamp. *Garcinia*.  
 PILÉU, V. *Ficus*.  
 PÍLI, T. *Canarium luzonicum* Miq.  
 PÍLI, V., T. *Canarium ovatum* Engl.  
 PÍLI (Zamboanga). *Gelonium*.  
 PÍLIC (Cebu). *Ficus*.  
 PÍLI-PILÁUAY, T. *Canarium commune* L.  
 PILÍPOG, V. *Cocos nucifera* Linn.  
 PILÍPUD, V. *Mallotus ricinioides* Muell. Arg.  
 PÍLIS, V. *Abutilon indicum* G. Don.  
 PÍLIT, B. *Pemphis acidula* Forst.  
 PIMIÉNTA, Sp. *Piper nigrum* L.  
 PIMIÉNTANG-BUNDÓC, T. *Piper philippinum* Miq.  
 PINÁLI. *Canarium luzonicum* Miq.



- PÍNANG, V. *Areca alba* Rumph.  
 PINCARÁNAO, T. *Buxus rolfei* Vidal.  
 PINCAPÍNCA, T. *Oroxylum indicum* L.  
 PINCAPINCÁHAN, T. *Oroxylum indicum* L.  
 PINGÓL, T. *Engelhardtia*.  
 PINGÓL-BATÓ, T. *Begonia rhombicarpa* A. DC.  
 PINÚAN, Ig. *Maoutia platystigma* Wedd.  
 PIÑA, Sp. Fil. *Ananassa sativa* Lindl.  
 PIÑÓNES, V. *Quisqualis indica* Linn.  
 PÍPI, V. *Litsea garciae* Vidal.  
 PÍPI, V. *Albizzia retusa* Benth.  
 PÍPI, V. *Semecarpus macrophylla* Merrill.  
 PIPISÍC, T. *Aegiceras corniculatum* Blanco.  
 PIPISÍC, T. *Aegiceras floridum* R. and S.  
 PIPISÍC, T. *Avicennia officinalis* L.  
 PIPISÍC, T. *Scyphiphora hydrophyllacea* Gaertn.  
 PIRÁPI-ÁNGIN, Pamp. *Vitis repens* W. and A.  
 PÍRAS, T. *Evodia roxburghiana* Benth.  
 PÍRIS, T. *Clausena*.  
 PÍRIS, T. *Garcinia*.  
 PISÁ, T. *Canarium luzonicum* Miq.  
 PISANG-DÁYA, T. *Mimusops*.  
 PISÍC, T. *Aegiceras corniculata* Blanco.  
 PISÓNG, T. *Citrus aurantium* Linn. var.  
 PISSÍC, V. *Centropeda orbicularis* Lour.  
 PÍTA, H. *Ananassa sativa* Lindl.  
 PÍTA (Cebu). *Agave americana* L.  
 PITÓGO, T. *Cycas circinalis* Linn.  
 PIÁTANO, Sp. *Musa sapientum* L. var.  
 PÓAS, T. *Harpullia blancoi* F. Vill.  
 POCOTPÓCOT, V., Pamp. *Trichosanthes anguina* L.  
 PÓLANG-PÓLANG (Hilo). *Ipomoea pes-caprae* Forst.  
 POLAYÁGAN, T. *Bursera javanica* Baill.  
 POLÉO. *Verbena bonariensis* L.  
 POLÓGAN, V. *Dioscorea*.  
 POLONÍA, T. *Alpinia cernua* Roxb.  
 PONĠÁPON, T. *Amorphophallus paniculatus* Blume.  
 PÓÑĠLO-PONĠLÓAN. *Corehorus capsularis* L.  
 PÓÑĠO. *Dipterocarpus vernicifluus* Blanco.  
 PONOÁN, V. *Feronia elephantum* Correa.  
 PONOÁN, V. *Samadera indica* Gaertn.  
 PORÁC, H. *Toona ciliata* Royle.  
 PÓRAS, V. *Phyllanthus distichus* Muell. Arg.  
 PÓRO. *Piper betle* L.  
 POSTALÁGON. *Gomphia angustifolia* Vahl.  
 POSTALÁGON, Z. *Mimusops*.  
 POTÁT, T. *Barringtonia racemosa* Blume.

- POTÁT, T. *Aralia javanica* Miq.  
 POTÍAN, T. *Eugenia*.  
 POTÓC. *Cyperus*.  
 POTOacán, T. *Physalis peruviana* L.  
 POTÓC-POTOacán, T. *Physalis peruviana* L.  
 POTÓT, V. *Cocos nucifera* Linn.  
 POROTÁN, T. *Bruguiera ritchieii* Merrill.  
 POROTÁN, V. *Cerriops candolleana* Arn.  
 POROTÁN. *Rhizophora mucronata* Lam.  
 POÚGSO, Pamp. *Jasminum sambac* Ait.  
 PÚAS. *Harpullia blancoi* Vidal.  
 PUCOPÚCOT, V., Pamp. *Trichosanthes anguina* L.  
 PUGÁHAN, T. *Caryota cumingii* Mart.  
 PUGÁHAN, T. *Arenga saccharifera* Lab.  
 PUGÁHAN, T. *Caryota urens* L.  
 PÚGANG, V. *Dioscorea*.  
 PUGÁUY. *Decaspermum*?  
 PUIGAPUIGÁHAN, T. *Arthrophyllum*.  
 PULÁNG-BALÁT. *Eugenia*.  
 PULÁT, T. *Linociera coriacea* Vid.?  
 PULÁT. *Barringtonia racemosa* Blume.  
 PULAYÁGAN. *Bursera javanica* Baill.  
 PÚLUG (Zamboanga). *Kibara coriacea* Perk.  
 PUNĠÁPUNG, V., T. *Amorphophallus campanulatus* Blume.  
 PUNTAS-PUNTÁS, T. *Ipomoea paniculata* R. Br.  
 PUQUÍÑGANG, T. *Chitoria ternatea* L.  
 PURÁ, B. *Saurauja*.  
 PURÍQUET, H. *Pisonia aculeata* L.  
 PUSO-PÚSO, T. *Litsea chinensis* Lam.  
 PUSO-PÚSO (Mindoro). *Buchanania florida* Schauer.  
 PUSO-PÚSO, T. *Eugenia*.  
 PUSO-PÚSO (Tayabas). *Agrotistachys maesoana* Vidal.  
 PUSO-PÚSO (Marinduque). *Quercus castellaranauiana* Vidal.  
 PUTÁD, T. *Barringtonia racemosa* Blume.  
 PUTÁT, T. *Barringtonia racemosa* Blume.  
 PUTÉNG, T. *Linociera*.  
 PUTÍAN, T. *Eugenia*.  
 PUTPÚTAY, B. *Ehretia buxifolia* Roxb.  
 PUTUCÁN, T. *Hibiscus abelmoschus* L.  
 PUTÚD (Nueva-Viscaya). *Viburnum luzonicum* Rolfe.

## Q.

- QUETQUÉT, Ig. *Deutzia pulehra* Vidal.  
 QUIÁPO, T. *Pistia stratiotes* L.  
 QUIAQUÍA, Z. *Pometia*.  
 QUIBÁL, T. *Vigna catjang* Endl.  
 QUIBÁL, T. *Dolichos*.  
 QUILÁA, V. *Cordyline*.

QUILALÁ, V. *Saccharum officinarum* L.  
 QUILALÁ, V. *Musa*.  
 QUILAMO, T. *Crypteronia paniculata* Blume.  
 QUILÁP, T. *Uncaria*.  
 QUÍLING, T. *Bambusa*.  
 QUILINGÍVA, V. *Averrhoa bilimbi* L.  
 QUILÍTE, *Amaranthus spinosus* L.  
 QUILÍTIS, T. *Amaranthus spinosus* L.  
 QUINAMBÓY, V. *Curcuma longa* L.  
 QUINAMPÁI (Cebu). *Dioscorea*.  
 QUÍNA-PÉSTULA, T. *Cassia fistula* L.  
 QUIMPÓY, V. *Colocasia antiquorum* Schott.  
 QUINANDÁ, T. *Oryza sativa* L. var.  
 QUINANÁYAN, T. *Musa paradisiaca* L. var.  
 QUINASAICÁSAI, T. *Adenanthera pavonina* L.  
 QUÍNAY-QUÍNAY, T. *Pterospermum*.  
 QUINDAYÓHAN, T. *Celosia argentea* L.  
 QUINTÁNA, T. *Melia candollei* Juss.  
 QUINTASÍN, B. *Ixora*.  
 QÚIO, T. *Ardisia*.  
 QUIRÁP, T. *Sumbavia rottleroides* Baill.  
 QUIRÓI, T. *Dioscorea sativa* L.  
 QUÍSOL, V. *Kaempheria galanga* L.  
 QUÍTA-QUÍTA, H. *Xylia*.  
 QUÍTA-QUÍTA, H. *Albizzia*.  
 QUÍTA-QUÍTA, H. *Bischofia javanica* Blume.  
 QUITÍCOT, V. *Capsicum minimum* Roxb.  
 QUIUATULÚAN, T. *Erianthemum bicolor* Schrank.  
 QUENALUSCÚA, T. *Hoya*.  
 QUERÓE, T. *Dioscorea*.  
 QUESÉRO. *Bombax malabaricum* L.

## R.

RAQUÍNDI, Pamp. *Hibiscus tiliaceus* L.  
 RAIZ-DE-MÓRAS, Sp. Fil. *Andropogon schoenanthus* L.  
 RÁMI, Sp. *Bohemeria nivea* H. and A.  
 RATIPÁN, H. *Arenga saccharifera* Lab.  
 RAY-YARAY-YÁ, H. *Ficus*.  
 RÍMA, T., V. *Artocarpus incisa* L.  
 RÍMO, T. *Artocarpus incisa* L. f.  
 RÍRAO, B. *Palaquium*.  
 ROCNÓHAN, T., V. *Sophora tomentosa* L.  
 RÓMA, T., V. *Acacia farnesiana* Willd.  
 ROMÉRO, Sp. *Rosmarinus officinalis* Linn.  
 RÓNAS. *Smilax*.  
 RÓSAS-CABALLÉRO, Sp. Fil. *Caesalpina pulcherrima* Sw.  
 RÓSAS-DE-PÉRSIA, Sp. Fil. *Paneratum zeylanicum* L.  
 RÓSAS-SA-BÁBAY, V. *Vinea rosea* Linn.  
 RÚMBANG, V. *Aleurites moluccana* Willd.

**S.**

- SAÁNG-CABÁYO, T. *Scoparia dulcis* Linn.  
 SABÁ, T. *Mallotus*.  
 SABÁ, H. *Musa sapientum* L. var.  
 SABÁNG-VISÁYA. *Musa paradisica* L.  
 SÁBIA, T. *Piper caninum* Dietr.  
 SÁBILA, T. *Vanda lissochiloides* Lindl.  
 SÁBILA, T. *Aloe barbadensis* Mill.  
 SABILÁO, V. *Commelina benghalensis* L.  
 SABILÁO, V. *Cyanotis axillaris* Roem. and Shult.  
 SABILÁO-NGA-LABA-ÁN, V. *Commelina benghalensis* L.  
 SÁBLES. *Asplenium nidus* L.  
 SABLÚT, H. *Litsea chinensis* Lam.  
 SABNÉT, T. *Rubus*.  
 SÁBONG-SABÓÑGAN, T. *Eleusine indica* Gaertn.  
 SABÓNG-SABÚÑGAN, T. *Panicum flavidum* Retz.  
 SABOTÁN, T. *Pandanus sabotan* Blanco.  
 SÁBUNG-SABÚÑGAN, T. *Paspalum*.  
 SÁBAY (Tiagan). *Colocasia antiquorum* Schott.  
 SACÁT, T. *Terminalia nitens* Presl.  
 SACSÁC, V. *Metroxylon*.  
 SACSÍC, T. *Areca catechu* L.  
 SADÁC, Ig. *Ichnocarpus ovatifolius* A. DC.  
 SADÚÑGAN, V. *Garcinia cowa* Roxb.  
 SÁGA, Z. *Nipa fruticans* Wurm.  
 SÁGA, T. *Abrus precatorius* L.  
 SAGÁD, H. *Vitex littoralis* Deene.  
 SAGAMAMÍN, T. *Abrus precatorius* L.  
 SAGAPSÁP, V. *Chionanthes*.  
 SÁGSA, V. *Glochidion littorale* Blume.  
 SAGÁSA. *Lumnitzera purpurea* Presl.  
 SAGÁSA, T. *Scyphiphora hydrophyllacea* Gaertn.  
 SAGÁSA, T. *Osbornia octodonta* F. Vill.  
 SÁGA-SÁGA, T. *Abrus precatorius* L.  
 SAGÁT, H. *Vitex littoralis* Deene.  
 SÁGAY, V. *Claoxylon indicum* Hassk.  
 SÁGAY-CÁÑGAY. *Zanthophyllum oxyphyllum* L.  
 SAGÍN, V. *Parameria philippinensis* Radlk.  
 SÁGIN, T. *Pinus insularis* Endl.  
 SÁGING, T., V. *Musa sapientum* L.  
 SAGÍR, T. *Parameria philippinensis* Radlk.  
 SAGKÍ, T. *Illicium anisatum* L.  
 SAGMÍR, T. *Rubus rosaeifolius* Smith.  
 SAGNÍR, T. *Mezoneurum glabrum* Desf.  
 SAGÓMAY. *Psychotria malayana* Jack.  
 SAGÚ. *Caryota urens* L.  
 SAGUILALÁ, T. *Corydeline*.

- SAGUILALÁ, T. *Codiaeum variegatum* Muell. Arg.  
 SÁGUING, T. *Musa paradisiaca* L. var.  
 SÁGUING-NANG-CÁLAO, B. *Myristica*.  
 SÁGUING-SÁGUING, V. *Canna indica* L.  
 SÁGUIN-SAGUÍNĠAN, T. *Aegiceras corniculatum* Blanco.  
 SÁGUIN-SAGUÍN-ESTÁCAS. *Aegiceras corniculatum* Blanco.  
 SAGUINSÍN, V. *Memecylon edule* Roxb.  
 SAGUINSÍN. *Agiceras*.  
 SAGUÍT. *Lunasia amara* Blanco.  
 SAGUNYÁTE, V. *Tectona grandis* L. f.  
 SÁLA, T., V. *Mallotus philippinensis* Muell.  
 SÁLA. *Mallotus ricinoides* Muell. Arg.  
 SÁLAB, T. *Cupania regularis* Blume.  
 SÁLAB, T. *Hemigyrosa canescens* Thw.  
 SALÁDAY, V. *Erycibe paniculata* Roxb.  
 SALÁDAY. *Zanthoxylum oxyphyllum* Edgew.  
 SÁLAG. *Hemigyrosa canescens* Thw.  
 SALÁGO, V. *Phaleria perrottetiana* B. and H.  
 SALÁGO, T., V. *Wikstroemia indica* Mey.  
 SALAGSÁLAG, T. *Trichosanthes anguina* L.  
 SALÁGUIN-PULÁ. *Amoora rohituka* W. and A.  
 SALAGUÍSO (Albay). *Leucosyke hispidissima* Miq.  
 SÁLAI, T. *Andropogon schoenanthus* L.  
 SALÁID. *Andropogon schoenanthus* L.  
 SALAMÚNGAY, T. *Aglaja*.  
 SALANĠCÚGUL. *Albizzia tomentosa* Miq.  
 SALAPÁO, T. *Ventilago maderaspatana* Gaertn.  
 SALÁPONG, T. *Modecca cardiophylla* Mart.  
 SALAQUÍ, T. *Amoora perrottetiana* C. DC.  
 SALAQUÍ, T. *Chisocheton ceramicus* Miq.  
 SALAQUÍNG-PULÁ, T. *Amoora rohituka* W. and A.  
 SALARÁDAN, B. *Eugenia*.  
 SALASÁN, T. *Crypteronia*.  
 SALASANDÍA, V. *Ipomoea pes-tigridis* Linn.  
 SÁLAY, V. *Zanthoxylum oxyphyllum* Edgew.  
 SÁLAY, Pamp. *Zanthoxylum avicennae* DC.  
 SÁLAY, V. *Bombax malabaricum* DC.  
 SÁLAY, T. *Andropogon schoenanthus* L.  
 SÁLAY-CÁNGAY, Pamp. *Zanthoxylum avicennae* DC.  
 SALAYSÁY. *Terminalia catappa* L.  
 SALBÁC, Pamp., V. *Alpinia gigantea* L.  
 SÁLENG, H. *Pinus insularis* Endl.  
 SALEOÁSOL, V. *Areca triandria* Roxb.  
 SALIBANGBÁNG, V. *Crinum asiaticum* Linn.  
 SALIGANGBÁNG, V. *Bauhinia*.  
 SALILIHAN, V. *Decaspermum paniculatum* Turcz.  
 SALIMÁRA, T. *Piper*.  
 SALIMÓMO, V. *Capparis micrantha* DC.

- SALIMÓMO, T. *Ehretia philippinensis* A. DC.  
 SALIMPÓCOT, T. *Trichosanthes anguina* L.  
 SALINCÁPA. *Vitex littoralis* Deene.  
 SÁLING-BÓBOG, V., T. *Crataeva religiosa* Forst.  
 SÁLING-OUÁC. V. *Clerodendron macrostegium* Schauer.  
 SÁLING-OUÁC-ÑGA-MAITUM, V. *Clerodendron blancoanum* F. Vill.  
 SÁLING-SÁGUING. B. *Agiceras corniculatum* Blanco.  
 SALIPAPÁ (Albay). *Vitex*.  
 SALÍSAY. *Terminalia catappa* L.  
 SAL-LACÁPO, H. *Tournefortia sarmentosa* L.  
 SAL-LÁDAY. *Commarus ferrugineus* Jack.  
 SAL-LOCÁPO, H. *Tournefortia*.  
 SALÓAG, V. *Ptychosperma punicea* Miq.  
 SALÓGO, V. *Pandanus*.  
 SALOMÁGUE, H. *Tamarindus indica* L.  
 SÁLONG, Z. *Pinus mereusii* J. and de V.  
 SÁLONG, V. *Canarium multipinnatum* Llanos.  
 SALÓYONG, T. *Corchorus olitorius* L.  
 SALSALÍDA, V. *Mollugo pentaphylla* Linn.  
 SALUDSALÚD. *Nepenthes ventricosa* Blanco.  
 SALUMÁGUI, H. *Tamarindus indica* L.  
 SÁLUNG (Paragua). *Canarium*.  
 SALUPÍSIN (Bontoc). *Podocarpus*.  
 SAMÁC, H. *Macaranga tanarius* Muell. Arg.  
 SAMÁC, Pamp. *Melochia*.  
 SAMALÁGUI, V. *Tamarindus indica* Linn.  
 SÁMAT, Pamp. *Piper betle* L.  
 SAMBÁC, B. *Tamarindus indica* L.  
 SÁMAT, Pamp. *Piper betle* L.  
 SAMBÁGUI, V. *Tamarindus indica* Linn.  
 SAMBALABÚAN. *Koordersoidendron pinnatum* Merrill.  
 SAMBALÁGUI, V. *Tamarindus indica* Linn.  
 SAMBÁLE, T. *Eleusine indica* Gaertn.  
 SAMBÍLAO, V. *Commelina communis* Linn.  
 SAMBÓN, T., Pamp. *Blumea balsamifera* DC.  
 SAMBÓNG, T. *Blumea balsamifera* DC.  
 SAMBONG GALÁ, T. *Sphaeranthus indicus* L.  
 SAMPÓNG GALÁ, T. *Pterocaulon cylindrostachyum* Clarke.  
 SAMBULAU, V. *Nephelium*.  
 SAMBULÁGUAN. *Koordersoidendron pinnatum* Merrill.  
 SAMBULÚAN (Mindoro). *Hopea*.  
 SAMBÚNG, T. *Blumea balsamifera* DC.  
 SAMBÚNG-CÓLA, T. *Buddleia asiatica* Lour.  
 SAMÍLIN, T. *Cinnamomum*.  
 SAMPÁC, T. *Michelia champaca* L.  
 SAMPÁCA, T. *Michelia champaca* L.  
 SAMPÁGA, T. *Jasminum sambac* Ait.  
 SAMPÁGA-DEL-MÓNTE, T. *Gynura angulosa* DC.

- SAMPÁGANG, Pamp. *Jasminum sambac* Ait.  
 SAMPAGUÍTA. *Jasminum sambac* Ait.  
 SAMPALÁGUI, B. *Tamarindus indica* L.  
 SAMPALÍA, V. *Momordica balsamina* L.  
 SAMPÁLOC, T., B., Pamp. *Tamarindus indica* L.  
 SAMPÁLOC-SAMPALÓCAN, T. *Dalea nigra* Mart. and Gal.  
 SAMPÁNG, T. *Vitis geniculata* Blume.  
 SAMPAPÁRE, V. *Cissampelos pareira* Linn.  
 SAN-ANTÓNIO. *Bauhinia tomentosa* Linn.  
 SANDALAITÁN, T. *Sophora tomentosa* L.  
 SANDÁNA, T., V. *Anisoptera thurifera* Blume.  
 SANDÁNA, V. *Cedrela taratara*, Blume.  
 SANDÁNA. *Anisoptera oblonga* Dyer.  
 SANDÁNA, T., V. *Anisoptera thurifera* F. Vill.  
 SAN-FRANCISCO, Sp.-Fil. *Codiaeum variegatum* Blume.  
 SÁNGAY (Zamboanga). *Caladium bicolor* Vent.  
 SAÑGÓCYLANG, V. *Bridelia stipularis* Blume.  
 SAÑGIGÉQUIT, T. *Plumbago zeylanica* L.  
 SAÑGÍLO, V. *Piper corylistachyon* C. DC.  
 SAÑGÍTAN?. *Gelonium glomerulatum* Hassk.  
 SAÑGÚMAI, T. *Trichoglottis rigida* Blume.  
 SAÑGUMAÍN, T. *Dendrobium*.  
 SAÑGUMAY, T. *Panicum indicum* L.  
 SANQUÉ, V. *Pterocarpus blancoi* Merrill.  
 SANQUÍ, T. *Clausena*.  
 SANSÁLI, T. *Sapindus*.  
 SANSÁO. *Cissampelos pareira* Linn.  
 SANSÁOSAN-SANSÁOSAN, T. *Cissampelos pareira* L.  
 SANTÁN, T. *Ixora stricta* Roxb.  
 SANTA ANA. *Ixora stricta* Roxb.  
 SANTA HELENA. *Leucaena glauca* Benth.  
 SANTA MARIA. *Artemisia vulgaris* L.  
 SANTÁN, T. *Ixora coccinea* L.  
 SANTIÁGO, V. *Acacia farnesiana* Willd.  
 SANTÓL, T., V. *Sandoricum indicum* L.  
 SANTÓR (Zamboanga). *Sandoricum indicum* L.  
 SÁOG, V. *Piper corylistachyon* C. DC.  
 SAPÁNG, T., H. *Caesalpinia sappan* L.  
 SAPÉNOT, T. *Hibiscus*.  
 SAPÍLCO, Ig. *Pollia thyrsiflora* Endl.  
 SAPÍNIT, V. *Rubus glomeratus* Blume.  
 SAPÍNIT, T. *Schrankia aculeata* Willd.  
 SAPÍNIT, T. *Rubus rosaefolius* Smith.  
 SAPÍNIT, V. *Hibiscus abelmoschus* L.  
 SAPÍNIT, T., V. *Caesalpinia nuga* Ait.  
 SAPINSAPÍN, T. *Peristrophe contorta* Blanco.  
 SAPINSAPÍN, T. *Blechnum brownii* Juss.  
 SAPÍT-USÁ (Albay). *Tabernaemontana*.

- SAPLÍT, B. *Albizzia*.  
 SAPLÚÑGAN-COLORÁDO. *Chisochacton*.  
 SAPLÚÑGAN, T. *Hopea plagata* Vid.  
 SAPNÍT, T., Pamp. *Mezoneurum glabrum* Desf.  
 SAPNÍT, T. *Rubus*.  
 SAPOLÓÑGAN, T. *Hopea plagata* Vidal.  
 SAPÓTE. *Diospyros ebenaster* Retz.  
 SARÁMO, V. *Achyranthes aspera* L.  
 SARANG-PUTÍ, V. *Euonymus*.  
 SARÁSA, T. *Graptophyllum hortense* Nees.  
 SÁRAY, Cag. *Shorea guiso* Blume.  
 SARIPONGPÓNG, B. *Litsea*.  
 SÁROC, Ig. *Pogostemon cablin* Benth.  
 SARSALÍDA, T. *Mollugo oppositifolia* L.  
 SASÁ, T. *Nipa fruticans* Wurm.  
 SATÍNG-CÁGAN, B. *Cratoxylon floribundum* F. Vill.  
 SÁUA-SÁUA. *Scelopora dasyanthera* Benth.  
 SÁUA-SÁUA, V. *Flacourtia sepiaria* Roxb.  
 SAÚCE. *Salix azaolana* Blanco.  
 SAÚCE. *Sambucus javanica* Blume.  
 SAUSAÚLI. *Sapindus turezianowii* Vid.  
 SAUSAÚLI, T.? *Cupania*.  
 SAYCÚA, V. *Luffa acutangula* Roxb.  
 SAYICAN, T. *Portulaca quadrifida* L.  
 SAYICAN, T. *Euphorbia pilulifera* L.  
 SAYICAN, T. *Portulaca oleracea* L.  
 SAYICAN, T. *Euphorbia pilulifera* L.  
 SÁYO, Ig. *Weinmannia luzoniensis* Vidal.  
 SELBÁNG. *Erythrina indica* Lam.  
 SÍAC, V. *Excoecaria agallocha* L.  
 SIBÓG, T. *Acacia concinna* DC.  
 SIBUCÁO, V., T. *Caesalpinia sappan* L.  
 SIBÚYAS, T., Pamp. *Allium cepa* L.  
 SIBÓYAS-SA-TAÁL. *Allium porrum* Linn.  
 SIBÓYAS-SONGSÓNG. *Allium jaquemontii* Kunth.  
 SICÁLEG, V. *Morinda bracteata* Roxb.  
 SÍCO, V. *Achras sapota* Linn.  
 SÍCAY, V. *Lagenaria vulgaris* Seringe.  
 SIEMPREVÍYA, Sp. Fil. *Kalanchoe laciniata* DC.  
 SIGÁN-DÁGAT, B. *Cordia subcordata* Lam.  
 SIGÁN-DÁGAT, T. *Elephantopus spicatus* Juss.  
 SÍGGAY, H. *Hopea plagata* Vidal.  
 SÍIT, V. *Mezoneurum glabrum* Desf.  
 SÍLAC, H. *Corypha umbraculifera* L.  
 SÍLAO. *Dolichos sesquipedalis* L.  
 SILASÍLA, T. *Derris uliginosa* Benth.  
 SILHIGÓN, V. *Sida carpinifolia* L.  
 SÍLI, T. *Capsicum minimum* Roxb.



- SILISÍL, T. *Jasminum marianum* DC.  
 SILISÍL. *Plectrona moluccana* Merrill.  
 SILISÍLIHAN, T. *Cleome viscosa* L.  
 SILÍPAO, T. *Ventilago maderaspatana* Gaertn.  
 SILISÍAN, T. *Cleome viscosa* L.  
 SILISÍHAN. *Gynandropsis pentaphylla* DC.  
 SILISHÁHAN, T. *Cleome viscosa* L.  
 SILISÍLIHAN, T. *Sphenoclea zeylanica* L.  
 SILISÍLIHAN, T. *Erianthemum bicolor* Sehrank.  
 SINALÍGAN, H. *Cordia blancoi*, Vidal.  
 SINAMPÁGA, T. *Randia dumetorum* L.  
 SINCAMÁS, T. *Pachyrhizus angulatus* Rich.  
 SINCAMÁS-ÁSO, T. *Pueraria javanica* Benth.  
 SINCÓYLANG, V. *Bridelia stipularis* Blume.  
 SINDÓC, T. *Cinnamomum*.  
 SÍNGON, Ig. *Vernonia*.  
 SÍNGCULCÚGOS, T. *Jasminum marianum* DC.  
 SÍNGÍTAN, Ig. *Jasminum luzoniensis* Vidal.  
 SÍNIT. *Memeeylon*.  
 SINTÓNIS, T. *Citrus aurantium* Linn.  
 SÍPT-CÁIT. *Leca javanica* Blume?.  
 SÍPT-OLÁG. *Smilax latifolia* Blanco.  
 SIRIC-PÚYO, V. *Lippia nodiflora* Rich.  
 SIRIHÚCLAS, T. *Spondias purpurea* L.  
 SIRÍQUE. *Quercus vidalii* F. Vill.  
 SÍSIO, V. *Physalis angulata* L.  
 SÍSIO, V. *Physalis peruviana* L.  
 SISIÓHAN, Pamp. *Euphorbia pilulifera* L.  
 SÍTAO (Manila). *Vigna catjang* Endl.  
 SOÁL, T. *Cyathocalyx zeylanicus* Champ.  
 SOBOSÁBO, T. *Terminalia*.  
 SOBSÓB, H. *Blumea balsamifera* DC.  
 SOBSÓGAN-PÓGO, B. *Geunsia cumingiana* Rolfe.  
 SOGONSÓGON, V. *Nepenthes gracilis* Korth.  
 SOLÁSI, T. *Ocimum basilicum* L.  
 SOLASOLASÍAN, T. *Leucas aspera* Spreng.  
 SOLÍNAO, T. *Maesa gaudichaudii* A. DC.  
 SOLÓÑGA, V. *Impatiens balsamina* L.  
 SONTÍNG, T. *Cassia alata* L.  
 SÓOB-CABÁYO, T. *Hyptis suaveolens* Poir.  
 SOROGSÓROG, T. Pamp. *Euphorbia neriifolia* L.  
 SORÓSOY, Ig. *Lilium philippinense* Baker.  
 SÚA, H. *Citrus*.  
 SUÁL. *Bruguiera*.  
 SUBÍAN-DAGÁ. *Plectronia*.  
 SUBSÚBAN, T. *Polygonum barbatum* L.  
 SÚCAO, H. *Nelumbium speciosum* L.  
 SUB-SÚD, V. *Cyperus*.

- SUD-SÚD, V. *Kyllinga monocephala* Rottb.  
 SUGÁNDÁ, T. *Coleus*.  
 SÚGPON-SÚGPON, V. *Vitis quadrangularis* Wall.  
 SUGSÚGA, Ig. *Aralia hypoleuca* Presl.  
 SÚHA (Batangas). *Citrus hystrix* DC.  
 SULÁMIOG, V. *Ficus pseudopalma* Blanco.  
 SULÁSI, T. *Ocimum basilicum* L.  
 SULBÁNG, Pamp. *Erythrina indica* L.  
 SULÍAC-DAGÁ, T. *Plectronia*.  
 SULÍPA. *Gardenia pseudopsidium* Blanco.  
 SULÍAC-DAGÁ. *Canthium horridum* Blume.  
 SULÍAO, V. *Dendrobium lunatum* Lindl.  
 SULADSÚLUD, V. *Nepenthes gracilis* Korth.  
 SÚMA, T., V., Pamp. *Anamirta cocculus* W. and A.  
 SÚMAG, Pamp. *Elephantopus spicatus* Juss.  
 SUMALÁGUI, V. *Tamarindus indica* L.  
 SÚNGUT-OLÁNG, V. *Breynia cernua* Muell.  
 SÚÑGOT-OLÁNG, V. *Phyllanthus reticulatus* Muell.  
 SUNTING, V., T. *Cassia alata* L.  
 SÚPA, T. *Sindora wallichii* Benth.  
 SÚPIT-CAÍG, T. *Leea javanica* Blume.  
 SURÁÑGA, V. *Impatiens balsamina* L.  
 SURANSURÁN. *Gordonia luzonica* Vidal.  
 SÓROG-SÓROG, T., Pamp. *Euphorbia neriifolia* L.  
 SÓRO-SÓRO, T., Pamp. *Euphorbia neriifolia* L.  
 SURSÚR, Pamp. *Cyperus rotundus* L.  
 SÚSONG-CALABÁO, T., V. *Uvaria purpurea* Blume.  
 SÚNTENG. *Cassia alata* L.  
 SÚGPON-SÚGPON, V. *Vitis*.  
 SURÁN-SURÁN, V. *Gordonia*.  
 SUSOCAYÓLI, T. *Oxalis corniculata* L.  
 SÚSOI, T. *Crotalaria quinquefolia* L.  
 SÚSONG-CALABÁO, T. *Unona*.  
 SÚSONG-DAMÚLAG, Pamp. *Uvaria*.  
 SÚSONG-DAMÚLAG, Pamp. *Artabotrys*.  
 SUSOSUSÓYAN, T. *Crotalaria quinquefolia* L.  
 SUSPÍROS, Sp. *Mirabilis jalapa* L.

## T.

- TAÁL?, V. *Chamaerops excelsa* Linn.  
 TAÁL, T. *Azelia bijuga* A. Gray.  
 TABÁCO, Sp. Fil. *Nicotiana tabacum* L.  
 TABÁCO-TABACÓHAN. *Solanum verbascifolium* L.  
 TÁBAG. *Hernandia peltata* Meissn.  
 TABÁÑGAN, Cag. *Lagerstroemia speciosa* Pers.  
 TABA-TABÁ, V. *Mussaenda grandiflora* Rolfe.  
 TABATABACÁHAN, T. *Elephantopus scaber* L.  
 TABÁYAC (Hoilo). *Piper subpeltatum* Willd.

- TAGÁTOI, T. Illipe.  
 TAGÓGON, Z. Terminalia.  
 TAGÓISMON, B. Diospyros.  
 TAGPÁ, C. Pterocarpus.  
 TAGPÓ, T. Ardisia.  
 TAGPÓ, T. Psychotria malayana Jack.  
 TAGPÚNG-PULÁ, T. Ardisia.  
 TAGÚC-TAGÚC, V. Parameria philippinensis Radlk.  
 TAGUÍMA, Heptapleurum.  
 TAGUÍMAN, V. Ardisia perrottetiana A. DC.  
 TAGUIPÁN. Clerodendron lanuginosum Blume.  
 TAGUIPÁN. Caryota urens L.  
 TAGUIP-ASÍN, T. Mallotus moluccanus Muell. Arg.  
 TAGUIP-SÓSO. Hydrocotyle asiatica L.  
 TAGUÍSAN-BAYÁUAG (Unisan). Ficus.  
 TAGUÍSI, T. Bambusa.  
 TAGULÁUAY, T., V. Parameria philippinensis Radlk.  
 TAGULÁUAY. Ficus.  
 TAGULÍNAO, T., Pamp. Emilia sonchifolia DC.  
 TAGUIP-CÚHOL. Hydrocotyle asiatica L.  
 TÁGUM, V. Indigofera tinctoria L.  
 TÁGUM, V. Indigofera teysmanni Miq.  
 TÁGUM-TÁGUM, V. Tephrosia luzoniensis Vogel.  
 TÁGUM-TÁGUM, V. Indigofera tinctoria L.  
 TÁGUNG, V. Indigofera tinctoria L.  
 TAGUSTÚS, V. Scaevola koenigii Vahl.  
 TAGÚTONG, V. Solanum ferox L.  
 TAIÁD-LABÚYO, T. Cudrania javanensis Tree. and other species.  
 TAIHÍT-LABÚYOC, F. Allanthus.  
 TAIHÓD-NGA-ILÁHAS, V. Ixora fulgens Roxb.  
 TAIÉTI, Ig. Alsophila glauca Blume.  
 TAINÁNAC. Bambusa.  
 TAIÑGÁNG-DAGÁ. Oxalis corniculata L.  
 TAÍRIS, V. Alpinia previlabris Presl.  
 TAÍTAI, V. Paederia foetida L.  
 TAIUÁNAC, T. Bambusa blancoi Steud.  
 TÁLA, T. Limnophila roxburgii G. Don.  
 TALACÁTAC, T. Castanopsis philippinensis Vidal.  
 TALACTÁC, H. Capparis horrida L. f.  
 TALÁHID, T. Anthistiria gigantea Cav.  
 TALAÍLO, T., V., Pamp. Nymphaea lotus Linn.  
 TALAMPÁY, T. Solanum.  
 TALAMPÓNAI, T., Pamp. Datura alba Nees.  
 TALAMPÓNAI-NA-ITÍM, T. Datura fastuosa L.  
 TALÁNAS, T. Zizyphus.  
 TALANCÁO, H. Plumbago zeylanica L.  
 TÁLANG, T., Pamp. Diospyros discolor Willd.  
 TÁLANG-BÚLO, T. Solanum sanctum L.

- TÁLANG-BUNDÓC, T. *Myristica guatteriifolia* A. DC.  
 TALANGCÁW, H. *Plumbago zeylanica* L.  
 TÁLANG-GÚBAT, T. *Diospyros embryopteris* Pers.  
 TÁLANG-ÍNDONG, B. *Strychnos*.  
 TÁLANG-TÁLANG, T. *Myristica philippinensis* Lam.  
 TALANÍSOY, B. *Tabernaemontana*.  
 TALAÓNOR, V. *Eurycles amboinensis* Herb.  
 TALALARÁCO, V. *Sphaeranthus africanus* L.  
 TALATÁLA, Pamp. *Limnophila menthastrum* Benth.  
 TÁLA-TALÁRUM, T. *Aristolochia tagala* Cham.  
 TALAÚYO, T. *Thmeda gigantea* L.  
 TALÁYLO. *Nymphaea lotus* L.  
 TALBÁC, Pamp. *Alpinia*.  
 TALIAANTÁN, T. *Leea*.  
 TALIAANTÁR, Pamp. *Morinda bracteata* Roxb.  
 TALIBÓBONG, V. *Ehretia philippinensis* A. DC.  
 TÁLIC-HARÁP (Tayabas). *Mussaenda*.  
 TALICNÓNO, T. *Buddleia*.  
 TALICORÁN, T. *Hippeastrum miniatum* Herb.  
 TALÍCOT, V. *Ficus*.  
 TALICTÁN, T., Pamp. *Dysoxylum blancoi* Vidal.  
 TALÍCUT. *Ficus*.  
 TALIGÁNA, Z. *Pterospermum*.  
 TALIMÚRONG, T. *Mitrephora reticulata* H. f. and Th.  
 TALIMÚRONG, Pang. *Cyclostemon*.  
 TALINGHARÁP, T. *Anisomelis ovata* R. Br.  
 TALINOÚNO, Pamp. *Capura*.  
 TALIPÓPO, V. *Mimusops elengi* L.  
 TALÍSAL, T., V., Pamp. *Terminalia catappa* L.  
 TALOCNÁSI. *Pygeum*.  
 TALOCTÓN, Z. *Gomphia angustifolia* Vahl.  
 TALÓLA, T. *Calamus buroensis* Mart.  
 TALÓLON (Marinduque). *Quisqualis indica* L.  
 TALÓLONG, H. *Cudrania javanensis* Tree.  
 TALÓLONG, H. *Allaenanthus*.  
 TÁLONG, T., V. *Solanum melongena* L.  
 TÁLONG-GÚBAT, T. *Solanum ferox* L.  
 TALÓÑGON, T. *Solanum*.  
 TALONPÚNAY. *Datura metel* L.  
 TALÓSAN, T. *Helicteres spicata* Collb.  
 TALOSTOS. *Leea*.  
 TALÓTO, T. *Pterocymbium javanicum* R. Br.  
 TALOTÓ-ON (Benguet). *Ilex*.  
 TALÚCTOC (Nueva Ecija). *Ficus*.  
 TALÚÑGON, V. *Gmelina villosa* Roxb.  
 TALÚTO. *Pterocymbium javanicum* R. Br.  
 TALÚTU, V. *Bombax malabaricum* DC.  
 TAMANIÁN. *Calophyllum inophyllum* L.

- TAMARÍNDO, Sp. Fil. *Tamarindus indica* Linn.  
TAMAUÍAN, T. *Calophyllum inophyllum* L.  
TAMAÚYAN. *Gymnosporia ambigua* Vidal.  
TAMAÚYAN-PULÁ (Tayabas). *Canthium*.  
TAMAÚYAN-PUTÍ, Z. *Gymnosporia*.  
TAMBÁL, T. *Euryeles amboinensis* Herb.  
TAMBALABÁSE. *Callicarpa cana* L.  
TAMBALAGUÍSAI, T., V. *Sophora tomentosa* L.  
TAMBALÍSA, V. *Cassia occidentalis* Linn.  
TAMBALÍSA, T., V. *Sophora tomentosa* L.  
TÁMBAO, T. *Myristica*.  
TAMBÍS. *Eugenia*.  
TAMBÍT (Dinagat). *Eugenia*.  
TAMBÓ, T. *Phragmites roxburghii* Nees.  
TAMEÓN-TAMBÓN (Tayabas). *Mallotus ricinoides* Muell. Arg.  
TAMEÓYOG USÁ. *Casacria moluccana* Blume.  
TÁMBU-HANGUIN, H. *Eugenia*.  
TAMÍS, V. *Dioscorea*.  
TAM-ÍS, V. *Cocos nucifera* Linn.  
TAM-ISÁN, V. *Cocos nucifera* Linn.  
TAMLÍG. *Aglaiia*.  
TÁMO, T. *Zingiber zerumbet* Rose.  
TÁMO, T., Pamp. *Curcuma xanthorrhiza* Roxb.  
TAMOCÁUN. *Costus*.  
TAMOHÍLAN, T. *Globba strobilifera* Zoll.  
TAMPÓI, T., V. *Eugenia jambos* L.  
TAMPÚC. T. *Eugenia*.  
TAMPUHÍNG, T. *Musa sapientum* L.  
TAMPÚPOT, T. *Tabernaemontana*.  
TAN-ÁG; T., V. *Kleinhovia hospita* L.  
TANAGÁYAY (Dinagat). *Bruguiera parviflora* W. and A.  
TANAGDÓN. *Parasponia*.  
TANÁUA, T. *Premna*.  
TANCÁPAN, B. *Evodia latifolia* DC.  
TANCÓNG, V. *Ipomoea reptans* Poir.  
TANDADÁGUY. *Ficus*.  
TANDÚC-TANDÚCAN, T. *Aegiceras corniculatum* Blanco.  
TÁNGA-BABÁE. *Bruguiera carophylloides* Blume.  
TÁNGÁL, T. *Ceriops candolleana* Arn.  
TÁNGÁL, T. *Bruguiera gymnorrhiza* Lam.  
TÁNGÁL, T. *Rhizophora mucronata* Lam.  
TÁNGÁL, B. *Terminalia*.  
TÁNGÁL-LALÁQUI, T. *Ceriops roxburghiana*.  
TÁNGÁLON (Marinduque). *Quisqualis indica* Linn.  
TÁNGÁL-TÁNGÁL, T. *Ceriops roxburghiana* Arn.  
TÁNGAN-TÁNGAN, T., H. *Ricinus communis* L.  
TÁNGAN-TÁNGAN, T. *Solanum sanctum* L.

- TÁNGCONG, V. *Ipomoea reptans* Poir.  
 TÁNGI, T. *Oryza sativa* L. var.  
 TÁNGÍLI, T. *Dipterocarpus polyspermus* Blanco.  
 TÁNGÍLI, T. *Shorea*?  
 TÁNGÍLI (Tarlac). *Gonocaryum*.  
 TÁNGÍSAN, T. *Ficus*.  
 TÁNGÍSAN, T. *Terminalia*.  
 TÁNGÍSAN, T. *Uvaria*.  
 TÁNGÍSANG-BAGÍO, T. *Xylopia dehiscens* Merrill.  
 TÁNGÍSANG-BAYÚAC, T. *Ficus*.  
 TÁNGÍSAN-PÚNAY, V. *Phyllanthus*.  
 TÁNGÍTAN, V. *Alstonia macrophylla* Wall.  
 TÁŃGLÁD, T., V. *Andropogon schoenanthus* L.  
 TÁŃGLÁY-MALÓTO, Pamp. *Premna vestita* Schauer.  
 TÁŃGLÓN, Pang. *Amoora*?  
 TÁŃGÓLON, T., V. *Quisqualis indica* L.  
 TÁŃGO-TÁŃGO. *Randia*.  
 TÁŃGPÚPO, V. *Ixora coccinea* L.  
 TÁŃGUÍLI. *Dipterocarpus polyspermus* Blanco.  
 TÁŃGUÍSAN-BAYÁUAC, T. *Ficus cuneata* Miq.  
 TÁŃGÚLAY, T. *Alphitonia*.  
 TÁŃGÚLON, T. *Quisqualis indica* L.  
 TANHÁS, V. *Dolichandrone spathacea* K. Sch.  
 TANÍGAD (Dinagat). *Rapanea philippinensis* Mez.  
 TANÍTAN, V. *Alstonia*?  
 TANÚAL, V. *Eurycles amboinensis* Herb.  
 TAOINTAOÍN, H. *Aristolochia tagala* Cham.  
 TAPÁ-LAÓ, Zamb. *Pinus merkusii* J. and de V.  
 TAPÁT-TAPÁT, T. *Casearia*.  
 TAPIASÍN, T. *Coldenia procumbens* L.  
 TAPIASÍN. *Cocos nucifera* L.  
 TAPÍR, B. *Mallotus ricinoides* Muell. Arg.  
 TAPÍ, Z. *Albizia*.  
 TAPOLÁŃGA, T., V., Pamp. *Hibiscus rosa-sinensis* L.  
 TAPONÁYA, V. *Coleus acuminatus* Benth.  
 TAPULÁGA. *Hibiscus rosa-sinensis* L.  
 TAPÚLAO. *Pinus merkusii* J. and de V.  
 TAPURÁŃGA, V. *Hibiscus rosa-sinensis* L.  
 TAPURÁŃGA, V. *Canna indica* L.  
 TAPÚRAS (Mindanao). *Palaquium*.  
 TAPÚYAY, V. *Ganophyllum falcatum* Blume.  
 TAQUÍNG-BÁCA, H. *Sida frutescens* Blanco.  
 TAQUÍNES, V. *Ficus*.  
 TAQUÍNG-BÁCA-BÁCA, H. *Sida frutescens* Blanco.  
 TÁQUI. *Dioscorea hirsuta* Blume.  
 TAQUIPÁN, T. *Caryota urens* L.  
 TAQUIP-ASÍN, T. *Mallotus ricinoides* Muell. Arg.

- TAQUÍP-ASÍN, T. *Macaranga tanarius* Muell. Arg.  
 TAQUÍP-ASÍN, T. *Garuga*.  
 TAQUÍP-CÓHOI, T. *Hydrocotyle asiatica* L.  
 TAQUÍP-SUSÓ, T. *Hydrocotyle asiatica* L.  
 TARAMBÓLO, T. *Solanum ferox* L.  
 TARAMHAMPÁM, T. *Limnophila menthastrum* Benth.  
 TARÁN (Zamboanga). *Bridelia ovata* Decne.  
 TARATACÓPES, V. *Abutilon indicum* G. Don.  
 TARATÁRA, T. *Cedrela taratara* Blanco.  
 TARATÁRA, II. *Limnophila menthastrum* Benth.  
 TARNÁTE, V. *Musa sapientum* L. var.  
 TAROCÁÑGA, T., V., Pamp. *Hibiscus rosa-sinensis* L.  
 TARRÍN. *Cureuma viridiflora* Roxb.  
 TARTARÁO, II. *Quisqualis indica* L.  
 TARUMPÁLIT, T. *Sesuvium portulacastrum* L.  
 TARUMPÚNIA, T. *Datura metel* L.  
 TÁTA, Cag. *Nipa fructicans* Wurm. b.  
 TATANÍO, T. *Psychotria*.  
 TATATABÁ, T. *Jatropha curcas* L.  
 TATCHÚBONG, V. *Datura alba* Nees.  
 TATLÁC-ANÁC, T. *Garcinia*.  
 TATLÓNG-PÁLAD, T. *Hippocratea obtusifolia* Roxb.  
 TAVATÁVA, II. *Jatropha curcas* L.  
 TAVATAVANGSÍNA, II. *Ricinus communis* L.  
 TAVÁVA, V. *Euphorbia pilulifera* L.  
 TAWATÁWA, II. *Jatropha curcas* L.  
 TAWATAWASÍÑGA, II. *Ricinus communis* L.  
 TAYÁBAS, T. *Psidium guayava* L.  
 TAYÁCAN, Mang. *Gardenia*.  
 TÁYA-LÚÑGO (Paragua). *Artocarpus*.  
 TAYÁN (Tayabas). *Alchornea javensis* Muell. Arg.  
 TAYÁNG TAYÚÑGAN, B. *Indigofera tinctoria* Linn.  
 TAYÓBONG, V. *Tacca pinnatifida* Forst.  
 TAYÓCON, V. *Aegiceras corniculatum* Blanco.  
 TÁYOC-TÁYOC, V. *Eleocharis*.  
 TÁYOM, T. *Indigofera tinctoria* L.  
 TAYOMÁMIS, V. *Cocos nucifera* Linn.  
 TAYOMTÁYOM, II. *Marsdenia tagudina* Blanco.  
 TAYOMTAYÓMAN, T. *Tephrosia luzonensis* Vogel.  
 TÁYON-TÁYON. *Indigofera angustifolia* L.  
 TÁYONG-TÁYONG, T. *Eugenia*.  
 TAYULÁUAY (Poilo). *Parameria philippinensis* Radlk.  
 TÁYUM, T. *Indigofera*.  
 TÁYUNG, Pamp. *Indigofera tinctoria* L.  
 TEB-BÉG, Ig. *Ficus*.  
 TEBÉC. *Ficus*.  
 TÉCA, Sp. Fil. *Tectona grandis* Linn. f.

- TECRÉC, H. *Ficus*.  
 TEGBÉ, T. *Coix lachryma-jobi* L.  
 TELBÓNG. *Erythrina indica* Lam.  
 TENÁAN. *Phyllanthus*?.  
 TENÁAN-BANTÁY (Tayabas). *Cyclostemon cumingii* Baill.  
 TENOLUÁNG-GÁTOS, T. *Mussaenda*.  
 TÉQUE, T. *Pithecolobium*.  
 TERNÁTE, T. *Graptophyllum hortense* Nees.  
 TIÁUI, T. *Shorea*?.  
 TIÁUN, T. *Salix* (Blanco).  
 TIBÁNG, Z. *Canarium*.  
 TIBÁTIB, Pamp. *Polypodium quercifolium* L.  
 TIBÁTIB, T. *Epipremnum medium* Engl.  
 TIBCÁL, Z. *Aglaiia*.  
 TIBIÁYON, V. *Benincasa cerifera* Savi.  
 TIBÍG, T. *Ficus glomerata* Roxb.  
 TIBÍGI. *Xylocarpus obovatus* Juss.  
 TIBÍG-NA-LALÁQUI, T. *Ficus glomerata* Roxb?.  
 TICAMÁS, V. *Pachyrhizus angulatus* Rich.  
 TÍCAS, T. *Canna indica* L.  
 TÍCAS-TÍCAS, T. *Canna indica* L.  
 TÍCAY, T. *Cyperus*.  
 TÍDA, T. *Tectona grandis* L.  
 TICLÉR, Ig. *Quercus*.  
 TIGÁLOT, V. *Elaeocarpus multiflorus* F. Vill.  
 TÍGAO, B. *Callicarpa angusta* Schauer.  
 TIGASÁN, T. *Ceriops candolleana* Arn.  
 TIGASÁN. *Rhizophora mucronata* Lam.  
 TIGASÁN, T. *Bruguiera gymnorrhiza* Lam.  
 TIGHÁLANG, T. *Smilax*.  
 TIGBÁO, V. *Heteropogon contortus* Roem. and Schult.  
 TIGBÁO, V. *Anthistiria*.  
 TIGBÍ, T. *Coix lachryma-jobi* L.  
 TIGCÁL, Z. *Aglaiia*.  
 TIGHÍMAN, T. *Cassia occidentalis* L.  
 TIGSÍ, V. *Ipomoea batatas* L.  
 TÍHOL-TÍHOL, V. *Eranthemum bicolor* Schrank.  
 TÍLE, Z. *Xylia*.  
 TÍLE, Z. *Albizzia*.  
 TILÍLES, V. *Amaranthus spinosus* L.  
 TIMBÁÑGAN, T. *Aristolochia tagala* Cham.  
 TIMBÁNG-TIMBÁÑGAN, T. *Aristolochia tagala* Cham.  
 TÍMSÍN, T. *Rottboellia muricata* Retz.  
 TIMÚYUNG, T. *Antidesma ghaesembilla* Gaertn.  
 TINÁAN, T. *Phyllanthus*.  
 TINAINŨGÚI, T. *Nephelium glabrum* Noronh.  
 TINÁLONG, T. *Musa paradisiaca* L. var.



- TINATÍNAN, T. *Phyllanthus reticulatus* Muell. Arg.  
 TINCÁL (Zambonga). *Pierardia*.  
 TÍNDALO, T. *Azelia rhomboidea* Vidal.  
 TINDÓI, T. *Acanthus ilicifolius* L.  
 TÍNGAN-BÁQUIS, T. *Aegiceras corniculatum* Blanco.  
 TÍNGAN-TÍNGAN, T. *Pterospermum obliquum* Blume.  
 TÍNGA-TÍNGA, T. *Mussaenda grandiflora* Rolfe.  
 TINGCÁL, Z. *Aglaia*.  
 TINGLÓG, T. *Acanthus ilicifolius* L.  
 TINGLÓI, T. *Acanthus ilicifolius* L.  
 TINÍSA, T. *Artemisia vulgaris* L.  
 TINITRÍGO, T. *Ischaemum ciliare* Retz.  
 TINÁQUI, V. *Albizzia lucida* Benth.  
 TINTATINTA, H. *Eclipta alba* Hassk.  
 TINTATINTAHAN, T. *Phyllanthus reticulatus* Muell. Arg.  
 TINULÚAN-GÁTAS, T. *Mussaenda*.  
 TIPÍG. *Ficus*.  
 TIPÓLO, T., V., Pamp. *Artocarpus incisa* L. f.  
 TIQUÉS, T. *Pithecolobium montanum* Benth.  
 TIQUIO, T. *Cyperus difformis* Linn.  
 TIQUÍS-TIQUÍS, T. *Sapindus turezaniowii* Vid.  
 TIQUÍS-TIQUÍS, T. *Canna indica* L.  
 TIRBÁTIB, V. *Epipremnum medium* Engl.  
 TIRIBÚHAN, T. *Panicum colonum* L.  
 TIRÓRON, B. *Canthium?*  
 TÍTIO, V. *Acanthus ilicifolius* L.  
 TÍTIO, T. *Cyperus difformis* Linn.  
 TIÚI, V. *Dolichondrone spathacea* K. Sch.  
 TOÁR, V. *Tabernaemontana pandacaqui* Poir.  
 TOÁ, T. *Bischofia javanica* Blume.  
 TOÁC, T. *Bischofia javanica* Blume.  
 TOBÁYAN (Tayabas). *Conocephalus ovatus* Trec.  
 TOBÓGOR, T. *Mallotus ricinoides* Muell. Arg.  
 TÓBO-TÓBO-LÁÑGIT, V. *Kyllinga monocephala* Rottb.  
 TÓCOD-BÁNUA, Pamp. *Amorphophallus campanulatus* Blume.  
 TÓCOD LÁÑGIT, V., T. *Amorphophallus campanulatus* Blume.  
 TÓCOR-PARI, Pamp. *Cordyline terminalis* Kunth.  
 TOCTÓC-CÁLO, T. *Cerbera odollam* Gaertn.  
 TOCÚD-LÁÑGIT, T. *Semecarpus gigantifolius* Vidal.  
 TOGNÁO-TOGNÁO, B. *Astronia rolfei* Vidal.  
 TOGUÍNG-PÓLO. *Dioscorea*.  
 TOGÚIS, V. *Amomum*.  
 TOGÚIS-ÑGA-ÍSA, V. *Amomum villosum* Lour.  
 TOI, T. *Dolichandrone spathacea* K. Sch.  
 TOLÁNG-SANG-BÁNUG, V. *Clematis*.  
 TOMÁTES, Sp. Fil. *Lycopersicum esculentum* Mill.

- TOMBÓNG-ÁSO. *Morinda citrifolia* L.  
 TONCÁPAN, V. *Evodia*.  
 TONCÓD-OBÍSPO, T. *Cordyline terminalis* Kunth.  
 TONŊNÁO-TOŊŊNÁO, B. *Astronia rolfei* Vidal.  
 TONŊO, T. *Dioscorea fasciculata* Roxb.  
 TÓŊGOG, V. *Rhizophora conjugata* L.  
 TÓŊGOG, B. *Lumnitzera purpurea* Presl.  
 TONÓC. *Serianthes grandiflora* Benth.  
 TONUÁR, V. *Eurycles amboinensis* Herb.  
 TÓOB, T. *Bischofia javanica* Blume.  
 TÓOB, T. *Chisocheton tetrapetalus* Turcz.  
 TÓOC, T., V. *Bischofia javanica* Blume.  
 TÓOG, T. *Bischofia javanica* Blume.  
 TOÓGAN, Cag. *Bischofia javanica* Blume.  
 TOQUÍAN, T. *Ternstroemia toquian* F. Vill.  
 TOQUÍNG-PÁLO. *Dioscorea*.  
 TORTORÁOC, T. *Quisqualis indica* L.  
 TOSTÓN, T. *Trianthema monogyna* L.  
 TOTOCÁLO, T. *Cerbera odollam* Gaertn.  
 TÓVAL, T. *Gnetum scandens* L.  
 TRES-PÚNTAS, Sp. Fil. *Mallotus ricinoides* Muell. Arg.  
 TROMPALIPAÚTE, V. *Heliotropum indicum* L.  
 TSAMPÁCA, T. *Michelia champaca* L.  
 TSATSATSATSÁHAN, T. *Lippia nodiflora* Rich.  
 TSÍCU, T. *Achras sapota* L.  
 TÚA. *Dolichandrone spathacea* K. Sch.  
 TÚA. *Bischofia javanica* Blume.  
 TUADTUÁRAN, T. *Panicum*.  
 TÚBA. *Jathropha curcas* L.  
 TÚBA, T. *Croton tiglium* L.  
 TÚBA, T., V., Pamp. *Anamirta cocculus* W. and A.  
 TÚBA-CAMAÍSA, T. *Croton tiglium* L.  
 TÚBAC-TÚBAC (Iloilo). *Bidens pilosa* Linn.  
 TÚBANG DALÁGA, T. *Callicarpa bicolor* Juss.  
 TÚBA-SA-BÚGUID, V. *Croton tiglium* L.  
 TÚBA-TÚBA, V. *Barringtonia racemosa* Blume.  
 TÚBIL, T. *Milletia splendens* W. and A.  
 TUBÓ, T. *Saccharum officinarum* L.  
 TUCÁN-CÁLAO, T. *Aglaia*.  
 TUCÁN-CÁLAO, T. *Sterculia*.  
 TÚCAS-TÚCAS. *Canna indica* L.  
 TUÉ, T. *Dolichandrone spathacea* K. Sch.  
 TUÉL, Ig. *Bischofia javanica* Blume.  
 TUGÁBANG, V. *Mezoneurum glabrum* Desf.  
 TÚGAN, T. *Myristica guatteriiifolia* A. DC.  
 TÚGAS. *Vitex littoralis* Decne.  
 TUGLÍMA, V. *Heptapleurum venulosum* Seem.

- TUGNÁNG, H. *Buddleia*.  
 TUGÓGONG, Z. *Terminalia*.  
 TUGUÍ, T. *Dioscorea*.  
 TUGUÍS-ÑGA-ISÁ, V. *Alpinia*.  
 TUGUÍ-TUGUÍAN, T. *Ipomoea marianensis* Chois.  
 TUGÚP, V. *Artocarpus*.  
 TUGÚS, T. *Amomum*.  
 TÚI, T. *Dolichandrone spathacea* K. Sch.  
 TÚIA, T. *Pouzolzia indica* Gaud.  
 TÚLANG-NANÓC, B. *Casearia*.  
 TÚLA-TÚLA, B. *Mallotus floribundus* Muell. Arg.  
 TULÉAS, T. *Micromelum tephrocarpum* Turcz.  
 TÚLO-LALÁQUI (Hilo). *Pluchea indica* Less.  
 TUMAHÍBA, T. *Cureuma xanthorrhiza* Roxb.  
 TÚNBON-ÁSO. *Morinda umbellata* Linn.  
 TÚMBONG-ÁSO, T. *Morinda bracteata* Roxb.  
 TÚMBONG-ÁSO, T. *Zingiber*.  
 TÚMBONG-ÁSO-HÁPAY, T. *Morinda tinctoria* Roxb.  
 TUMINTÍNG, V. *Vitis*.  
 TÚNAN-TÚNAN, V. *Melastoma obovatum* Jack.  
 TÚNAN-TÚNAN, B. *Astronia calycina* Vidal.  
 TÚNAS, T., V., Pamp. *Nymphaea lotus* Linn.  
 TÚNAY-TÚNAY, V. *Astronia calycina* Vidal.  
 TÚNCAL, V. *Tabernaemontana*.  
 TÚNCO-TÚNCO, T. *Evodia*.  
 TÚNCUT-LÁÑGUIT, T. *Tacca*.  
 TÚÑGAO, B. *Melastoma*.  
 TÚÑGUNG, V. *Ceriops candolleana* Arn.  
 TUNQUÍN. *Ipomoea muricata* Jacq.  
 TURUCÁN, T. *Hyptis capitata* Jacq.  
 TÚTAO, T. *Vigna catjang* Endl.  
 TITULLÁCAC, T. *Physalis angulata* L.  
 TÚY, B. *Dolichandrone spathacea* K. Sch.  
 TÚYAT-BAGUÍO, V. *Desmodium umbellatum* DC.  
 TÚYA-TÚYA, B. *Mallotus floribundus* Muell. Arg.

## U.

- UÁC, V. *Flagellaria indica* Linn.  
 UACÁTAN, V. *Alphitonia moluccana* Teysm. and Binn.  
 UALISUALISÁN, T. *Decaspermum blancoi* Vidal.  
 UÁMPIT. *Clausena wampi* (Blanco) Oliv.  
 UÁNI (Jolo). *Mangifera caesia* Jack.  
 UANUÁNA-NA-PUTÍ, B. *Glochidion*.  
 UATÍTIC, T., V. *Colubrina asiatica* Brongn.  
 UAUALISÍN, T., V., Pamp. *Sida frutescens* Blanco.  
 UAYÁN, T. *Quercus blancoi* A. DC.  
 UBÁLDO, Z. *Jasminum*.

- ÚBAN, B. *Adina philippinensis* Vidal.  
 ÚBAN, T. *Barringtonia*.  
 ÚBAN. *Premna*?.  
 ÚBE. *Dioscorea*.  
 ÚBE-ÚBE, T., V. *Aristolochia tagala* Cham.  
 ÚRI. *Dioscorea alata* L. and other species.  
 UBÍAN (Tarlac). *Myristica*.  
 UBÍAN, II. *Artocarpus*.  
 ÚHC-ÚBIC, II. *Loranthus*.  
 ÚRI-UBÍIAN, T. *Smilax china* L.  
 UBODÚBOD, T. *Eleocharis*.  
 UBÍÁON, T. *Pterocarpus*.  
 UGÁBANG, V. *Mezoneurum glabrum* Desf.  
 UGÁO, V. *Cyclostemon*.  
 UGÁO, B. *Diospyros*.  
 UMBABÁON, T. *Sterospermum quadripinnatum* F. Vill.  
 ULIGRÓÑGON. *Commelina bengalensis* Linn.  
 ÚLUD (Tarlac). *Cynometra ramiflora* L.  
 ÚLUD, Z. *Crudia*.  
 UNCIÓN. *Smilax*.  
 UNG-ÁLI, V. *Solanum verbascifolium* Linn.  
 UNGÁLI-NA-PULÁ, V., Pamp. *Rourea heterophylla* Planch.  
 UNÍP, Pang. *Acacia*.  
 UNÍSOC, T. *Adina polycephala* Benth.  
 UÓS, B. *Sterculia oblongata* R. Br.  
 UPLÁS, II. *Ficus heterophylla* L.  
 UPLÍ (Tayabas). *Ficus*.  
 ÚPO. *Lagenaria vulgaris* Seringe.  
 URÍAN. *Pterocarpus blancoi* Merrill.  
 ÚRUNG (Paragua). *Fagraea fragrans* Roxb.  
 URUTÁN, T. *Linociera*.  
 ÚSIU, T. *Bambusa*.  
 ÚTTA (Cag). *Musa textilis* Nees. var.  
 UYÁYAN, V. *Quercus*.  
 ÚYO, T. *Calamus buroensis* Mart.  
 ÚYOS. *Cupania*.

## V.

- VICBÍQUI, Ig. *Rhododendron rosmarinifolium* Vidal.  
 VÍLOS, Pamp. *Mallotus ricinoides* Muell. Arg.  
 VÍTAM. *Calophyllum inophyllum* L.  
 VOCÁBUL, T. *Malachra bracteata* Cav.  
 VÚAS, II. *Mallotus philippinensis* Muell. Arg.

## W.

- WÁMPI, T. *Clausena wampi* Oliv.  
 WAWALISÁN. *Sida carpinifolia* L.

**Y.**

- YÁBAG, T., V. *Sophora tomentosa* L.  
 YÁCAL, T. *Hopea plagata* Vidal.  
 YÁCAL-DILÁO, T. *Sindora wallichii* Benth.  
 YÁCAL PUTÍ, T. *Vatica*.  
 YÁCOT, Z. *Sindora*?.  
 YANTÓC LIMORÁN, T. *Calamus piscarpus* Blume.  
 YÁHON-YÁHON, V. *Hydrocotyle asiatica* L.  
 YAMBÁN, II. *Shorea guiso* Blume.  
 YÁMBO, T. *Eugenia jambos* L.  
 YAMBOLÍN. *Eugenia jambos* L.  
 YAMBÓSA. *Eugenia jambos* L.  
 YAMPÓNG, V. *Abutilon indicum* G. Don.  
 YANTÓC. *Calamus*.  
 YÁTE, V. *Tectona grandis* L. f.  
 YÁYO, Pamp. *Oxalis corniculata* L.  
 YBA, T. *Phyllanthus distichus* Linn.  
 YEMOUMÓHAN, T. *Cissampelos pariera* L.  
 YNGULA, T. *Flagellaria indica* L.  
 YÓRO (Mindoro). *Caryota*.  
 YÓVAS, T. *Graptophyllum hortense* Nees. var.

**Z.**

- ZABÁCHE. *Phaseolus lunatus* L.  
 ZÁLENG, V. *Canarium*.  
 ZAPÓTE. *Diospyros ebenaster* Retz.  
 ZAPÓTE-NÉGRÓ, Sp. *Diospyros nigra* Blanco.  
 ZÍTAN, Cag. *Shorea guiso* Blume.



## PART II.

---

### A.

**ABROMA ALATA** Blanco. (*Stereuliacea*.) Shrubs, the roots and bark somewhat used in the practice of medicine; the bark also yields a valuable fibre.

Anába, T.; Anábong, V.; Aníbióng, Aní bong, T.; Lábon, V.; Nábo, V.

**A. AUGUSTA** L. Aní bong, T.; Aní bog, T.; Anábo.

**A. FASTUOSA**, R. Br. Anabo.

**ABRUS PRECATORIUS** L. (*Leguminosae*.) A small vine, very common in the Philippines, the small seeds, red and black, used as beads; also used in the practice of medicine.

Agáy-on (Cebu); Agniyángyáng, V.; Agiyángyáng, V.; Aguyángyan, V.; Aroyángyang, V.; Bañgáti, T., V.; Bugayón, Il.; Calóo, V.; Cása-sága, Cansasága, Pamp.; Gícos-gícos, V.; Guícos-gícos, V.; Lága (Cebu); Mangadólóng, V.; Matáng-púne, V.; Oyañgía, V.; Sága, T.; Sága-sága, T.; Sagamamín, T.

**ABUTILON INDICUM** G. Don. (*Malvaceae*.) A small shrub with yellow flowers, common, used in the practice of medicine.

Cuacuacóhan, T.; Gufling guilfngan, T.; Gilig-gilígan, T.; Dulúpang, V.; Lulúpao, Il.; Málvas de Castilla, Sp. Fil.; Málvas, Sp.; Malís, V.; Mélbás, T.; Pílis, V.; Taratacépes, V.; Yampóng, V.

**ACACIA**. (*Leguminosae*.) Spiny shrubs or small trees, generally producing more or less gum similar to gum Arabic.

Caráol, Z.; Uníp, Pang.

**A. CONCINNA** DC. Sibóg, T.

**A. FARNESIANA** Willd. Aróma, T.; Róma, T. V.; Santiágo, V.

**ACALYPHA**. (*Urticaceae*.) Trees, shrubs, or herbs.

Mayágos-laláqui, V.; Pábo, T.; Pálang.

**A. GRANDIS** Benth. Bol-ló, Ig.; Búgos, T. V.; Gutlí, T., V.

**A. STIPULACEA** Klotzsch. Bógos, V.

**A. TILLEFOLIA** Muell. Arg. Malaebóc (Morong).

**ACANTHUS ILICIFOLIUS** L. (*Acanthaceae*.) A small shrub with glossy spiny leaves resembling ílex, and blue flowers, common in regions inundated by salt water.

Dilivário, T.; Doloárin, T.; Dolovário, Dulanári, Dulauári, Pamp.; Láguio-láguio, T.; Láquis-láquis, Lagíw-lagíw, T.; Tindói, T.; Tiñg-lói, T.; Tiñglóg, T.; Titío, V.

- ACHRAS SAPOTA Linn. (*Sapotaceæ*.) A tree introduced from Mexico, cultivated for its edible fruit. In Mexico a valuable gum, known as "gum chicle," is obtained from the bark, extensively used in the United States as the basis of chewing gums.  
Chíco, Sp. Fil.; Síco, V.; Tsícu, T.
- ACHYRANTHES AQUATICA R. Br. (*Amarantaceæ*.) Herbaceous plants, somewhat utilized in the practice of medicine.  
Lópo-lópo, V.
- A. ASPERA L. Ángud, Pamp.; Dócot-décot, T.; Hángot, T.; Hangór, T., V.; Líbai, T.; Sarámo, V.
- A. OBTUSIFOLIA Lam. Ángod, Pamp.; Líbay, T.
- ACORUS CALAMUS Linn. (*Aroideæ*.) Herbaceous, the root stock very aromatic. The "sweet flag" of the United States.  
Buéng, Pamp.; Lubígan, T.
- ACROSTICHUM. (*Filices*.) Pagálo.
- A. AUREUM L. A large coarse fern, common in tidal marshes.  
Lagólo, T.
- ADENANTHERA. (*Leguminosæ*.) Trees without spines or tendrils, with bipinnate leaves and very small flowers in small spike-like racemes.  
Adambaguén, Il.; Alang-lángal; Ípil, Z.; Malatáyon, Pang.
- A. PAVONINA Linn.  
Alalángat; Báhay, T., V.; Baguiróro, V.; Cásay, V.; Quinasaicásai, T.
- ADENOSTEMMA VISCOSUM Forst. (*Compositæ*.) A glandular-pubescent herb.  
Búlac-manúe, T., Pamp.
- ADIANTUM. (*Filices*.) The "maiden-hair" fern.  
Malacalesquí, T.
- A. LUNULATUM Burm.  
Caicái, T.; Culantrillo, Sp. Fil.; Dalipáco, Il.; Gayóman-manóe, T.; Lámot-lamótan, T.; Lómot-lomótan, T.
- ADINA POLYCEPHALA Benth. (*Rubiaceæ*.) Shrubs or small trees with globose heads of white flowers.  
Unísoe, T.
- A. PHILIPPINENSIS Vidal. Úrbán, B.
- AEGICERAS CORNICULATUM Blanco. (*Myrsinaceæ*.) Shrubs or small trees, common along the borders of mangrove swamps, etc., on the seashore.  
Pisíc; Pipisíc, T.; Ságuin sagufúgan, T.; Ságuin-ságuin-estácas; Sáling-ságuing, B.; Tayócon, V.; Tanduc-tandúcan, T.; Tíngan-báquis, T.
- A. FLORIDUM R. and S. Ánglai, V.; Pipisíc, T.
- AEGLE DECANDRA Naves. (*Rutaceæ*.) A small tree, the fruit with a mucilaginous, aromatic, acid pulp.  
Malacabúyao, T.
- AFZELIA BILUGA A. Gray. (*Leguminosæ*.) A very valuable timber tree, always found near the seashore.  
Ípil, T., V.; Nála, Z.; Taál, T.



- A. RHOMBOIDEA** Vidal. Like the preceding, producing a very valuable timber. Pods much larger, and leaves smaller than in *A. bijuga*.  
Baláyon, T., V.; Baláyong, T.; Baráyon, V.; Magaláyao, C.; Tíndalo, T.
- AGARICUS.** Many species of *Agaricus* and other genera of fleshy fungi are found in the Philippines, some of which are used by the natives as food.  
Colateólat.
- AGATHIS LORANTHIFOLIA** Salisb. (*Coniferæ*.) Very large trees, growing in the mountains, and yielding the valuable gum known in commerce as "dammar."  
Baltic (Paragua); Damár (Camarines); Gála-gála, T.; Biáyo, V.
- AGAVE AMERICANA** L. (*Amaryllidæ*.) Introduced from Mexico and cultivated for the valuable fiber known as "maguey."  
Magúey, Sp. Fil.; Mágai, V.; Mugúey, Sp. Fil.; Nípis; Pita (Cebu).
- AGLAIA.** (*Meliaceæ*.) Mostly very large trees, some valuable for timber, many species being found in the Philippines.  
Agapánga, Il.; Bayantí, T.; Bolála, B.; Cacáo-cacáuan (Tayabas); Cásay, T.; Dalúrui, Pamp.; Guisóc-guisóc; Hebóng, Mang.; Hagupánga, T.; Ibabá; Malaságing-pulá, T.; Macabángo; Manabróng, B.; Magsináya; Oratán, Il.; Panábang; Salamúgay, T.; Tamlig; Tigcál, Z.; Tibcál, Z.; Tingcál, Z.; Tucán-cálao, T.
- A. ARGENTEA** Blume. Dalúray; Hofo, Pamp.
- A. GRANDIS** Miq. Gógong-bisáya, T.; Cubulí, T.
- A. MINUTIFLORA** Bedd. Buslao, T.
- A. ODORATA** Lour. A small tree with fragrant yellow flowers, introduced from Asia and cultivated for ornament.  
Cinamómo-de-China, Sp. Fil.
- A. OLIGANTHA** C. DC. Manálao, T.
- A. PALEMBANICA** Miq. Malaságuin, T.
- AGROSTISTACHYS MÆSOANA** Vidal. (*Euphorbiaceæ*.) Shrubs.  
Cacáo-cacáo, Ticao; Malacafé (Paragua); Pusopúso (Tayabas).
- AILANTHUS MOLUCCANA** DC. (*Simarubæ*.) A lofty tree with large leaves and winged seeds.  
Calánag, B.; Malaadúas, T.; Macuísá, T.
- ALANGUIM OCTOPETALUM** Blanco. (*Cornaceæ*.) Malatápay, T.
- ALBIZZIA.** (*Leguminosæ*.) Trees, many valuable for timber.  
Acléng-párang, Pamp.; Banúyo, T.; Hanagó, B.; Malatígui; Malagá-nít, T.; Mangasinóro, Z.; Malatáco, T.; Quitaquita, Il.; Saplit, B.; Taplí; Tife, Z.
- A. JULIBRISSIN** Durazz. Carisquí, T.; Caríquí, Il.; Oónog, Il.
- A. LEBBEK** Benth. Aninápla, T.; Lauñgil; Lauñgil, T.
- A. LITTORALIS** Teysm. and Benn. Cásay, B.
- A. LUCIDA** Benth. Tináqui, V.
- A. ODORATISSIMA** Benth. Malatocó, T.
- A. PROCERA** Benth. Ananáplas, T.; Ananápla; Adaán, T., Il.; Adyángao, T.; Ayángao, T.; Anítap, Pamp.; Boác, Ig.; Dariañgáo, T.; Pafhot; Pafhod, V.

- A. RETUSA Benth. Pípi, V.; Lánġil, T.
- A. SAPONARIA Blume. Cógon-tocó; Inauáqui, V.; Jaunáqui, (Albay); Lánġil; Malátóro.
- A. TOMENTOSA Miq. Salanġcúgui.
- ALCHORNEA BLUMEANA Muell. Arg. (*Euphorbiaceæ*.) Trees or shrubs. Busflac, T.
- A. JAVANSIS Muell. Arg. Tayán (Tayabas).
- A. MOLLIS Muell. Arg. Balánti, T.
- ALEURITES MOLUCCANA Blume. (*Euphorbiaceæ*.) Tree, the seeds yielding large quantities of a valuable oil, used for illuminating purposes, etc. Báguilúmban, T.; Balucánad, T.; Balucánag, H.; Balocánad, T.; Calúmban, T.; Lumbán, T.; Lumbán, T.; Lumbáng, T.; Rúmbang, V.; Capili, T.
- ALLAEANTHUS LUZONICUS Benth and Hook. (*Urticaceæ*.) A deciduous tree. Tahít-labúyoc; Talólong, H.; Guinbabaó; Balóng-cadyós, V.; Alócan, H.; Cámal; Bunġón, H.; Himbabáo, T.
- ALLIUM CEPA L. (*Liliaceæ*.) The onion. Lasoná, H.; Lasuná, T.; Sibúyas, T., Pamp.
- A. JAQUEMONTII Kunth. Sibóyas-songsóng.
- A. PORRUM Linn. Sibóyas-sa-Taál.
- A. SATIVUM L. Garlic. Báuang, V.; Bánag, H.; Báwang, T.; Báoang, V.; Báuang potí (Jolo); Gandá, V.; Lásó, V.
- A. ULIGINOSUM Don. Cuchái, T.
- ALLMANIA NODIFLORA R. Br. (*Amarantaceæ*.) A diffuse dichotomously branched herb, with a sessile globose inflorescence. Lópo-lópo, V.
- ALLOPHYLUS COBBIE Blume. (*Sapindaceæ*.) A small tree or shrub with trifoliate leaves and edible red globose fruits. Balic?, V.
- ALOCASIA INDICA Schott. (*Araceæ*.) Herbaceous, leaves very large, known to English-speaking people as "elephant's ears." Badfang, T., V.; Gábíng-ónac, T.
- ALOE BARBADENSIS Mill. (*Liliaceæ*.) Introduced from America and cultivated for ornament and for medicinal purposes. Aloes of pharmacists. Dílang-boáya, V.; Dílang-hálo, V.; Sábila, T.
- ALPHITONIA MOLUCCANA Teysm. and Binn. (*Rhamnaceæ*.) Shrubs or trees. Tanġúlay, T.; Uacátan, V.
- ALPINIA. (*Marantaceæ*.) Tall herbaceous plants. Parápad, Ig.; Líguid-líguid, V.; Talbác, Pamp.; Tugufs-nga-isá, V.
- A. BREVIABRIS Presl. Bánay, Pamp.; Bagóngbong, V.; Católan, V.; Catátan, Pamp., V.; Catótang, V., Pamp.; Cátang-cátang.
- A. CERNUA Roxb. Polonia, T.
- A. GALANGA Swartz. Lancóas, Pamp.; Lanġcáuas, V.
- A. GIGANTEA L. Bagómbon, Pamp., V.; Catótang, V., Pamp.; Salbác, Pamp., V.

- ALSOPHILA GLAUCA Blume. (*Filices*.) The common tree fern of the northern Philippines.  
Alibanḡdán, Ig.; Taiéte.
- ALSTONIA. (*Apocinaceae*.) Trees with milky sap, the bark being used in the practice of medicine as a substitute for quinine.  
Bacñit, Pang.; Cuyao-yáo (Masbate); Dirita, T.; Cuyanyán, B.; Tanf-tan, V.
- A. MACROPHYLLA Wall. Batfno, T.; Tanḡḡtan, V.
- A. SCHOLARIS R. Br. Andaráyan (Cagayan); Bita, V.; Dita, V., T.; Ditáa; Dal-lopáven, Il.; Dalipáoen, Il.; Layá, Il.; Opláy; Pasnít (Tiagan).
- ALTERNANTHERA DENTICULATA R. Br. (*Amarantaceae*.) An herb, prostrate, flowers white.  
Boḡḡábonḡa, T.
- ALYSICARPUS TETRAGONOLEBIS Edgw. (*Leguminosae*.) A small herb.  
Párang (Parañaque).
- ALYXIA ODORATA Wall. (*Apocinaceae*.) Shrubs with milky sap.  
Láyo, B.
- AMARANTHUS MANGOSTANUS L. (*Amarantaceae*.) Culiápa (Hoilo); Cudiápa, V.
- A. MELANCHOLICUS L. Hálon, T.
- A. SPINOSUS L. A low herb, very common in waste places about towns and along rivers.  
Ayantoto, Pamp.; Báyanḡbáyang, V.; Bambán; Blédo; Calites, V.; Cuantón, Il.; Culétes, V.; Harum, V.; Oráyi, T., V.; Quilite; Quilf-tis, T.; Tilites, V.; Tililes, V.
- A. VIRIDIS L. Common in waste places.  
Culfilis, T.; Hálon, T., V.
- AMMANIA BACCIFERA L. (*Lythraceae*.) A small herbaceous plant.  
Ápoy-ápoyan, T.; Biás-pógo, T.
- AMOMUM. (*Scitiminiae*.) Herbaceous plants, with creeping root stocks.  
Togúis, V.; Tugús, T.
- A. CILIATUM Blume. Balfe-balfe, Pamp.; Carópi, V.
- A. CARDAMOMUM L. The cardamon plant.  
Lampúyang-nḡa-maputí, V.
- A. VILLOSUM Lour.  
Togúis-nḡa-isá, V.
- AMOORA. (*Meliaceae*.) Large trees, valuable for timber.  
Buḡḡlfo, V.; Busláe, T.; Malaságuin-pulá, T.; Pamalataguén, Il.; Tanḡlón, Pang.
- A. GRANDIFOLIA C. DC. Malabanabá, T.
- A. PERROTTETIANA C. DC. Balaquí, T.
- A. ROHITUKA W. and A. Agae-ae, V.; Saláguin-pulá.
- AMORPHOPHALLUS CAMPANULATUS Blume. (*Aroidae*.) Tuberous herb with rough, mottled petioles and purplish spathe.  
Ápon, T.; Ánto, V.; Bagáng, Cag.; Bágong (Jolo); Corót, Il.; Carót, Il.; Óroy, V.; Pamangquilon, V.; Puḡḡápung, V., T.; Tócod-lánḡit, V., T.

- ANACARDIUM OCCIDENTALE L. (*Anacardiaceæ*.) A small tree introduced from America and cultivated for its edible fruits, the seeds of which also yield a valuable oil.  
Casóy, T., V.; Casúy, T.; Bollógo, Il.; Balúbad, T.
- ANAMIRTA COCCULUS W. & A. (*Menispermaceæ*.) A vine with long petioled glabrous leaves, the roots being extensively used in the practice of medicine.  
Bayáti, T., V.; Pamp.; Balásin, T., V., Pamp.; Lag-tál, V.; Lantá, T., V., Pamp.; Lactáng, T., V., Pamp.; Lietáng, T., V., Pamp.; Lintang-báguin, T., V., Pamp.; Súma, T., V., Pamp.; Túba, T., V., Pamp.; Abútra, Sp. Fil.; Pañgmávan.
- ANANASSA SATIVA Lindl. (*Bromeliaceæ*.) The pineapple, introduced from America and cultivated for its fiber and for its edible fruits.  
Malisa (Camarines); Píta, Il.; Píña, Sp. Fil.
- ANAXAGOREA LUZONENSIS A. Gray. (*Anonaceæ*.) An under-shrub.  
Bagáng áso, B.; Bobonóyang, V.
- ANDROPOGON. (*Gramineæ*.) Coarse or fine grasses.  
Aniás, T.; Barbón.
- A. MURICATUS Retz. Móro, Sp. Fil.
- A. SCHOENANTHUS L. The roots of this species yield an essential oil, used for perfumes, etc.  
Balíyoc, B.; Pája-de-méca, Sp. Fil.; Raiz-de-móras, Sp. Fil.; Sálai, T.; Sálay, T.; Saláid; Tañglád, T., V.
- ANISOMELIS OVATA R. Br. (*Labiataæ*.) A coarse erect branching herb with purplish flowers.  
Talingharáp, T.
- ANISOPTERA. (*Dipterocarpaceæ*.) Tall trees, very valuable for their timber.  
Bágar, Il.; Dáyang, T.
- A. OBLONGA Dyer. Sandana.
- A. THURIFERA Blume. Lauáan, T., V.; Nenénu, Cag.; Sandána, T., V.; Lauan sandána.
- ANNESLEA CRASSIPES Hook. (*Ternstroemiaceæ*.) An evergreen tree with crenulate, acute, or obtuse leaves.  
Malatibíg, T.
- ANONA MURICATA L. (*Anonaceæ*.) This species like the two following were introduced from America, and are now generally cultivated in the Philippines for their edible fruits. The "custard apple," "sour sop," etc., of English-speaking people.  
Goyabáno, Sp. Fil.; Guanabáno, Sp. Fil.
- A. RETICULATA L. Anónas, Sp. Fil.
- A. SQUAMOSA L. Átes, T.
- ANTHISTIRIA GIGANTEA Cav. (*Gramineæ*.) A coarse, tufted grass growing in open lands.  
Tigbáo, V.; Taláhib, T.
- ANTHOCEPHALUS CANDAMBA Miq. (*Rubiaceæ*.) A glabrous tree with flowers in solitary globose heads.  
Bagarilat, T.; Bagarilao, T.; Caluntínḡan, V.

ANTIDESMA. (*Euphorbiaceae*.) Trees or shrubs, bearing numerous small spherical fruits which are edible, having a pleasant acid taste.

Bornáy-gúbat, V.; Bignái-máya, T.; Bignái-calabáo, T.; Inyám, V.; Mobóti, V.; Malasueá, V.

A. BUNICUS Spreng. Bignáy, Pamp.; Bignái, T.; Búgnai, V.; Bub-búgnay.

A. CUMINGII DC. Catamantás.

A. GHAESEMBILLA Gaertn. Arósep, H.; Baninúyo, T.; Binayóyo, T.; Bignayóco, T.; Bignái-pógo, T.; Calamantáo, T.; Cabógbog, T.; Iníam, V.; Timúyung, T.

APHANTHE. (*Urticaceae*.) Chá, T.

APOROSA. (*Euphorbiaceae*.) Trees with alternate entire leaves.

Alámag, T.; Baransiágo, T.; Balinsiágao; Cansúyot; Cúlis-na-pulá, V.

ARACHIS HYPOGAEA L. (*Leguminosae*.) The peanut, introduced from America and more or less cultivated.

Cacachuéte; Cacauáte, T.; Maní.

ARALIA JAVANICA Miq. (*Araliaceae*.) Mageásao, V.; Potát, T.

ARDISIA. (*Myrsinaceae*.) Trees or shrubs, many species being found in the Philippines.

Atarólon, T.; Báhay namóe, B.; Gáblos, T.; Gubgúbao, Ig.; Panábon, T.; Patactól, Pamp.; Patápto; Qúio, T.; Tagpó, T.; Tagpúng-pulá, T.

A. HUMILIS Vahl. Babágion, V.; Bútao, B.; Malasíac, B.; Pauñghás (Dinagat).

A. PERROTETIANA A. DC. Catáypa (Dinagat); Tagufman, V.

A. PHILIPPINENSIS DC. Luéti (Zamboanga).

A. PYRAMIDALIS Pers. Malaísa, T.

A. SERRATA Pers. Logonhón (Hiloilo).

ARECA. (*Palmae*.) Several species of *Areca* are found in the Philippines, the nuts of one species (*A. catechu*), the "betle nut," being extensively used by the natives, being chewed with the leaves of *Piper betle*, and slaked lime.

Bonǵáng-páto, T.

A. ALBA Rumph. Capón, T.; Pínang, V.

A. CATECHU L. Bánǵa (Camarines); Bonǵa, T. V.; Bónǵa-sántol; Bonǵáng-matúlis, T.; Bónǵa-páto; Boá, H.; Buá, Cag; Búnǵa, T.; Lúyos, Pamp.; Lúgos; Mangúpod; Manǵípod, T.; Saesfe, T.

A. NIBUNG Mart. Anibung, V. T.; Anibong, V. T.

ARENGA SACCHARIFERA Labill. (*Palmae*.) Anibung, Pang.; Báhi, V.; Báru; Cáuon, T.; Hidióe, V.; Hibióe, Vis.; Ibióe, V.; froe, T.; Idíoe, V.; Pugáhan, T.; Ratipán, H.

ARGEMONE MEXICANA L. (*Papaveraceae*.) An herb with large yellow flowers, spiny leaves, and yellow sap, introduced from Mexico.

Cachúmba, H.; Chicalóte; Casúbang-áso; Casubháng-áso, H.; Diluário, T.; Duluário, T.

ARGYREIA. (*Convolvulaceae*.) Scandent shrubs with showy flowers.

Báguin-castíla, T.; Bulácao (Hiloilo).

A. NITIDA Choisy. Bulalácao, V.

- ARISTOLOCHIA TAGALA Cham. (*Aristolochiaceae*.) Aétan, T.; Goán-goán, V.; Malaúbe, T., V.; Taointaoín, Il.; Tála-talárum, T.; Timbáũgan, T.; Timbáng-timbáũgan, T.; Úbe-ube, T., V.
- ARTABOTRYS. (*Anonaceae*.) Sarmentose or scandent shrubs.  
Súsong-damúlag, Pamp.
- A. ODORATISSIMUS R. Br. Álag-álag sonson, T.; Álang-ílang sónson, T.; Hang-ílang de Chfua.
- ARTEMESIA GRATA Wall. (*Compositae*.) Damú-María.
- A. VULGARIS L. An erect herb, used in the practice of medicine.  
Ca-María, T.; Santa María; Tinísis, T.
- ARTIOPHYLLUM. (*Araliaceae*.) Shrubs or small trees.  
Puigapuigáhan, T.
- ARTOCARPUS. (*Urticaceae*.) Large trees with milky sap, many of the species bearing very large edible fruits.  
Anúblin, T.; Anúgni, V.; Anúbion, T.; Abíbling, B.; Cátoy (Albay); Canét, T.; Dolongfán, T., V.; Márang, T.; Obíen, Il.; Óloy, T.; Tugúp, V.; Táya-lúngo (Paragua); Ubían, Il.
- A. BLUMEI Tree. Similar to *A. incisa*, but leaves small, entire.  
Gumfán, V.
- A. CAMANSI Blanco. Camán̄gsi, T., V.; Camongsí, T., V.; Dalangfán, V. T.; Dolongfán, T., V.; Daluguán; Pác; Pacé, Il.
- A. CUMINGIANA Tree. A valuable timber tree.  
Anóbion, Pamp.; Anóbling, V.; Anúbíng; Anóbing, T.; Bayúco n̄ga langcaón, V.; Bayúco n̄ga cacáuon, V.; Cúbi, V.
- A. INCISA L. f. A tree with large incised leaves and large edible fruit.  
Antipólo, T., V., Pamp.; Cólo, V.; Cálo; Ógob, B.?, Rímo, T.; Ríma T., V.; Tipólo, T., V., Pamp.
- A. INTEGRIFOLIA L. f. A tree with small ovate, entire leaves, fruit on trunk and larger branches.  
Lán̄gea, Il.; Lánea, T.; Nánea, T.; Nán̄gea, T.
- A. LAMELLOSA Blanco. Anóbling-cagufosing.
- A. LANCEOLATA Trecul. Bayúco n̄ga lanhán, V.
- A. NITIDA Tree. Anóbling, T.; Anóbing cagufosing, T.; Anúbíng na cagufosin, T.; Bayuco, V.; Bayúco n̄ga biríon, V.
- A. ODORATISSIMA Blanco. Anúbíng, T.; Lolío, T.
- ARUNDINELLA NERVOSA Nees. (*Gramineae*.) A tall, coarse grass growing in wet places.  
Calacauáyan, V.
- ARYTERA RUFESCENS Radkl. (*Sapindaceae*.) Shrubs or small trees.  
Magabagába, T.
- ASCLEPIAS CURASSAVICA L. (*Asclepiadaceae*.) A small herb, introduced from America, with milky sap, red and yellow flowers, etc. Now very common in the Philippines and used by the natives in medicine.  
Búlae-bulácan, T.; Búlae-damó, T.; Búlae-eastíla, T.; Buquitquít; Calaláuan, T.; Cápol-cápol, T.
- ASPENIUM NIDUS L. (*Filices*.) The "bird's-nest fern." Very common in forests, growing in large tufts on the trunks and branches of trees.  
Sábles.

A. ESCULENTUM Presl. Young stems and leaves much used for food by the natives.

Páco, T.

ASTRONIA. (*Melastomacea*.) Shrubs or small trees.

Bagalíguan, B.; Coléngay, T.; Dagalíguan, V.; Dongáo, T.; Donháó, T.; Dugáo, T.

A. CALYCINA Vidal. Túnan-túnan, B.; Túnay-tunay, V.

A. CUMINGIANA Vidal. Halentihínao, V.

A. MACROPHYLLA Blume. Búyo-búyo, B.

A. PULCHRA Vidal. Díta-díta (Camarines).

A. ROLFEI Vidal. Alintutúnas; Tonígnáo-tonígnáo, B.; Tognáo-tognáo, B.

ATALANTIA. (*Rutacea*.) Small trees.

Camuníng, T.; Dáyap-dayápat, T.

A. MONOPHYLLA Correa. Dáyap-na-montí, T.; Magea-búgao, V.

A. NITIDA Oliv. Malábac, V.; Malaráyat.

AVERRHOA BILIMBI L. (*Geraniacea*.) Tree, cultivated for its edible acid fruits, which have rounded lobes.

Calamfas, T.; Cilingí-íwa, V.; Camías, T.; Colonáuas, T.; íba, V.; Piás, II.; Quilihgíva, V.

A. CARAMBOLA L. Fruit similar to that of the preceding species, but the lobes angular.

Bilimbínes; Balimbín, T.; Bilimbín, T.; Balimbíng, T.; Balingbíng, V.; Garangán, V.

AVICENNIA OFFICINALIS L. (*Verbenacea*.) A shrub or a small tree growing in wet soil along the sea shore, with small yellow flowers. The bark is used in dyeing.

Apiápi, T.; Buñgálon, T., V.; Buñgálu, T.; Calupínes, Z.; Calapni, T.; Miápi, T., V.; Pipisíc, T.; Piápi, T., V.

AZIMA NOVA Blanco. (*Salvadoracea*.) A shrub.

Casnút-cábag, T.; Cásnut-cábag, T.

## B.

BAMBUSA\* (*Graminea*.) "Bamboo." Several genera and many species of bamboo are found in the Philippines.

Ánas, Pamp.; Ános; Baíto, T.; Bóho, T.; Bocávi, T.; Cálbang, T.; Caña, Sp.; Cauáyan-pána; Quiling, T.; Tainánac; Taguási, T.; Úsiu, T.

B. ARUNDINACEÆ Retz. Cauáyang-totóo, T.

B. BLANCOI Steud. Taiuánae, T.

B. BLUMEANA R. and S. Cauáyan-tiníc; Cauáyan-guít, V.; Cauáyan-tóbo.

B. DIFFUSA Blanco. Bocáui, T.; Ósiu, T.

B. LAEVIS Blanco. Cauáyang-bóo, T.

B. LONGINODIS Miq. Cauáyan-ános.

B. LUMANPAO Blanco. Lumánpao, T.

B. LUZONICA Munro. Cauáyan-balícao, T.

B. MONOGYNA Blanco. Cauáyang-quiling, T.

- BARLERIA PRIONITIS** L. (*Acanthaceae*.) A small shrub with straw-colored flowers.  
 Culánta, T.; Cócong-manóe, T.
- BARRINGTONIA.** (*Myrtaceae*.) Trees or shrubs, with racemes of large pink or white flowers, the petals and stamens falling early.  
 Bayág cabáyo, T.; Úban, T.
- B. RACEMOSA** Blume. A shrub or small tree with a long drooping raceme of white flowers.  
 Botát; Putád, T.; Potát, T.; Putát, T.; Pulát; Malaputád, T.; Túba-túba, V.
- B. SPECIOSA** Forst. A tree usually found near the sea, with very large pink fragrant flowers and large angular fruits.  
 Bótong, T., V.; Bótong-bótong, T.; Bitón, V.; Bítug; Bonétes; Bítung, V.
- BASELLA RUBRA** L. (*Chenopodiaceae*.) A much-branched twining fleshy herb, wild or cultivated.  
 Alugbáti, V.; Ilabáquir, Il.; Libáto, T.
- BAUHINIA.** (*Leguminosae*.) Unarmed trees or vines with simple leaves, which are usually deeply cleft at the apex.  
 Ateý, Pamp.; Ágpoy, Pamp.; Bambéng, T.; Bodbód, T.; Lúpid; Saligangbáng, V.
- B. BINNATA** Blanco. Alibihil; Alibízo; Dús.
- B. BLANCOI** Baker. Alibánban, P. T.
- B. CUMINGIANA** Benth. Banót, T.
- B. GRANDIFLORA** Blanco. Bonḡálon.
- B. MALABARICA** Roxb. Alibángbang, T., V., Pamp.
- B. PURPUREA** L. Alibánban, T.
- B. TOMENTOSA** L. Alibánban, T., V., Pamp.; Alibihil, V.; Ahihíro, V.; Alambíhor, V.; Balibánban, V.; Dús, V.; Línas, V.; Marulínao, V.; San-Antonio.
- BEAUMONTIA.** (*Apocinaceae*.) Climbing shrubs with large flowers.  
 Hingúe calabo, T.
- BEDDOMEA LUZONENSIS** Vidal. (*Meliaceae*.) A tree.  
 Malacamóte, T.
- BEESEA RHIEDII** Kunth. (*Gramineae*.) A bamboo.  
 Bocáui, T.
- BEGONIA RHOMBICARPA** A. DC. (*Begoniaceae*.) Succulent herbs, valued for ornamental purposes.  
 Línḡat, T.; Píngol-bató, T.
- BEILSCHMIEDIA CAIROCAN** Vidal. (*Lauraceae*.) Evergreen trees or shrubs.  
 Cairócan, T.
- B. MADANG** Blume. Malabónḡa.
- BENINCASA CERIFERA** Savi. (*Cucurbitaceae*.) A climbing herbaceous vine, cultivated.  
 Condól, T.; Candól, V.; Malínḡa, T.; Tibiáyon, V.
- BERCHEMIA PHILIPPINENSIS** Vidal. (*Rhamnaceae*.) A shrub, with armed branches.  
 Odaódeg, Ig.



- BERRY. (*Tiliaceæ*.) Trees.  
Paepâc-bâlang, T.
- BIDENS PILOSA Linn. (*Compositæ*.) Herbaceous, a kind of "Beggar tick."  
Túbac-túbac (Iloilo).
- BIOPHYTUM SENSITIVUM DC. (*Geraniaceæ*.) An herb, with sensitive leaves and yellow flowers.  
Damóng-híya, T.; Húya-húya, V.; Mahihín, Il.; Macahíya, T.
- BISCHOFIA JAVANICA Blume. (*Euphorbiaceæ*.) A lofty tree, valuable for timber.  
Canárem; Dúeg; Dampól, T.; Quitaquíta, Il.; Tóob, T.; Tóog, T.; Tóoc, T., V.; Tuél, Ig.; Toá, T.; Toógan, Cag.; Túa.
- BIXA ORELLANA Linn. (*Bixaceæ*.) A shrub, introduced from America and now very common in the Philippines, the red seeds being used for coloring food, etc.  
Achíote, Sp. Fil.; Achúete; Achúte; Atsúiti, T.; Anáte; Atóla.
- BLECHUM BROWNEI Juss. (*Acanthaceæ*.) An herb of American origin.  
Calabóa, Pamp.; Dáyang, T.; Sapinsapín, T.
- BLUMEA BALSAMIFERA DC. (*Compositæ*.) A tall almost woody herb, 5 to 8 ft. high, very common, and extensively used by the natives in the practice of medicine.  
Ayóban, V.; Alibun, V.; Alibhon, V.; Gábuen, V.; Guftín-guftín; Gfntín-gfntín, V.; Gufntín-guúntín, V.; Hamfíson, V.; Lalaedan, V.; Lácad-búlan, V.; Lacadán-búlan, V.; Sambón, T., Pamp.; Sambóng, T.; Sambúng, T.; Sobsób, Il.
- B. CHINENSIS DC. Catáray (Balabac).
- B. LACINIATA DC. Dílan butiquí, T.
- BOEHMERIA NIVEA Hook. and Arn. (*Urticaceæ*.) A small shrub, the leaves white beneath, yielding the valuable commercial fiber, ramie.  
Apóo; Amíray, T.; Arímai, Il.; Cantón; Cagayán, Il.; Lapnís, C.; Labrús; Labnís, Il.; Pampangpángon, V.; Rámi, Sp.
- B. WEDDELIANA Vidal. Ngáluy, Ig.
- BOERHAAVIA REPENS L. (*Nyctaginaceæ*.) A prostrate spreading herb, with very small pink or red flowers, common about towns.  
Paanbalivís, T.
- BOLETUS. A genus of fleshy fungi, with numerous pores on the under side, but no gills.  
Culápo, T.; Cabúti, T.; Payong-payóngan, T.
- BOMBAX MALABARICUM DC. (*Malvaceæ*.) A tree with digitate leaves and very large red or white flowers.  
Bóbuy-gúbat, T.; Bubóy-gúbat, T.; Malabúlac, T.; Queséro; Sálay, V.; Talítu, V.
- BOOTIA CORDATA Wall. (*Hydrocharideæ*.) Submerged fresh-water herb.  
Gábi-gábi, V.
- BRACKENRIDGEA FASCICULARIS F. Vill. (*Ochnaceæ*.) Trees or shrubs.  
Aniátan, T.
- BREYNIA ACUMINATA Muell. Arg. (*Euphorbiaceæ*.) Shrubs or small trees.  
Atíluag (Abra).

- B. CERNUA Muell. Arg. Matáng-uláng (Tayabas); Súngut-oláng, V.
- BRIDELIA. (*Euphorbiaceae*.) Shrubs or small trees.  
Lándo, T.; Javíli (Zamboanga); Quínay-quínay, T.
- B. OVATA Muell. Arg. Manása, T.; Tarán (Zamboanga).
- B. STIPULARIS Blume. Bancoílan, T.; Cutocúto, T.; Carabá, Il.; Calondágni; Dugáron, T.; Hingóngóto, T.; Lobálob, T.; Lubálob, T.; Sincóy-lang, V.; Sañgécóy-lang, V.
- BRUCEA SUMATRANA Roxb. (*Simarubaceae*.) A shrub with large pinnate leaves, the bark, etc., very bitter.  
Bógo-bógo.
- BRUGUIERA. (*Rhizophoraceae*.) Constituents of the Mangrove vegetation.  
Petals 8 to 14. Useful for tans and dyes, much cut for fire wood.  
Busín; Suál.
- B. CARYOPHYLLOIDES Blume. Bacáuan, T.; Busáin, T.; Búuas, T.; Tánga-babáe.
- B. ERIOPETALA W. and A. Bafo; Báiao, V.; Calibáyoan.
- B. GYMNO RHIZA Lam. Bácan (Tinago); Bacánun, T.; Bácao, T.; Bessín, T.; Oóñgon, Il.; Petútán, T.; Tañgál, T.; Tigasán, T.
- B. PARVIFLORA W. and A. Lanáray (Tayabas); Tanagáyay (Dinagat).
- B. RITCHIEI Merrill. Hangáray, T.; Langéray, T.; Magálay, T.; Pototán, T.
- BUCHANANIA. (*Anacardiaceae*.) Trees.  
Malalígas-na-laláque, T.; Palinlín, T.
- B. FLORIDA Schauer. A variable and widely distributed tree valuable for timber.  
An-an, Mang.; Ánam, V.; Balíñghásay, T.; Balinhásay (Morong); Balinhása, T.; Balenghásoy, T.; Bagulíbas (Mindoro); Balíhud, T.; Baligóhot, B.; Balayóhot, T.; Balíñgháhood, T.; Beobayáno, V.; Bancaláuan, T.; Cocátmon, V.; Diláan, V.; Húpong-húpong, V.; Magúlioc, T.; Malaibóhod; Pusopáso (Mindoro).
- B. LUCIDA Blume. Pásig, V.
- BUDDLEIA ASIATICA Lour. (*Loganiaceae*.) A shrub, the leaves grayish, pubescent beneath.  
Lagúndi-salása, V.; Sambúng-cóla, T.; Tugnáng, Il.; Talicóno, T.
- B. NEEMDA Hamilt. Háya-háya, V.
- BURSERA. (*Burseraceae*.) Balsamiferous trees.  
Calamansáinai, T.
- B. JAVANICA Baill. Polyágan, T.; Pulayágan.
- BUXUS ROSEI Vidal. (*Euphorbiaceae*.) Evergreen shrubs or trees.  
Pincabánao, T.
- BRYOPHYLLUM CALYCINUM Salisb. (*Crassulaceae*.) A tall, erect perennial herb.  
Catacatacá, T.; Caritána, V.

## C.

- CAESALPINIA. (*Leguminosae*.) Trees, shrubs, or vines.  
Bañgón, B.
- C. BONDUCE Roxb. Flowers yellow, leaflets 2 to 3 inches long. Pods with spines on the valves.  
Búgtong, V.; Cámot-cábag, T.

- C. *BONDUCELLA* Flem. Flowers yellow, leaflets  $\frac{1}{2}$  to 1 inch long. Pods with spines on the valves.  
Bayág cambíng, T.; Calambítí; Calambibít, T.; Dalugdúg, V.
- C. *NUGA* Ait. A vine. Pod naked on the valves.  
Cámit cábag, T.; Cabít-cábag, T.; Sapínit, T., V.
- C. *PULCHERRIMA* Sw. A small shrub with striking red flowers, common about towns, introduced from America.  
Caballéro, Sp. Fil.; Rósas caballero, Sp. Fil.
- C. *SAPPAN* L. Shrub or small tree. Pods unarmed. The red wood of this species yields an important dye.  
Sapáng, T., Il.; Sibucáo, V., T.
- C. *CAJANUS INDICUS* L. E. (*Leguminosae*.) Erect, herbaceous, 4 to 6 ft. Flowers yellow.  
Cagyós; Cád-yos, V.; Cagnóis, T.
- C. *CALAMUS*. (*Palmae*.) Extensively climbing palms, which yield the rattan of commerce. The Philippine species not well known.  
Apís (Zambales); Balinánay, T.; Búcton (Masbate); Bejúco-sípa, T.; Cúnag, T.; Cúrag; Lambótan, T.; Lágni, Pamp.; Locóan (Masbate); Limorán, T.; Yantóc, Calamus.
- C. *ALBUS* Pers. Bacápie, V.; Calápi, V., B.; Bougán labní, Pamp.; Labnít, B.; Lapnéi, Zamb.; Labní-ánuay-na-malóto, Pamp.; Labnéi, Pang.; Parásan, V.
- C. *BURGENSIS* Mart. Oéy, Pang.; Talóla, T.; Úyo, T.
- C. *HAENKAENUS* Mart. Bárit, Il.; Ditáan; Dit-án, T.
- C. *PISICARPUS* Blume. Amlís, T.; Oáy, Il.; Ouáy, Il.; Yantóc-limorán, T.
- C. *RHOMBOIDEUS* Blume. Alíno?, Il.; Bumúgan?, Cag.; Lurút, Cag.
- C. *CALICARPA*. (*Verbenaceae*.) Shrubs or small trees with small usually pale blue flowers.  
Apúlo (Paraguay); Áling hotúngas; Alíno, T.; Dauglúgan, T.; Inaúgdón, T.; Malatabá, T.; Malaricondúron, Pamp.
- C. *ANGUSTA* Schauer. Tígao, B.
- C. *BICOLOR* Juss. Bayóg; Pális, T.; Papalsís, T.; Túbang dalága, T.
- C. *CANA* L. Tambalabáse.
- C. *CALOPHYLLUM*. (*Guttiferae*.) Trees, valuable for their timber.  
Bilangtón, B.; Cúlu-cúlu, B.; Falumoréa, T.; Malabocbóc, T.; Panniltasquín, Il.
- C. *CUNEATUM* Vidal. Balágnan, V.
- C. *INOPHYLLUM* L. A large tree usually growing near the sea shore. The wood is exceedingly hard and durable, while the seeds yield an oil.  
Bítog, Il.; Bitanhól, T.; Bítoc; Bírog; Bitáoi, Z.; Bancálan, T.; Bitáog, V., Il., Pamp.; Dancálan, T., V., B.; Dincálin; Dincálin, T.; Palo-maría, T., Pamp.; Palo-maría-de-playa; Pamitaóguen, Il.; Pamitlatén, Il.; Tamaufan, T.; Vitam.
- C. *VIDALII* F. Vill. Balágnan.
- C. *WALLICHIANUM* Planch and Triana. A species found in the mountains, distinguished by its rusty-tomentose branchlets.  
Batínan-ámo, T.; Palo-maría de mónte.

- CALOTROPIS GIGANTEA** R. Br. (*Asclepiadaceæ*.) A shrub or tree, flowers medium, in cymes.  
Cápol-cápol, T.
- CALYPTROCALYX SPICATUS** Blume. (*Palmae*.) Bánga, V.; Báhi, V.
- CANANGA ODORATA** Hook. f. et Th. (*Anonaceæ*.) A tree very common in the vicinity of towns; the flowers yield a valuable perfume.  
Añgílang (Jolo); Álang-ílang, T.; ílang-ílang, T., V., Il.
- CANARIUM.** (*Burseraceæ*.) Large trees, many species being found in the Philippines, several species being of special importance as they yield the odorous gum known locally as "brea," which in commerce is known as Manila elemi.  
Adúas, T.; Anagálti; Antóng (Abra); Anángi, T.; Basiác, T.; Basiád (Tayabas); Baít; Búlao, T.; Catón-machíng (Zamboanga); Fésa, T.; Hagushús, B.; Jatsahengún, T.; Malatágun, B.; Mayacyát, B.; Malacalantás, B.; Mili-píli, V.; Malapilánay, B.; Pasafínigin, T.; Palsanguinguín, T.; Pachafínigan, T.; Palsanhinguin, T.; Piláui, T.; Sálung (Paragua); Tibáng, Z.; Záleng, V.
- C. COMMUNE** L. A source of elemi.  
Píli-piláuay, T.
- C. CUMINGII** Engl. Alagátli, T.; Anagátli, T.; Ánten, Il.; Bacáyan, V.; Palsahinhím, T.
- C. LUZONICUM** Miq. This species yields most of the elemi exported from Manila, and is locally known as "Brea blanca."  
Ánten, Il.; Bélis, T.; Pagsaingáin, T.; Piláni, T.; Pináli; Píli, T.; Pisá, T.
- C. MULTIPINNATUM** Llanos. Sálung, V.
- C. OVATUM** Engl. Áten; Píli, V., T.
- CANAVALIA ENSIFORMIS** DC. (*Leguminosæ*.) A twining glabrous perennial or biennial.  
Magtambócao (Leyte); Patáning-dágat, T.
- C. OBTUSIFOLIA** DC. A prostrate vine with purple flowers and rather large hard seeds, common on sandy sea shores.  
Pálang-pálang, V.
- CANNA INDICA** Linn. (*Scitiminææ*.) Erect herbaceous, with showy red flowers, growing wild; and commonly cultivated for ornament. The canna.  
Balunsaying, V.; Colintásan, V.; Cacuertásan, T.; Cuintás-cuintásan, T.; Ságuing-ságuing, V.; Tícas, T.; Tícas-tícas, T.; Tiquís-tiquis, T.; Túcas-túcas; Tapuránga, V.
- CANSCORA DIFFUSA** R. Br. (*Gentianaceæ*.) An annual dichotomously branched herb, with quadrangular stems and rose-colored flowers.  
Cobámba, T.
- CANTHIUM.** (*Rubiaceæ*.) Usually spinous shrubs or small trees, with small whitish or greenish flowers.  
Cúling-manóc, V.; Tamaúyan-pulá (Tayabas); Tiróron, B.
- C. ARBOREUM** Vidal. Malatadiáng (Morong).
- C. CONFERTUM** Korth. Dílig, Il.; Malapatópat, T.
- C. HORRIDUM** Blume. Culfac-dagá.

- C. MITE Bartl. Alanghídan it bánug, V.; Calin-manóg; Pamalatañguén, Il.  
 CAPPARIS. (*Capparidaceæ*.) Trees, shrubs, or woody vines, usually armed with spines.  
 Casuít, Pamp.; Dánag, T.; Halugábat; Lagufno, V.  
 C. AURANTIOIDES Presl. Camóng-cámong.  
 C. HORRIDA Linn. A climbing shrub, with stout thorns.  
 Dáuag, T.; Lagufno, V.; Talactác, Il.  
 C. MICRANTHA DC. A shrub or small tree, with small thorns.  
 Alagúng-ung, V.; Dáuag, T.; Halugábat, T.; Mararáyat-cáho, T.; Salimómo, V.  
 CAPSICUM MINIMUM Roxb. (*Solanaceæ*.) A stout herbaceous plant, with red fruits which have a very pungent taste, universally cultivated and used as a condiment.  
 Chile, Sp. Fil.; Chlí-picante, Sp. Fil.; Chfleng-bundóc, T.; Lára; Malísa; Pasítis, T.; Quitteot, V.; Síli, T.  
 CAPURA. (*Sapindaceæ*.) Shrubs or small trees.  
 Dúrig, Il.; Onáoa, T.; Paloáhan, V.; Talinoúno. Pamp.  
 CARALLIA INTEGERRIMA DC. (*Rhizophoraceæ*.) A small evergreen tree, with small white flowers and ovate leaves, found in dry forests.  
 Bacáuan guba (Mang.); Dílan usa, T.; Macáásin, T.  
 CARDIOSPERMUM HALICACABUM L. (*Sapindaceæ*.) A small herbaceous vine, with inflated fruits, found in waste places about towns.  
 Barcólón; Bañgólón, T.; Cána, V.; Páltug-páltúcan. Pamp.  
 CARICA PAPAYA L. (*Passi oraceæ*.) A tree commonly cultivated for its edible fruits, introduced from America. The Papaw.  
 Capáyas, T., V.; Papáya, Sp. Fil.  
 CARTHAMUS TINCTORIUS L. (*Compositæ*.) An herb with orange-red flowers, commonly cultivated, the flower being used as a condiment to color foods. The Safflower.  
 Casabhá, V.; Catsúmba, T.; Cachúmba, Pamp.; Casubhá, T., Pamp.; Castúmba, Pamp., T.; Bfiri, T.; Lágo, T.  
 CARUM COPTICUM Benth. (*Umbellifereæ*.) Herbaceous, the leaves finely pinnately compound, flowers white. Commonly cultivated for its seeds, which in form and taste resemble anise. Caraway.  
 Damóro, T., Pamp.; Lamúdio, T., V.  
 CARYOTA. (*Palma*.) The sheaths of various species of this genus produce a very strong black fiber.  
 Yóro (Mindoro).  
 C. CUMINGII Mart. Pugáhan, T.  
 C. RUMPHIANA Mart. Bágsang, V.; Calálíos, V.; Lúmang, Cag.; Malanúig, Cag.; Patieán, V.  
 C. URENS L. Cábo-négro; Pugáhan, T.; Sagú; Taguipán; Taquipán, T.  
 CASEARIA (*Samydaceæ*.) Trees or shrubs, with alternate leaves and small axillary flowers.  
 Calúag, T.; Malatamóyan, T.; Pidpíd, Il.; Tapát-tapát, T.; Túláng-nanóc, B.; Inignín, T.  
 C. CINEREA Turcz. Anavínga; Maralígao, V.

*C. MOLUCCANA* Blume. Bintoco; Tambóyog usá.

*CASSIA*. (*Leguminosae*.) Usually shrubs or trees.

Malacatúray, T.

*C. ALATA* L. A small shrub with yellow flowers and angular winged pods, probably introduced from America, extensively used in the practice of medicine.

Acapúlco, Sp. Fil.; Baiyabásin, T.; Catandá, T.; Casítas, V.; Pacagoncón-castila; Palochína, V.; Sontíng, T.; Suntíng, V., T.

*C. FISTULA* L. A tree with yellow flowers and long cylindrical pods, used in medicine.

Anchérbhan, T.; Balóyong, V.; Baláyong, V.; Bálay, V.; Caña-pistola, T.; Caña-fistula, Sp.; Ibabáo, V.; Lombayóng, V.; Quína-péstula, T.

*C. OCCIDENTALIS* L. A diffuse glabrous undershrub, pods compressed.

Balátong-áso, T.; Balótang-áso, T.; Tighíman, T.; Tambalísa, V.

*C. TORA* L. Herbaceous, or developing into a small shrub.

Báho-báho, V.; Balátong-áso, T.; Catandá, T.; Catandáng-áso, T.; Manimaníhan, T.; Mongonongóhan, T.

*CASSYTHA FILIFORMIS* L. (*Lauraceae*.) A leafless twining yellow parasite, common on grasses, shrubs, etc., on the seashore.

Malabohóe, T., V.

*CASTANOPSIS PHILIPPINENSIS* Vidal. (*Cupuliferae*.) A tree, fruits resembling chestnuts.

Livían; Lovían, T.; Paumñágan, T.; Talacátae, T.

*CASUARINA EQUSETIFOLIA* Forst. (*Casuarinaceae*.) Trees with very hard wood, slender cylindrical jointed leaves (not true leaves), and small cones, common near the seashore and along rivers.

Agóo, T., Il.; Agóho, T., V., Pamp.; Agúho, T.; Agúso, Z.; Agóso, T.; Arróo; Áro, Il.; Áyo, V.; Antóng (N. Ecija); Cáro, Il.; Malabohóe, V.

*CEDRELA TARATARA* Blanco. (*Meliaceae*.) This species and the next are known as the Philippine cedar, the wood has the appearance and odor of red cedar, and is used for the construction of cigar boxes.

Sandana, V.; Balongcaúit, B.; Taratára, T.

*C. TOONA* Roxb. Alam (Mindoro); Calantás, T., Pamp.; Cantíngen, Il.; Danúpra (Cagayan); Danígga (Cagayan); Lagíni; Lañgpá; Lanígda, B., V.; Lanígpa, V.; Lanípga, V., B.; Poráe, Il.

*CEIBA PENTANDRA* Gaertn. (*Malvaceae*.) Trees with straight trunks and few branches, extending at right angles from the trunk. This species yields an abundance of a fiber known in commerce as "copak" and used for stuffing pillows and mattresses.

Bóboy, T.; Búbuy, T.; Búlac, T.; Búlac-dondól (Cebu); Búlac-castíla, Pamp.; Bulaesíno, T.; Cápoe (Jolo); Cápas, Il.; Cáyo, B.; Cápas-sáñglay, Il.; Daldól, V.; Dondól, Il.

*CELOSIA ARGENTEA* Linn. (*Amarantaceae*.) An erect glabrous annual herb. Cadayóhan, T.; Cudiápa, V.; Quindayóhan, T.

*C. CRISTATA* Moq. An erect glabrous herb, cultivated for ornament.

Palonpalóngan; Padóng-padóngan, V.

- CELTIS PHILIPPINENSIS Blanco. (*Urticacea*.) A tree, leaves prominently triple nerved. A valuable timber tree.  
 Alméz; Lodóno; Logóg, V.; Lagóg (Iloilo); Malañemo, T.; Malaguibúyo, V.; Malañmo, T.; Magabóyo, V.
- CENTRIPEDA ORBICULARIS Lour. (*Composita*.) A very small prostrate herb with small yellow flowers.  
 Haráñgan, T., V.; Pissé, V.
- CEPHALOSTACHYMN CAPITATUM Munro. (*Graminea*.) A bamboo.  
 Napnáp, V.
- CERATOPHYLLUM SUBMERSUM Linn. (*Ceratophyllacea*.) Small herbs found in fresh water.  
 Ináta, T.
- CERBERA ODOLLAM Gaertn. (*Apocinaacea*.) A shrub, found along the seashore, with white flowers and milky sap.  
 Arbon (Paragua); Baraybáy, T.; Búto-búto, V.; Lipáta (Ticao); Marayábay, T.; Toctóc-cálo, T.
- CERIOPS CANDOLLEANA Arn. (*Rhizophoracea*.) A constituent of the mangrove vegetation. Petals 5 to 6.  
 Bácao, T.; Bacáuan, T.; Búas, T.; Ligásan, T.; Pototán, V.; Tañgál, T.; Túngung, V.; Tigasán, T.
- C. ROXBURGHIANA Arn. Tañgál laláqui, T.; Tañgál-tañgál, T.
- CESTRUM NOCTURNUM L. (*Solanacea*.) A small shrub with greenish flowers, cultivated for ornament. Introduced from America.  
 Dama-de-nóche, Sp.
- CHAILLETTIA GELONIODES H. f. (*Challetiacea*.) Small trees.  
 Córong, T.; Bitlag, T.
- C. GRIFFITHII Hook. f. Decdéc, Il.
- CHAMPEREIA GRIFFITHII Planch. (*Santalacea*.) A small tree with alternate leaves and very small flowers.  
 Malalúeban, T.; Malulúeban, T.; Panalayápin, T., Il.
- CHENOPODIUM AMBROSIODES L. (*Chenopodiacea*.) A tall aromatic herb, introduced from America.  
 Aposótis, T., V., Pamp.; Apasóte, T.; Alposótes, Sp. Fil.; Apasótis, T.; Pasótis, T.; Parsótis, T.
- CHIONANTHES. (*Oleacea*.) Trees.  
 Bayógo, V.; Sagapsáp, V.
- CHISOCHETON. (*Meliacea*.) Large trees or some species shrubs.  
 Agupáñga (Mindoro); Agapáñga, V.; Agopáñga (Marinduque); Balúcao, T.; Cúling-bábuy, T.; Himámao, T.; Sapláñgan-colorádo.
- C. CERAMICUS Miq. Salaquí, T.
- C. PANICULATUS Hiern. Balocánac, T.
- C. TETRAPETALUS Turcz. Bogolóyac, B.; fbo, V.; Malabáya, T.; Magulíve, T.; Tóob, T.
- CHLORANTHUS BRACHYSTACHYS Blume. (*Chloranthacea*.) Small shrub, flowers in terminal racemes.  
 Em-ém, Ig.
- CHRYSANTHEMUM INDICUM L. (*Composita*.) Cultivated for ornament.  
 Dolóntas, T.

CHRYSOPOGON ACICULATUS Trin. (*Gramineæ*.) A tufted grass, common in open places.

Amóres secos, Sp. Fil.; Cólot-colótan, T.; Maríscos, T.

CINNAMOMUM. (*Lauraceæ*.) Several species of cinnamon are found in the Philippines, the bark of the several species having to a greater or less extent the properties of true cinnamon of commerce.

Canéla de monte; Malasángui; Maragaoéd, Il.; Pási, B.; Samflin, T.; Sindóc, T.

C. MERCADOI Vidal. Calín̄gag, T., V.; Canín̄gag, T., V.

C. PAUCIFLORUM Nees. Candaróma, Il.; Calín̄gad, T., V.; Calín̄ga, V.; Canéla; Páta, Ig.; Macalín̄gag, T.

CISSAMPELOS PAREIRA L. (*Menispermaceæ*.) A vine with a cylindrical woody stem. Much used in the practice of medicine.

Bátang-bátang (Cebu); Caláad; Chancháe; Chincháo-chincháuan, T.; Cincháó-cincháuan, T.; Calacalamáyan (Batangas); Cuscúsipa, Il.; Gulangulamánan, T.; Himpapára, V.; Hampapáre, V.; Pári, V.; Sampapáre, V.; Sansáo; Sansaósan-sansaósan, T.; Yemoumóhan, T.

CITRUS. (*Rutaceæ*.) The lemons, oranges, limes, etc.

Calamóndin; Lucbán-gúbat; Malacabúgao, V.; Súa, Il.

C. ACIDA Roxb. Dáyap, T.

C. AURANTIUM L. Orange.

Calamansé, T.; Cahél, T., V.; Cagél, Sp. Fil.; Cabúlao (Tiagan); Dalandán, T.; Pisóng, T.; Narangítas, T., V.; Sintónis, T.

C. DECUMANA Linn. Cabúgao, V.; Lucbán, T.; Naránja T.

C. HYSTRIX DC. Camúlao, Il.; Camuntáy, V.; Camúyo, T.; Colobót, T., V.; Cábog; Cabúyao, Pamp.; Dilánan; Dun̄gurun̄gut, C.; Gufo (Tiagan); Mayagárin; Súha (Batangas).

C. MEDICA L. Búyag, T.; Cídra; Calamondín, T.; Daláyap, V.; Limón, Sp. Fil.

C. TOROSO Blanco. Calábot.

CLAOXYLON INDICUM Hassk. (*Euphorbiaceæ*.) A shrub or small tree with pubescent branches and variable leaves.

Bílid-bílid (Zamboanga); Ságay, V.

C. WALLICHIANUM Willd. Balflang oác, T.

CLAUSENA. (*Rutaceæ*.) Unarmed shrubs or trees with white flowers and small ovoid fruits.

Balucbúc, T.; Logníf; Píris, T.; Sanquí, T.

C. EXCAVATA Burm. Caman̄guiánis, T.; Calomáta, T.; Maisipáisi, T.; Cayumánis, T.

C. WAMPI Oliv. Huampfít, T.; Uámpit; Wámpi, T.

C. WILLDENOVII W. and A. Himúlao, V.

CLEIDION. (*Euphorbiaceæ*.) Trees with alternate leaves.

Malaputát, T.; Camáisa sa gubat, T.

C. JAVANICUM Blume. Macaisá, T.; Malatúba, V.

CLEISISTOMA AMABILE T. and B. (*Orchidaceæ*.) An epiphytic orchid.

Dapó-sa-cauáyan, T.

CLEMATIS GOURIANA Roxb. (*Ranunculaceæ*.) An herbaceous vine.

Calúpad, V.; Toláng-sang-bánug, V.



- CLEOME VISCOSA Linn. (*Capparidaceae*.) An annual erect, softly pubescent herb with yellow flowers.  
 Apoy-ápoyan, T.; Balabalanóyan, T.; Huláya-sang-áyam, V.; Silisilíhan, T.; Silislan, T.
- CLERODENDRON. (*Verbenaceae*.) Shrubs or small trees, many of the species with very showy flowers.  
 Alibáeta, B.; Bagáuae, T.; Baggáb; Bagánag, T.; Gogáuae, T.; Casopánguil-na-putí, T.; Casopángil-sa-gúbat, T.; Malabága, T.; Máñgha, T.
- C. BLANCOANUM F. Vill. Bagáuae na morádo, T.; Balictárin, T.; Sáling-ouác-ñga-mañtum, V.
- C. BLANCOI Naves. Casupañgil gubat, T.
- C. BRACHYANTHUM Schauer. Hamíndan, B.
- C. CUMINGIANUM Schauer. Dacítung (Jolo).
- C. FRAGRANS Vent. Higantóng, V.
- C. INERME R. Br. Balíseng, V.
- C. INFORTUNATUM L. Casupañgil-gúbat, T.
- C. INTERMEDIUM Cham. Small shrub with showy red flowers, common.  
 Balantána, V.; Bantána, V.; Bolóng-támbal; Aloécásoe, V.; Asnánghai, V.; Iguñga, T.; Iguñga; Colocológ, V.; Casopánguil, T.; Caláica; Laróan-aníto, T.; Macalalánang, T.; Pacápis, V.
- C. LANUGINOSUM Blume. Taguipán.
- C. MACROSTEGIUM Schauer. Actolígan; Agbolígan, II.; Bagánae; Binúñga, T.; Magbolígan, II.; Malapotocán, T.; Nacholígan, II.; Sáling-ouác, V.
- CLETHRA CANESCENS Reinw. (*Ericaceae*.) Shrubs.  
 Cámog, II.; Malacláe.
- CLINOGYNE GRANDIS B. and H. (*Scitiminca*.) Erect herbaceous plants.  
 Banbáng (Morong).
- CLITORIA TERNATEA Linn. (*Leguminosae*.) Herbaceous vine with large blue flowers, common about towns.  
 Calocantíng, T.; Colocantíng; Puquínghang, T.
- CLORIS BARBATA Sw. (*Graminea*.) A tufted, handsome grass, 1 to 2 ft. high, found about towns.  
 Corosecorósan, T.
- CNISTIS TRIFOLIA Pers. (*Leguminosae*.) A climbing shrub.  
 Hammabalár; Marindáto.
- CNICUS WALLICHI DC. (*Compositae*.) A thistle.  
 Págat, Jg.
- COCOS NUCIFERA Linn. (*Palmae*.) The coco palm, the natives distinguish many varieties.  
 Adiávan, T.; Anibong, V.; Bonotán, V.; Bótong, V.; Cayománis, V.; Cóco, Sp. Fil.; Dahlí, V.; Lóbi, V.; Lubácan, V.; Níog-ñga-potí, V.; Lóbi-ñga-hinbáon, V.; Lóbiñga-pilípog, V.; Ngónghot, Pamp.; Limbáon, V.; Lubí; Níog, T., C., H., B., V.; Óñghot, Z.; Pamócol, T.; Panghósín; Potót, V.; Panghósín, V.; Pilípog, V.; Tapiasín; Tam-ís, V.; Tam-ísán, V.; Tayománis, V.

- CODIAEUM VARIEGATUM** Muell. Arg. (*Euphorbiaceae*.) A small shrub with exceedingly variable variegated leaves, extensively cultivated for ornamental purposes.  
Buena vista, Sp. Fil.; Calipáyang, V.; Píla; Saguilalá, T.; San-Francisco, Sp. Fil.
- COFFEA ARABICA** L. (*Rubiaceae*.) A shrub or small tree. Coffee, universally known to the natives as *café*.  
Cahána (Jolo); *Café*, Sp.
- COIX LACHRYMA-JOBI** Linn. (*Gramineae*.) A stout grass with very hard globose fruits, which are used for beads. "Job's tears."  
Adláy, V.; Agdá, Ig.; Tegné, T.; Tigbí, T.
- COLDENIA PROCUMBENS** L. (*Borraginaceae*.) A prostrate scabrous herb with alternate crisped leaves.  
Tapiasín, T.; Orégano-laláqui, T.
- COLEUS**. (*Labiatae*.) Commonly cultivated herbs, ornamental.  
Sugánda, T.
- C. ACUMINATUS** Benth. Albaháca morádo, T.; Daponáya, V.; Laponáya, V.; Malamayána, T.; Taponáya, V.
- C. AROMATIUS** Benth. Orégano, Sp. Fil.
- C. ATROPURPUREUS** Benth. Badiára, T., V., Pamp.; Mayána, T., V., Pamp.; Marayápa, T., V., Pamp.; Maliána, T., V., Pamp.
- COLOCASIA ANTIQUORUM** Schott. (*Aroidae*.) Tall, coarse herb from a tuberous root, extensively cultivated for its edible root, very variable.  
Abálong, V.; Apípi, V.; Badiang; Bíga, V.; Dágmay; Dágmay-nga-quínson, V.; Dágmay-nga-inítlog, V.; Dágmay-nga-bolílo, V.; Dágmay-nga-apípi, V.; Dágmay-nga-tapól, V.; Gávay, T., V., Pamp.; Gábi, Cag., T., V., Pamp.; Gábíng-moráda, V.; Gandús, T., V., Pamp.; Galfang, V.; Gáby-na-sibóyas, T.; Gábíng-polá, T.; Gáby-nga-guinátos, V.; Gábíng-silángan, T.; Gáby-na-sinibóyas, T.; Guinátos, V.; Lagváy, T., V., Pamp.; Quimpóy, V.
- COLUBRINA ASIATICA** Brongn. (*Rhamnaceae*.) An erect glabrous, unarmed shrub.  
Cabalíti, T., V.; Uatític, T., V.
- COLUMBIA**. (*Tiliaceae*.) Shrubs or small trees with 3 to 5 winged fruits.  
Anflao-uan, T.; Barió-an, Pang.; Namáuéd, T.
- C. SERRATIFOLIA** DC. A very common shrub; the bark yields a strong bast fiber.  
Anílao, T.; Arílao; Baynúd.
- CONNAROPSIS PHILIPPICA** F. Vill. (*Geraniaceae*.) Shrub.  
Balábang quiling, V.; Malaban̄quiling, V.
- COMBRETUM**. (*Combretaceae*.) Large shrubs, with long pendent or scandent branches.  
Malacédóg, Il.
- C. OVALIFOLIUM** Roxb. Pamulacláquin, T.
- C. SQUAMOSUM** Roxb. Malatumbága, T.

- COMMELINA BENGHALENSIS L. (*Commelinaceae*.) A slender creeping succulent herb, with blue flowers.  
 Alicbânṅon, T.; Biás-biás, Pamp.; Cabílao, V.; Sabiláo, V.; Sabiláo-ṅga-laba-án, V.; Uligbónṅon.
- C. COMMUNIS Linn. Sambílao, V.
- COMMERSONIA PLATYPHYLLA Andr. (*Stereuliaceae*.) A tree with broad pubescent leaves, white flowers, and 5-valved capsules which are covered with soft bristles.  
 Bagó; Benoáng, T.; Culili; Labáya (Tayabas); Mayamágar, V.; Patálo, T.; Potólo, T.
- CONNARUS. (*Connaraceae*.) Trees or shrubs with odd pinnate leaves.  
 Camágsa-taguñlis, T.; Hannababáo, T., V., Pamp.; Guicos-guicos, T.
- C. FERRUGINEUS Jack. Sal-láday.
- CONOCEPHALUS. (*Urticaceae*.) Climbing shrubs with alternate entire leaves.  
 Cátoy (Albay).
- C. ACUMINATUS Turcz. Anópolis (Albay).
- C. ERECTUS Blanco. Hanópolis, T., V.
- C. OVATUS Tree. Tobáyan (Tayabas).
- C. SUAVEOLENS Blume. Lágua, T.
- CORCHORUS ACUTANGULUS Lam. (*Tiliaceae*.) An annual herb with elongated 6-angled capsules.  
 Pásao-na-habá, T.
- C. CAPSULARIS L. An annual with sub-globose capsules.  
 Lamháy, V.; Pásao; Pásao-na-bilóg, T.; Pónglo-póngloan.
- CORDIA BLANCOI Vid. (*Boraginaceae*.) Shrubs or small trees with alternate leaves and rather large flowers.  
 Anong, T.; Anónang, B.; Bibili, V.; Salóyong, T.; Sinalígan, Il.
- C. SUBCORDATA Lam. Agút-ut, V.; Banálo, T.; Sigán-dágit, B.
- CORDYLINE TERMINALIS Kunth. (*Liliaceae*.) Shrub with distichous linear leaves.  
 Quiláa, V.; Saguilalá, T.; Toncód-obispo, T.; Tócor-pari, Pamp.
- CORIANDRUM SATIVUM Linn. (*Umbelliferae*.) An aromatic stout, smooth herb with white flowers, cultivated. Coriander.  
 Culántro (Manila); Óngsay (Manila).
- CORYPHA. (*Palmae*.) Anáhao, T.; Macasilad, T.
- C. UMBRACULIFERA L. Bulí, T.; Bángga; Burí, T.; Bulí-burí; Bálong-lúyon. Pamp.; Silae, Il.
- COSTUS. (*Scitiminiae*.) Leafy erect herbaceous plants.  
 Tamocáun.
- COUTHOWIA CELEBICA Koorders. (*Loganiaceae*.) Tree.  
 Balí-balí, V.
- CRATAEVA RELIGIOSA Forst. (*Capparadaceae*.) Tree with 3-foliate leaves and large yellow or purplish flowers.  
 Balái-lamóc, Il.; Baláy-namúe, Il.; Sáling-bóbog, V., T.
- CRATOXYLON. (*Hypericaceae*.) Trees.  
 Goyón-goyón, T.; Papáca, Z.; Daráya, T.; Lúyong-lúyong, V.

- C. BLANCOI Blume. Bága-túbang (Samar); Cansílan, V.; Guyón-guyón, T.; Pañguríngu, V.
- C. CELEBICUM Blume. Olíngu, V.
- C. FLORIBUNDUM F. Vill. Cuélang (Benguet); Paguríngu, B.; Sating-gágan, B.
- C. FORMOSUM Benth. and Hook. f. Camantáyo, V.; Malaráyat, T.
- CRESCENTIA ALATA H. B. K. (*Bignoniaceae*.) A tree, introduced from America, sometimes cultivated for ornament.
- Hoja cruz, Sp.
- CRINUM. (*Amaryllidaceae*.) Succulent herbaceous plants with long leaves and large white fragrant flowers.
- Lirio, V.
- C. AMOENUM Roxb. Bácong-bácong, V.
- C. ASIATICUM Linn. Agubáhan, V.; Bácong, T.; Bácong, V.; Palagúcon, V.; Salibangbáng, V.
- C. PRATENSE Herb. Bácong sa sólog, V.; Bácong nga duláo, V.
- CROTALARIA L. (*Leguminosae*.) Herbs or small shrubs with yellow flowers and simple or 3-foliate leaves.
- Catandá, T.; Cólung-cólung, V.; Górun-górun, V.
- C. LINIFOLIA L. f. Gúrun-gúrun, V.
- C. QUINQUEFOLIA L. Súsoi, T.; Susosusóyan, T.
- C. VERRUCOSA L. Búlai-láva, T.
- CROTON. (*Euphorbiaceae*.) Shrubs or small trees.
- Canónay, T.; Camánnga, T.; Malabánga, T.
- C. CONSANGUINEUS Muell. Arg. Malatúba, B.
- C. LEIOPHYLLUS Muell. Arg. Cátap (Zamboanga).
- C. MURICATUM DC. Balánti.
- C. TIGLIUM L. A small shrub, the seeds yielding the croton oil (*Oleum tiglium*) of commerce. Used by the natives in the practice of medicine and for poisoning fish.
- Camáisa, T.; Camandág, V.; Macásia, V.; Túba, T.; Túba-camaisa, T.; Túba-sa-búquid, V.
- CRUDIA BLANCOI Rolfe. (*Leguminosae*.) Shrub or tree with odd pinnate leaves.
- Calatumbága; Hintotóor, T.; Malatumbágo, T.; Malusúnguay, T.; Úlud, Z.
- CRYPTERONIA. (*Lythraceae*.) Trees with opposite entire leaves and small white or green flowers.
- Camanóc, V.; Salásan, T.
- C. PANICULATA Blume. Quilámo, T.
- CRYPTOCARYA. (*Lauraceae*.) Evergreen shrubs or trees.
- Bañítan, Pamp.
- C. DENSIFLORA Blume. Acdán, T.
- C. ILOCANA Vidal. Camígay, Il.
- C. VILLARI Vidal. Balítan?
- CUBILIA RUMPHII Blume. (*Sapindaceae*.) Tree.
- Cubíli (Bulacan); Lubilubíli (Bataan).

- CUCUMIS MELO L. (*Cucurbitaceæ*.) The melon.  
Atímon, V.; Catimón, V.; Melón, Sp. Fil.
- C. SATIVUS Linn. The cucumber.  
Cábul; Calavága, V.; Cohómbro; Pepino, Sp.
- CURCUBITA MAXIMA Duch. The squash.  
Calabázang bilóg, T.; Calabázang pulá, T.
- C. PEPO DC. The pumpkin.  
Calabáza.
- CUDRANIA JAVANENSIS Tree. (*Urticaceæ*.) Shrubs or small trees.  
Talólóng, I., II.; Tahád-labúyo, T.
- CUMINGIA PHILIPPINENSIS Vidal. (*Malvaceæ*.) A shrub or small tree.  
Libáto-putí, T.
- CUPANIA. (*Sapindaceæ*.) Shrubs or small trees.  
Anácu, T.; Balasábis, Z.; Bagoníto B.; Cúyos-cúyos, T.; Cusibén, II.;  
Guirfe-gutín, B.; Sausaúli, T.; Úyos; Sálab, T.; Balasábis.
- CURCUMA CASSIA Roxb. (*Scitiminææ*.) Herbaceous plants with large leaves.  
Lampúyang-tápol, V.; Lampúyang-dorác, V.
- C. LONGA Linn. Añgai, Pamp.; Caláuag, V.; Calavága, V.; Culíao, II.;  
Culálao, Pamp.; Diláo, T.; Dúlao, V.; Cúnig, II.; Lisáñgay, Z.;  
Páñgas, Pamp.; Quinambóy, V.
- C. VIRIDIFLORA Roxb. Caláoag, V.; Tarrín.
- C. XANTHORRIZA Roxb. Bólon, T.; Lampúyang, T.; Támo, T., Pamp.;  
Tumahíba, T.
- C. ZERUMBET Roxb. Barác, T.
- CYANOTIS AXILLARIS Roem. and Schult. (*Commelinaceæ*.) Prostrate herb  
with small leaves and small blue flowers.  
Bílang-bílang?, V.; Haúli? (Jolo); Sabiláo, V.
- C. CRISTATA R. and S. Alicbáñgon, T.; Luya-luya, V.
- CYATHEA INTEGRÁ J. Sm. (*Filices*.) Calatóndon, T.
- CYATHOCALYX ZEYLANICUS Champ. (*Anonaceæ*.) A tree with acuminate  
leaves and large carpels.  
Soál, T.
- CYATHULA PROSTRATA Blume. (*Amarantaceæ*.) An annual, prostrate,  
flowers in small solitary clusters.  
Dáyang, T.; Dócat-décat, V.
- CYCAS CIRCINALIS L. (*Cycadaceæ*.) Bitógo, T.; Patúbo, T.; Pitógo, T.
- CYCLEA PELTATA H. f. and Th. (*Menispermaceæ*.) A climbing shrub  
with peltate deltoid leaves.  
Abiáb, V.
- CYCLOSTEMON. (*Euphorbiaceæ*.) Trees.  
Bútong-manóce, V.; Magaranbúlo (Tayabas); Talimúrong, Pang.;  
Ugáo, V.
- C. CUMINGII Baill. Tenáan-bantáy (Tayabas).
- CYNODON DACTYLON Pers. (*Graminææ*.) A low prostrate grass, the "Ber-  
muda grass" of the United States.  
Colátay, T.; Cáuat-cauáran, T.; Málit, T.

CYNOMETRA. (*Leguminosca*). Trees.

Malapúyao. T.

C. INAEQUALIFOLIA A. Gray. Batiti, V.; Dila-dila, T.; Ólod, Pamp.

C. RAMIFLORA L. Balitbitan, T.; Ódling, V.; Úlud (Tarlac).

CYNOMORIUM PHILIPPINENSE Blanco. Capúlao, V., T.

CYPERUS. (*Cyperacea*.) Coarse or fine grass-like plants, usually found in wet soils, the sedges.

Alúsang, T.; Báca-bacáhan, T.; Balanḡótan, T.; Bonḡót-bonḡót, V.;

Calambó-calambóan, T.; Colabatfan, T.; Gúmi-gúmi, T.; Guísay

calabáo, T.; Manfe manican, T.; Misay-calabáo, T.; Múta, T.; Óbud-

óbud, V.; Potóc; Páyong-páyong, V.; Sud-súd, V.; Tíeay, T.

C. DIFFORMIS Linn. Bancóan; Báqui-báqui, V.; Guilámhon, V.; Titio, T.; Tíquo, T.

C. ELATUS Linn. Cóbong-cóbong, V.

C. ROTUNDUS L. This species is somewhat used in the practice of medicine, the "nut grass" of the United States.

Botobótones, B.; Cúsung, Pamp.; Galonálpas, Pamp.; Malaapólid,

Pamp.; Móta, Pamp.; Mútha, T.; Onorán, Pamp.; Omáding, Pamp.;

Omáding, Pamp.; Sursúr, Pamp.

## D.

DACTYLOCTENIUM AEGYPTIUM Pers. (*Graminea*.) A common tufted grass with digitate inflorescence.

Álam, T.

DAEMONOROPS. (*Palmae*.) A climbing palm, related to *Calamus* and yielding rattan.

Calábang, V.; Halambám?, V.; Paláuan, V.

DALBERGIA. (*Leguminosca*.) Scandent shrubs or trees.

Malaga-hánip, T.; Malunál-unḡáyam, T.

D. FERRUGINEA Roxb. Cámut-cábag, T.

D. LANCEOLARIA Linn. Macápil, T.

D. SPINOSA Roxb. Balibágan, V.

DALEA NIGRA Mart. and Gal. (*Leguminosca*.) An herbaceous plant introduced from Mexico and now common in many localities in the Philippines.

Agógo, T.; Camángi, T.; Dúrang-párang, T.; Sampáloe sampalocan, T.

DATURA ALBA Nees. (*Solanacea*.) Stout herbaceous plants with elongated large whitish flowers, the "Jimson weeds" of the United States.

Catchúbung, V.; Catchúbong, V.; Talampónai, T., Pamp.; Tatchúbong, V.

D. FASTUOSA L. Talampónai na itim, T.

D. METEL L. Catchúbung, V.; Tarumpúnia, T.; Talonpúnay.

DECASPERMUM. (*Myrtacea*.) Shrubs with white or pink flowers.

Pugáuy.

D. BLANCOI Vidal. Ualisualisán, T.

D. PANICULATUM Kurz. Álung-cágay, V.; Culási, B.; Dugayón, V.; Salilíhan, V.

- DEERINGIA CELOSIOIDES R. Br. (*Amarantacea*.) A climbing shrub with small greenish white flowers.  
Hagorilis, T.; Hanlilimócon, V.
- D. INDICA Zoll. Babánat (Nueva Viscaya).
- DEHAASIA. (*Lauracea*.) Evergreen trees.  
Casói-casúian, T.; Malacádios, B.
- DELIMA SARMENTOSA L. (*Dilleniacea*.) A woody vine with very harsh leaves, small white flowers, and small red fruits.  
Malacatmón, T.; Málvas-tagbálang, T.
- DENDROBIUM. (*Orchidacea*.) An epiphytic orchid.  
Sañgumafn, T.
- D. LUNATUM Lindl. Pasuríao, V.; Sulfao, V.
- DENDROCALAMUS. (*Graminea*.) A bamboo.  
Cauáyan-tainánae; Cauáyan-humanpáo; Cauáyan-búho; Bútong, V.
- D. FLAGELLIFER Munro. Búlio, V.; Bóho, T.
- D. MEMBRANACEUS Munro. Bagácay, V.; Macalbáng, V.
- DENTELLA REPENS Forst. (*Rubiacea*.) A small, weak, prostrate annual with white flowers.  
Dílang-butiquí, T.; Dílan-butiquí.
- DERRIS. (*Leguminosae*.) Climbing woody vines.  
Bagáybay, T.; Balúgai.
- D. SCANDENS Benth. Malasága, T.
- D. SINUATA Benth. Asiasmanan, T.; Bútong, V.
- D. ULIGINOSA Benth. Hingasinán, V.; Hingasin, V.; Silasila, T.
- DESMODIUM. (*Leguminosae*.) Trees, shrubs, or herbs with jointed pods.  
Malacáro, V.; Manimanfan, T.; Mañgquét, T.; Masambóng; Parapanáhas, T.
- D. LAXIFLORUM DC. A small shrub, the branches angled, pubescent.  
Dócot-dócot, V.
- D. PULCHELLUM Benth. A shrub, the flowers hidden in persistent distichous bracts.  
Caláicai (Leyte); Calayácay, V.; Caliacay, V.; Manquít; Payang-payáng, T.
- D. TRIFLORUM DC. A trailing herb, the flowers axillary.  
Pacpác-lángao, T.
- D. UMBELLATUM DC. A shrub or small tree found near the sea shore.  
Malapígas, T.; Malacários, Z.; Táyat-bagufo, V.
- DEUTZIA PULCHRA Vidal. (*Saxafragacea*.) A shrub with opposite leaves and white flowers.  
Quetquét, Ig.
- DICTYONEURA. (*Malphigiacea*.) Tree.  
Cúbao.
- DIGITARIA. (*Graminea*.) A slender grass with digitate inflorescence, the "crab grass" of the United States.  
Baludgangan, T.
- DILLEZIA PHILIPPINENSIS Rolfe. (*Dilleniacea*.) A tree with very large showy white flowers.  
Catmón, T., V.

D. SPECIOSA Gilg. Malacatmón, T.; Paláti, Paláli, B.

DIOSCOREA. (*Dioscoreacea*.) Climbing plants, usually from fleshy root-stocks, many species being used for food. The Philippine species are very imperfectly known.

Boháyan, V.; Bódot, V.; Cairóni, T.; Cálot, Pang.; Cóbag-na-quirói, T.; Hampás tagbálang; Pológan, V.; Páquit, T.; Púgang, V.; Limalíma, T., V.; Queróc, T.; Quinampái (Cebu); Tamís, V.; Toquíng-pálo; Tuguí, T.; Toguíng, T.; Toguíng-pólo; Úbe.

D. ALATA L. Úbi.

D. BATATAS Decne. Dulfán, Il.

D. DIVARICATA Blanco. Ignéma.

D. EBURNEA Lour. Banáyan, V.

D. FASCICULATA Roxb. Bolót, V.; Borót, V. Corót, V.; Culád, V.; Dalínga, V.; Dalíngag, V.; Tóngo, T.

D. HIRSUTA Blume. Cálut, Pamp.; Cólót, V.; Cáyos, V.; Gáyos, V.; Orót, V.; Táquí.

D. PENTAPHYLLA Pers. Bayańgcan.

D. SATIVA L. Báong, V.; Balafcag, V.; Cóbag, T.; Dógue; Náme; Quirói, T.

DIOSPYROS. (*Ebenacea*.) Shrubs or trees, many species being found in the Philippines, most species having very hard dark-colored wood, and some species having edible fruit. The American persimmon belongs to this genus.

Aláhan, T.; Alántag, T.; Aráhan, B.; Anang, T.; Bantolínón, T.; Baganito (Morong); Balińgácta-colorádo (Abra); Banlatináo, Pang.; Bulonǵuítan, T.; Buslí, Pang.; Bantolíco, Z.; Camagahál (Morong); Calimántao, T.; Calohádiang, Pamp.; Calamansánaí, T.; Cadapdap, B.; Catelána, T.; Camónay, T.; Camayúan, T.; Coloyánang, Pamp.; Colohádia, Pamp.; Dambuhála, T.; Laguiedí, Mang.; Malagaítmon, T.; Matobató, B.; Maravícal (Morong); Marabícat, T.; Malasóro, B.; Malatálang, Pamp.; Ogáo, B.; Pagatpát, T.; Págatpácat (Laguna); Panaguítmon, B.; Tagoísmon, B.; Ugáo, B.

D. BLANCOI DC. Amága.

D. CUNALON A. DC. Cunálon, V.

D. DISCOLOR Willd. Amága, V., T.; Camagúan; Camagón, T.; Mabólo, T., V.; Malatápay, T.; Tálang, T., Pamp.

D. EBENASTER Retz. Sapóte; Zapóte.

D. EMBRYOPTERIS Pers. Tálang-gúbat, T.

D. MALACAPAI A. DC. Malacápai, T.

D. MULTIFLORA Blanco. Canómay, T.

D. NIGRA Retz. Lúyong; Lúyan, T.; Zapóte negro.

D. PILOSANTHERA Blanco. Amága, V., T.; Alintátao, T.; Apopúyot (Cagayan); Bálatinao; Bantolinao, V., T.; Batolinao (Cagayan); Bolongaéta, T.; Bolonguítan, T.; Balonǵíta; Bárlis; Balińgácta, Il.; Dalondóng, V.; Calohádia; Caloyánang.

DIPLODISCUS PANICULATUS Turcz. (*Tiliacea*.) A small tree.

Banágo, T.; Balóbo, T.; Baróbo, V.; Balúbo, T.; Camilíng; Malúbo, T., V.; Manáyao; Mulíng-mulíng, T.



- DIPTEROCARPUS. (*Dipterocarpaceae*.) All large forest trees, valuable for timber and many species producing valuable gums.  
 Antóng, T.; Búnğa (Cagayan); Banúyo, T.; Bailáyan (Mindoro); Bayúcan, T.; Dañlín, H.; Hagadhád; Láuan-maputí, T.
- D. AFFINIS Brandis. Binagúan, V.
- D. GRANDIFLORUS Blanco. Apítón, T.; Apítong, T.; Hapítón, T., V.
- D. MAYAPIS Blanco. Mayápis, T.
- D. PILOSUS Roxb. Hagachác, T.
- D. POLYSPERMUS Blanco. Tañguili; Tañgíli, T.
- D. VERNICIFLUS Blanco. Búlay (Batangas); Bálao, T.; Malápao; Malapáho, T.; Panáo, T.; Pánuo, T.; Pánno; Póngo.
- DITTELASMA RARAK Hook. f. (*Sapindaceae*.) A tree.  
 Bayúco, V.; Cóbe; Cúbi; Dúca, V.; Guishhan, T.
- DODONAEA VISCOSA Linn. (*Sapindaceae*.) A shrub, the leaves somewhat viscid with a shining yellow resin. Seacoast.  
 Alipáta, T.; Calapínai, T.; Casfrag, Z.; Haguyúy (Tayabas).
- DOLICHANDRONE SPATHACEA K. Sch. (*Bignoniaceae*.) A tree usually found near the sea, with large white flowers.  
 Túa; Túi, T.; Tué, T.; Toi, T.; Tiúí, V.; Tanhás, V.
- DOLICHOS. (*Leguminosae*.) Twining herbs, both species cultivated.  
 Quibál, T.
- D. ECHINULATUS Blanco. Tótao, T.
- D. LABLAB L. Búlai (Batangas); Bátao, T., V.
- D. SESQUIPEDALIS L. Silao.
- DONAX ARUNDASTRUM Lour. (*Marantaceae*.) Bában (Zamboanga); Aláro, V.; Bambán, T.; Banbán, T.; Banbóm, T.; Bayambán; Galánğa; Manbán, T.
- DRACAENA. (*Liliaceae*.) Balinúay, T.
- DRACONTOMELUM. (*Anacardiaceae*.) Trees. Malañele (Tayabas); Malafhao, T.
- D. CUMINGIANUM Baill. Alaúháo; Batécan; Dáo, T.; Malaadúas, T.
- D. MANGIFERUM Blume. Búbur; Batóan, V.; Dáo, T., V.; Lamío, T.; Malafyao, T.
- DROSER A INDICA L. (*Droseraceae*.) Low herbs, the leaves being adapted to catching insects.  
 Hintipálo, T.
- DUABANGA MOLUCCANA Blume. (*Lythraceae*.) A tree found near the seashores.  
 Cádír; Caddíl, B.; Baligánğan, B.; Caráuan, B.; Loctón; Lubtúb; Malabanabá, T.
- DURIO ZIBETHINUS Linn. (*Malvaceae*.) A tree found in Jolo and Mindanao, much prized for its edible fruit, the durian.  
 Durián; Duñan; Dulfán (Jolo).
- DYSOXYLUM. (*Meliaceae*.) Trees with straight, nearly unbranched trunks, the long, pinnate leaves being crowded at the top.  
 Agús-us (Tayabas); Balucánad, T.; Catubacúlan, T.; Dinálat-na-ítem; Malabayábas; Pandapánda, T.

D. *AREORESCENS* Miq. Malaságuin.

D. *BLANCOI* Vidal. Águio, T.; Ananágtag, V.; Águin, Pamp.; Ágin, T.; Ananángtang, V.; Bacúgan, V.; Bīngliu, V.; Basfloag, Il.; Boháve, V.; Bolóng támbal, V.; Himámaw, T.; Igiw, T.; Igufo, Pamp.; Mananañgtáng, V.; Malabán̄gao, Pamp.; Macasfli, V.; Malabága, Pamp.; Talictán, T., Pamp.

## E.

*ECLIPTA ALBA* Hassk. (*Compositae*.) An erect or diffuse slender annual with small heads of white flowers.

Iliguis-manóc?, T.; Tintatinta, Il.

*EBHRETIA*. (*Borraginaceae*.) Trees or shrubs with alternate leaves and axillary or terminal paniculate or corymbose inflorescence of small white flowers.

Bágao; Chá-cimarrón; Halimómo, T.

E. *BLANCOI* A. DC. Itmóng-dalága, T.

E. *BUXIFOLIA* Roxb. Alañgítñgit, T., V.; Alañguit; Buyóc buyóc; Cham-búndoc, T.; Mañgít; Mangúit, T., V.; Putpútay, B.

E. *ONAVA* A. DC. Ngañgáta, T.; Onáva, T.

E. *PHILIPPINENSIS* A. DC. Macaisá, B.; Salimómo, T.; Talibóbong, V.

*ELAEAGNUS LATIFOLIA* L. (*Elaeagnaceae*.) A shrub or small tree, the leaves silvery or rusty beneath.

Alin̄gáro, T.

*ELAOCARPUS*. (*Tiliaceae*.) Trees with simple leaves, the flowers in axillary racemes.

Birlág, T.; Calumácan, V.; Culilísiáo (Tayabas); Gulilísiáo (Tayabas); Hagónoy-sa-lásang, V.; Hóngo, T.; Ilóngo, T.; Malacapi, T.

E. *FLORIBUNDUS* Blume. Conácan; Gusután.

E. *LANCEAEFOLIUS* Roxb. Calomála, T.

E. *MONOCERA* Cav. Malacállos.

E. *MULTIFLORUS* F. Vill. Tigálot, V.

E. *OBLONGUS* Gaertn. Cabálte, V.; Cabíte, V.

E. *OBOVATUS* Arn. Caluuácan, V.

*ELATOSTEMA*. (*Urticaceae*.) Herbs or undershrubs with alternate leaves and minute flowers.

An̄gáñge, Ig.

*ELEOCHARIS* (*Cyperaceae*.) Glabrous sedge-like plants with simple erect unjointed stems.

Abse, T.; Balág-balanggótan, T.; Buslíg, Il.; Táyoc-táyoc, V.; Ubo-dúbod, T.

E. *PELLUCIDA* Presl. Gúmi-gúmi, T.

*ELEPHANTOPUS MOLLIS* H. B. K. (*Compositae*.) Rigid erect herbs with scabrid leaves, the heads surrounded by leafy bracts.

Dila-dila, T.

E. *SCABER* L. Tabatabacáhan, T.

E. *SPICATUS* Juss. Ardátag, V.; Cabcáron, Il.; Dílang usa, T.; Hábul, V.; Sigáng-dágat, T.; Súmag, Pamp.

- ELETTARIA. (*Scitiminca*.) Leafy erect herbaceous plants.  
Panáon, V.
- ELEUSINE INDICA Gaertn. (*Gramineæ*.) Common in waste places, inflorescence digitate.  
Baquisquisan; Sábong-sabóngan, T.; Sambále, T.
- EMILIA SONCHIFOLIA DC. (*Compositæ*.) An annual herbaceous plant with purple flowers, a common weed.  
Libún, V.; Tagulínao, T., Pamp.
- ENGELHARDTIA. (*Juglandacæ*.) Trees, the fruit adnate to a three-lobed bract.  
Bíbit, T.; Píngol, T.
- ENHALUS KOENIGII Rich. (*Hydrocharidacæ*.) A submerged marine herb with very narrow leaves 2 to 3 ft. long.  
Ísai, T.
- ENTADA SCANDENS Benth. (*Leguminosæ*.) A large woody tendril-bearing vine with jointed pods, 2 to 3 ft. long or more, 3 to 4 in. wide. The bark is extensively used as a substitute for soap.  
Balógo, V., Pamp.; Balónos, V.; Bayógo, T., V., Pamp.; Gógo, T.; Góhong báeay, V., Pamp.
- EPIPREMNUM MEDIUM Engl. (*Aroidæ*.) A scandent shrub, rooting on trees, with distichous pinnatifid leaves.  
Amólóng, Il.; Balicúpeup, V.; Bisáco, V.; Daíla, V.; Dibátib, V.; Garbán, V.; Hórog, V.; Malapaépác-baláuay, T.; Tibátib, T.; Tírbátib, V.
- ERAGROSTIS PLUMOSA Link. (*Gramineæ*.) Slender tufted grasses.  
Caliráorao, T.
- E. TENELLA R. and S. Buguñbuc, T.
- ERANTHEMUM BICOLOR Schrank. (*Acanthacæ*.) A small shrub with entire leaves and spicate inflorescence.  
Alyópyop, V.; Átay-átay, V.; Cínco-Ilágas; Limáng-súgat; Malados-dós, V.; Mandalúsa (Cebu); Mópío, V.; Panaptúm, V.; Quiuatu-lúan, T.; Silisilíhan, T.; Tíhol-tíhol, V.
- ERIACHNE. (*Gramineæ*.) Slender tufted grasses.  
Gúme, T.
- ERIOCAULON SEXANGULARE Linn. (*Eriocaulonacæ*.) Slender glabrous sedge-like plants, found in very wet places.  
Gúmi-gúmi, T.
- ERIOGLOSSUM. (*Sapindacæ*.) Shrubs or small trees.  
Calamáyo, T.
- E. EDULE Blume. Dúca, V.; Malacacáo, T.; Malaságuin-putí (Tayabas).
- ERIOSEMA CHINENSE Vog. (*Leguminosæ*.) Slender, erect, 1 to 2 ft. high from a woody tuber, flowers short peduncled in the leaf axils.  
Cátíl, Ig.; Cutíl, Ig.; Líncamas, Il.
- ERYCIBE. (*Convolvulacæ*.) Scandent diffuse shrubs with densely hairy corolla tubes.  
Malútay, T.

E. PANICULATA Roxb. Saláday, V.

ERYTHRINA INDICA Lam. (*Leguminosae*.) A tree with crimson flowers, much planted for ornamental purposes.

Bagbág, II.; Búbug; Cabráb, B., T., V.; Carapdáp, T.; Casindíc, T.; Cosindíc; Dapdáp, T., V., Pamp.; Dapedápe; Selbáng; Sulbáng, Pamp.; Telbóng.

E. OVALIFOLIA Roxb. Anfi, T.; Córong-córong, V.

ERYTHROPALUM. (*Oleaceae*.) Climbing shrubs with alternate palmi-nerved leaves.

Balingáyo, T.

EUGENIA. (*Myrtaceae*.) Small or large trees with white flowers, some species with edible fruit, others valuable for timber. A very large critical genus, the Philippine species, 50 or more, very imperfectly known.

Águis, V.; Anúbíng, T.; Aráñga blanco, T.; Aráñgan, T.; Aráua, B.; Bagábae, Pamp.; Báguí-lómboy; Balacánog, T.; Baligán-nín-gáñgan, B.; Balíseup (Zamboanga); Balóbae, Pamp.; Balúbat, Pang.; Bansaláguin, T.; Baranhányo, V.; Bilólo, T.; Binólo, B.; Bislót, T.; Bitbíd, B.; Cabáho; Cabájuy; Cabaó-y, V.; Cabítong, Pang.; Calocágo, B.; Calúcub, T.; Calúcog, T.; Calúceup, T.; Caracól-butiguí, V.; Carobeób, B.; Caróbeob-butiguí (Camarines); Colop-cóp, T.; Corobeób, B.; Cúloc-cúloc, V.; Cupeúp, Pamp.; Dalocnásan, B.; Dinglás; Dinlás, T.; Dolocnásan, B.; Ductúlan, T.; Dúgan, T.; Guenáyang, T.; Guisíhan, T.; Hagáho, V.; Husuhúsu, B.; Igút, V.; Libas; Línas, B.; Lipóte, T.; Lutúnan (Zamboanga); Mabútbot, B., V.; Macásin; Macásin-pulá, T.; Macásin; Macásin-muláto, T.; Malabáguis, B.; Malabábi, B.; Malabayábas, T.; Maladúhat, B.; Malagaráyat, T.; Malarúhat, B.; Malaságíng-putí, T.; Malatampóy, T.; Malatúbíg, T.; Malayámbo, T.; Miágus, V.; Náñgos, V.; Paglumbúyen; Palo-dúro (Zamboanga); Palumbúyen, Pang.; Pam-lombóyan, II.; Pañghíng-búyen (Abra); Panlumbúyen, II.; Pañg-lombóyan, II.; Papónga, Z.; Potfan, T.; Pulanbalát; Puso-púso, T.; Pután, T.; Salarádan, B.; Tambís; Tambít (Dinagat); Tábubhánguin, II.; Tampúe, T.

E. CYMOSA Lam. Malarúhat-na-pula, T.

E. JAMBOLANA Lam. Fruit edible.

Dúat, T., V., Pamp.; Dúhat, T., V., Pamp.; Lombóy, T.; Lumbói, T., Pamp., V., II.

E. JAMBOS L. Fruit edible.

Balábae, T.; Balóbar, Pamp.; Barábag; Baracbae, II.; Calobeób, T.; Macúpa, T.; Manzána-rósa, Sp. Fil.; Tampói, T., V.; Yámbo, T.; Yambolín; Yambósa.

E. JAVANICA Lam. Manquí, T.

E. LINEATA Duthie. Bacánis (Zamboanga); Lági-lági, V.; Macásin, T.

E. MACROCARPA Roxb. Darob-cób, T.

E. MALACCENSIS L. Macúpa, T., V.

E. MONTANA Blanco. Copeóp, T.; Malacapeóp (Bataan).

- E. OPERCULATA Roxb. Bárong? (Cagayan); Malarúhat, T.
- E. TETRAGONA Wight. Dáua, T.
- EULOPHIA ELONGATA Blume. (*Orchidaceae*.) Terrestrial herbs.  
Lóbi-lóbi, V.
- EUONYMUS. (*Celastraceae*.) Trees or shrubs.  
Sárang-putí, V.
- EUPATORIUM AYAPANA Vent. (*Compositae*.) An American herb, introduced, cultivated, and spontaneous, used in the practice of medicine.  
Apána, T.; Ayapána, T.
- EUPHORBIA ATOTO Forst. An erect frutescent herb with abundant milky sap, common on sandy seashores.  
Búto-butonisan, T.
- E. NERIFOLIA L. (*Euphorbiaceae*.) A small erect glabrous, fleshy shrub.  
Baít, T., Pamp.; Carambuáya, H.; Léngua-de-pérro, Sp. Fil.; Sorog-sórog, T., Pamp.; Sóro-sóro, T., Pamp.
- E. PILULIFERA L. A small prostrate herb, densely pubescent, much used in medicine.  
Batobatónis, T.; Bolobotónes, Pamp.; Botobótones; Bóvi, V.; Buyayáya, V.; Gátas-gátas, T., V.; Golandrína, Sp.; Magátas, Pamp.; Malismalis, Pamp.; Sayfean, T.; Sisióhan, Pamp.; Sisíwhan, Pamp.; Taváya, V.
- E. PULCHERRIMA Willd. Introduced from America, cultivated for ornament.  
Pascúas.
- E. THRUALLI. An erect unarmed shrub, the branches green, leafless.  
Catúit, T.
- EURYA JAPONICA Thunb. (*Ternstroemiaceae*.) A shrub, the flowers small, in axillary fascicles of two each.  
Bógua, V.
- EURYLES AMBOINENSIS Herb. (*Amaryllidaceae*.) Abod, V.; Abud, V.; Catangál, V.; Catúngal, T.; Cósol, V.; Daúsum, V.; Panábor, V.; Talaónor, V.; Tambál, T.; Tanúal, V.; Tonuár, V.
- E. SYLVESTRIS Salisb. Ábur, V.
- EUSIDERONYLON. (*Laurincae*.) Olivas, Sp. Fil.
- EVODIA. (*Rutaceae*.) Trees or shrubs with small flowers in axillary panicle cymes.  
Bánay-bánay; Cáhoi dalága, T.; Calimántao (Unisan); Camalón, T.; Malamoláuin, T.; Toncápan, V.; Túncó-túncó, T.
- E. LATIFOLIA DC. Bintóco, B.; Tancápan, B.
- E. MINDANAENSIS Merrill. Malico, V.
- E. FOXBURGHIANA Benth. Matáng diáblo, T.; Piras, T.
- E. TRIPHYLLA DC. Balíngua, V.
- EXACUM TETRAGONUM Roxb. (*Gentianaceae*.) An erect branched herb with blue flowers.  
Cánto-cánto, T.

EXCOECARIA AGALLOCHA L. (*Euphorbiaceae*.) A small evergreen tree of the tidal forests, with alternate long petioled leaves.

Ali, Ig.; Alipáta, V.; Búta, T.; Bóta-bóta, T.; Butabúta, T., Pamp.; Díla-díla (Marinduque); Himbabáo, V., Pamp.; Lipáta, V.; Síac, V.

## F.

FAGRAEA. (*Loganiaceae*.) Trees or shrubs with opposite entire leaves.

Bujúcan (Albay); Gatásan, T., V.; Malasinóro, B.

F. CRASSIPES Benth. Cacáo-íta (Balabac).

F. FRAGRANS Roxb. Úrung (Paragua).

F. MORINDEAFOLIA Blume. Báiao, T.; Cabál, T.; Gatásan, V.; Magusáyac, V.

F. VOLUBILIS Jack. Mangasinóro, T.

FERONIA ELEPHANTUM Correa. (*Rutaceae*.) A spinous tree with alternate leaves, with the odor of aniseed.

Ponoán, V.; Panunoán, V.

FICUS. (*Urticaceae*.) Shrubs or trees with milky sap, the inflorescence a hollow, fleshy, globose receptacle on the trunk, branches, or branchlets. A very large critical genus.

Aga (Nueva Ecija); Balítang payápa, T.; Bigáa, V.; Cam-máleg (Abra); Catón (Albay); Cayantón, Z.; Daláquit, V.; Esesmáya, T.; Hagósós, T.; Haguínut, V.; Hagúpít, V.; Hanéle, T.; Hauflí, T.; Hawílí, T.; Lac-há; Lagnób; Lagnúb; Lío-lío, Ig.; Lonóc, V.; Lub-tób; Malaisís, T.; Maramárang, V.; Nábo, V.; Noc-nóc, V.; Oplí, T.; Oplíng-máya (Tayabas); Pagaplacím, Il.; Pagutlíng, T.; Paquilíng, Pamp.; Pasácla, Il.; Pasápila, Il.; Pilén, V.; Pílic (Cebu); Ray-yaray-yá, Il.; Taguísan-bayáuag (Unisan); Taguláuay; Talícot, V.; Talícut; Talúctoc (N. Ecija); Tandadáguay; Tanḡísan, T.; Tanḡísang-bayáuac, T.; Taquínes, V.; Teb-bég, Ig.; Tebéc; Teebéc, Il.; Tipíng; Uplí (Tayabas).

F. AMPELAS Burm. Malaúpli; Palític.

F. ASPERA Blanco. A shrub with very harsh leaves.

Alásas, Pamp.; Is-ís, T., V., Pamp.

F. CAULOCARPA Miq. Lumá.

F. CLUSIOIDES Miq. A tree, fruit red.

Baléte, T.; Balíti pulá, T.

F. CUMINGII Miq. A shrub with linear leaves.

Lañḡuing, T.

F. CUNEATA Miq. Duñḡárug, V.; Tanḡuísan-bayáuac, T.

F. GLOMERATA Roxb. A small tree with the green fruit in great masses on the trunk and larger branches, very common.

Aímit, V.; Amíson; Aymít; Tibíng, T.; Tibíng-na-laláqui, T.

F. HETEROPHYLLA L. A small shrub with green or red fruit, leaves exceedingly variable.

As-ís, T.; Uplás, Il.

F. HIRTA Vahl. Bfíri.

- F. *MISPIDA* Blanco. Agósoc, T.; Agós-os, T.; As-ís, T., V., Pamp.; Isiof-sio, T., V., Pamp.
- F. *INDICA* Linn. A small tree with small purplish receptacles on the ultimate branches.  
Balfí, T., Pamp.; Dalañguil; Daláguil, V.; Dayáquit; Nonóc, V.
- F. *LUZONENSIS* Merrill. Malanáca.
- F. *MINNAHASSAE* Miq. A tree, the fruit purplish on long specialized branches 6 to 10 ft. long, from the trunk and larger branches.  
Áymit, T.; Ayúmit, T.
- F. *PAYAPA* Blanco. Payápa, T.
- F. *PSEUDOPALMA* Blanco. A slender unbranched shrub 10 to 15 ft. high, the large leaves all crowded at the apex of the stem, giving the plant a palm-like appearance.  
Labsób; Nióg niógan, T.; Sulániog, V.
- F. *QUERCIFOLIA* Roxb. A small shrub with harsh, variable leaves.  
Agúpít; Dayágsac.
- F. *RADICANS* Roxb. Baléte-gapang (Marinduque).
- F. *FIMBRISTYLIS MILIACEA* Vahl. (*Cyperaceae*.) Low, tufted, grass-like plants.  
Ágor, T.
- F. *SCHOENOIDES* Vahl. Gúmi-gúmi, T.
- F. *FLACOURTEA*. (*Bixaceae*.) Trees or shrubs with toothed or crenate leaves.  
Palápil.
- F. *CATAPHRACTA* Roxb. Bitauhól, T.
- F. *SEPIARIA* Roxb. Bitóngol, T. Sáua-sáua, V.
- F. *FLAGELLARIA INDICA* Linn. (*Flagellariaceae*.) A long slender vine with linear parallel-veined leaves, climbing by means of the prehensile leaf tip.  
Aráyan, T.; Balfñgay; Balfñgay, T.; Balenñgay; Balfñguay, T.; Hoág, V.; Huác, V.; Uác, V.; Yngula, T.
- F. *FLEMINGIA*. (*Leguminosae*.) Shrubs. Lacláy-guñan, T.; Malabalátong, Pamp.; Payáñgea (Bulacan).
- F. *STROBILIFERA* R. Br. Gan-gán, V.
- F. *FLEURYA INTERRUPTA* Gaud. (*Urticaceae*.) An annual herb with stinging hairs.  
Dalámo, V.; Damóro, V.; Daodáua, V.; Lauñgála, V.; Lipá, T.; Lipáñg-áso; Lipáñg-castila, T.; Lopá, Pamp.
- F. *FLUGGEEA OBOVATA* Wall. (*Euphorbiaceae*.) Botólan, T.; Butúlan (Tayabas); Magaspáng, V.
- F. *FOENICULUM VULGARE* Gaertn. (*Umbelliferae*.) An aromatic, stout, smooth herb, cultivated; "fennel."  
Anís, Sp. Fil.
- F. *FRAGARIA INDICA* Andr. (*Rosaceae*.) A strawberry. Daguñot, V.
- F. *FREYCISETIA*. (*Pandanaceae*.) A climbing shrub, the leaves spirally arranged.  
Alásas, T.
- F. *INSIGNIS* Blume. Malapangdán, T.
- F. *LUZONENSIS* Presl. Panñgdán, T.

## G.

GANOPHYLLUM FALCATUM Blume. (*Burseraceae*.) Pandapánda. T.; Tapúyay, V.

GARCINIA. (*Guttiferæ*.) Trees, usually with yellow juice, with evergreen coriaceous leaves. Several species yield gamboge.

Alipáchao, H.; Bágo-bágo, V.; Gaguinúbang na pulá (Negros); Balúcot; Banágo, T.; Banítí, T.; Batúan, V.; Bónog (Paragua); Cavál, T.; Culambísan, B.; Dolítan-putí, T.; Gatásan dilao (Tayabas); Járas; Págla, B.; Paitán, T.; Pildís, Pamp.; Píris, T.; Tatlácanáe, T.

G. CAMBOGIA Desrouss. Bágo-bágo (Bohol); Bilúcao, T.; Binúcao, T.

G. CORNEA Linn. Gatásan, T., V.; Mangostán, V.

G. COWA Roxb. Háras, V.; Sadúnigan, V.

G. DUODECANDRA Pierre. Gatásan, T.

G. MANGOSTANA Linn. Fruit edible, highly prized. The mangosteen.

Mánggis (Jolo); Mangufs (Jolo).

G. OVALIFOLIA H. f. and T. Malabatóan, T.; Mangostána, V.

G. VENULOSA Choisy. Bábo-bágo (Bohol); Gatásan pulá, T.; Gúta-gámbo, Macambójo (Iloilo).

GARDENIA. (*Rubiaceæ*.) Shrubs or small trees, the white flowers very fragrant.

Calanfigi, V.; Tayácan, Mang.; Mayáno (Paragua).

G. OBSCURA Vidal. Caraglí, T.; Baya-bayabásan, T.; Malabayábas, T.; Pagbút, Pamp.

G. PSEUDOPSISIDIUM Blanco. Malabayábas, T.; Sulípa.

GARUGA. (*Burseraceæ*.) Trees with alternate leaves and globose fleshy drupes.

Bagulíbas, T.; Bógo; Gabílo, T.; Taquíp-asín, T.

G. FLORIBUNDA Decne. Abiláo, T.; Abílo, T.; Avílo, T.; Bagó; Bío, H.; Búgo, V., T.

GAULTHERIA. (*Ericaceæ*.) Low herbs in the mountains.

Calumínga, Ig.

GELONIUM. (*Euphorbiaceæ*.) Evergreen glabrous shrubs or small trees. Pili (Zamboanga).

G. GLOMERULATUM Hassk. Paúglancaén, H.; Saúgítan?

GEODORUM SEMICRISTATUM Lindl. (*Orchidaceæ*.) Terrestrial herbs.

Camáog, V.; Cóla, T.; Cólas, T.; Cóláng-bundóc, T.; Faríqtan, T.; Lubí-lubí, V.; Nfognfog, T.

GEUNSLIA CUMINGIANA Rolfe. (*Verbenaceæ*.) Shrubs or small trees.

Magullic, T.; Sobsógan-bógo, B.

GIRONNIERA CELTIDIFOLIA Gaud. (*Urticaceæ*.) Evergreen unarmed shrubs or small trees.

Amamángpang (Albay).

GLIRICIDIA MACULATA H. B. K. (*Leguminosæ*.) A small tree of American origin, with white or purplish flowers.

Cacahuáte, Pamp.; Cacaúáte; Cúpang-bundóc, B.; Balóc-balóc, T.; Mádre-cacáo, Sp. Fil.; Maricáo, T.



- GLOBBA MARANTINA Linn. (*Scitiminææ*.) Lampúyang-nga guinatóla; Lampúyang-nga-mapulá, V.; Panítan.
- G. PARVIFLORA Presl. Lúya-lúya-it-áyam (Iloilo); Malalúya, T.
- G. STROBILIFERA Zoll. Dúlao-babáye, T.; Tamohílan, T.
- GLOCHIDION. (*Euphorbiaceæ*.) Shrubs or small trees, a large and critical genus, of little or no economic importance.
- Antobáng, T.; Bagáng-bagáng, B.; Báguna, T.; Baling cáhoy, V.; Báguna, V.; Calían, T.; Carmái, T.; Dampól, T.; Malaátas, T.; Malacafé, T.; Uanuána-na-putí, B.
- G. LITTORALE Blume. Cáyong, V.; Ságsa, V.
- GLYCOSMIS. (*Rutaceæ*.) Shrubs.
- Malamoláuin, T.
- G. PENTAPHYLLA Corr. Guññuen, T.
- GMELINA. (*Verbenaceæ*.) Shrubs with showy yellow flowers.
- Alípung, T.
- G. ASIATICA L. Bága-báboi, T. V.; Balabaláyan, T., V.
- G. VILLOSA Roxb. Bága-báboi, V.; Bohól; Talúñgun, V.
- GNAPHALIUM. (*Compositæ*.) Small, herbs, found on the higher mountains.
- Buquññgan.
- G. INDICUM L. Bádac, H.
- G. LUTEO-ALBUM L. Onánat, Ig.
- GNETUM GNEMON L. (*Gnetaceæ*.) Small trees or vines, rather common in forests.
- Bagó, V.; Bágo-síli; Bañgál, T.; Coliát, T.; Culiát, V., T.; Hmóng-ouác, T.; Lamparáhan, T.; Malaítmo, T.; Nábo, B.
- G. SCANDENS L. Biás, T.; Tóval, T.
- GOMPHILA. (*Ochnaceæ*.) Glabrous shrubs or trees with yellow flowers in axillary or terminal racemes or umbels.
- Bansílai, T.; Bulánan, V.
- G. ANGUSTIFOLIA Vahl. Bulocánan, V.; Caranyán, V.; Postalágon; Talactón, Z.
- GOMPHRENA GLOBOSA L. (*Amarantaceæ*.) Hirsute or villous herbs with thickened nodes.
- Botoncillo, T.; Buquññgan, T.
- GONIOTHALAMUS. (*Anonaceæ*.) Small trees or shrubs with a solitary or fascicled flowers.
- Lanótan, T.
- G. GIGANTEUS Hook. f. and Th. Lanútan putí.
- GONOCARYUM. (*Loganiaceæ*.) Malapandacáue, B.; Malasituín, Pamp.; Pamulaeláquin, T.; Tanñili (Tarlac).
- G. TARLACENSE Vidal. Lúnas, T.; Lúnas-na-ítm.
- GORDONIA. (*Ternstroemiaceæ*.) Trees with evergreen leaves, flowers usually axillary, large.
- Surán-surán, V.
- G. LUZONICA Vidal. Suransurán.
- GOSSYPIMUM ARBOREUM L. (*Malvaceæ*.) Cotton. Several species and many varieties of cotton are cultivated in the Philippines, but little attention is given to the industry.
- Búlac-na-búndoc, T.; Búlac-na-totóo, T.; Búlac-nga-bisáya, V.

- G. BARBADENSE L. Cantón; Pernambúco, Sp. Fil.
- G. HERBACEUM Linn. Bálae-castila, Pamp.; Búlae, T.; Búlag, T.; Cadába: Candába, V.; Gápas, V.; Gápas costa; Gaspás-casera.
- G. PERENNE L. Búlae-cáho, T.; Búlae-na-montí, T.; Búlae-na-totóo, T.
- GOUANIA. (*Rhamnaceae*.) Unarmed climbing shrubs with alternate leaves.  
Leterán, T.; Pahampáe, Pamp.
- GRAPTOPHYLLUM HORTENSE Nees. (*Acanthaceae*.) A glabrous shrub; the leaves purple, or sometimes variegated; commonly cultivated for ornamental purposes.  
Antólang, T.; Ataiátai, T.; Balásbas, V., T.; Balásbas-malómay, T.; Morádo, Sp. Fil.; Morádong-maputi, T.; Morádong-maputi; Pásao, V.; Sarása, T.; Ternáte, T.; Yóvas, T.
- GREWIA. (*Tiliaceae*.) Shrubs or trees, more or less stellate-pubescent.  
Balábo, T.; Balibágo, T.; Dáñgoy, T.; fring, T.; Lígao; Malatápay, T.
- G. LAEVIGATA Vahl. Dáñgli (Tayabas); Dáñglín, Il.; Danylin, T.
- G. UMBELLATA Roxb. Danláy.
- G. PANICULATA Roxb. Bañgálad, V.
- GUETTARDA SPECIOSA Linn. (*Rubiaceae*.) A small evergreen tree with broadly ovate leaves and woody globose drupes, common in littoral and tidal forests.  
Bagaólan, T.; Balañgágan, V.; Balibágan, V.; Banáro, T.; Calumpañgín, T.; Lagbáñgán; Malasúrut, B.
- GYMNOSPORIA. (*Gymnosporiaceae*.) Shrubs or small trees, with alternate leaves, the branches often spinescent.  
Camayúan, T.; Tamañyan-putí, Z.
- G. AMBIGUA Vidal. Tamañyan.
- G. MONTANA Roxb. Malaráyap, T.
- GYNANDROPSIS PENTAPHYLLA DC. (*Capparidaceae*.) An annual herb with 5-foliate leaves and white or purplish flowers in glutinous racemes; common; used in medicine.  
Apóiapayan, T.; Balabalanóyan, T.; Huláya, V.; Cínco-cínco; Silisíhan.
- G. SPECIOSA DC. An American species sometimes cultivated for ornamental purposes.  
Arána (Manila).
- GYNOTROCHES Blume. (*Rhizophoraceae*.) A small tree with oblong coriaceous leaves and numerous small axillary flowers.  
Malaauláin-bisan, T.
- G. AXILLARIS Blume. Bayashás, V.; Doyóc-doyóc, V.
- GYNURA ANGULOSA DC. (*Compositae*.) A robust, glabrous, corymbosely branched herb, with large sessile leaves.  
Sampága-del-mónte, T.
- G. SARMENTOSA DC. A glabrous climbing plant.  
Camáñgi, T.
- GYROCARPUS JACQUINI Roxb. (*Combretaceae*.) A tall tree with alternate long-petioled leaves, the nut bony, crowned by the elongate spatulate calyx lobes; common near the seashore.  
Hanúgdong, T.; Lapolápo, Il.

## H.

- HABRANTHUS. (*Amaryllidaceæ*.) Ájos-ájos ñga mapotí, V.  
H. VERSICOLOR Herd. Lírío, T.  
HARPULLIA ARBOREA Radlk. (*Sapindaceæ*.) Shrubs or trees.  
Magálat.  
H. BLANCOI F. Vill. Joás, T.; Póas, T.; Púas.  
HARRISONIA BENNETH Benth. and Hook. f. (*Simarubiaceæ*.) A glabrous shrub with short recurved spines in the lower parts of the branches, and pinnate leaves, used in medicine.  
Asímao, T.; Bacúit, Pang., T.; Cámot-púsa, T.; Camúñgui (Zamboanga); Lafya; Mamaguél, T.; Muntáni, V.  
HEDYCHUM. (*Scitimineæ*.) Herbaceous plants with distichous oblong or lanceolate leaves.  
Bánai, V.  
H. CORONARIUM Koenig. Bánay, V.; Cateátan, V.; Catótang, V.  
H. HASSELTII Blume. Banáoag, V.  
HELICIA CUMINGIANA Presl. (*Protaceæ*.) Trees or shrubs with alternate leaves, the flowers in terminal or axillary racemes.  
Olét, Ig.  
HELICONIA. (*Scitimineæ*.) Agótai, V.; Agútai, V.  
HELIOCONIOPSIS AMBOINENSIS Miq. (*Scitimineæ*.) Manalísid, V.  
HELICTERES. (*Stereuliaceæ*.) Trees or shrubs, more or less stellate-pubescent, with simple leaves and axillary solitary or fascicled flowers.  
Búntut-úsa, V.; Paronápin, H.  
H. SPICATA Colinb. Báquin-baquít, H.; Bóntot-usá, V., T.; Dañgling-áso, V., T.; Talósan, T.  
HELIOTROPIMUM INDICUM Linn. (*Borraginaceæ*.) A low herbaceous plant with densely flowered spicate inflorescence. A common weed, used in the practice of medicine.  
Cábra-cábra, V.; Cámbra-cámbra, V.; Cotíng-cotíngan, T.; Cótíng-cotíngan; Himalay-ón; Himlalay-ón, T.; Icog-icog-sang-enti, V.; Trompalipaúte, V.  
HEMIGRAPHIS REPENS Blanco. (*Acanthaceæ*.) An herb with opposite leaves, the flowers sessile in heads or spikes.  
Pálad-pálad, V.  
HEMIGYROSA. (*Sapindaceæ*.) Trees with alternate abruptly pinnate pallid leaves.  
Malacaúyan, Z.  
H. CANESCENS Thw. Manuñgbága, V.; Sálab, T.; Sálag.  
HENSLOWIA. (*Santalaceæ*.) Parasitic shrubs with spreading, erect, or twining branches, alternate thick leaves, and minute flowers.  
Camfín, Z.  
HEPTAPLEURUM. (*Araliaceæ*.) Large shrubs or trees, glabrous or tomentose, with digitate leaves.  
Carancán, V., B.; Taguflma.  
H. CAUDATUM Vidal. Limalíma, T., V.; Pamp.; Limolímo, T.

- H. SUBULATUM Seem. Calangeáng, V.
- H. VENULOSUM Seem. Carauñeány, V.; Cayañeán, V.; Galámai-ámo, T., V.; Tuglíma, V.
- MERTIERA LITTORALIS Dry. (*Stereuliaceae*.) A small tree with oblong leaves, white beneath, and oblong, woody, boat-shaped fruits, 2 to 4 inches long. Common along the seashore.  
Dun̄gón-láte, T.; Dún̄gon, T., V.; Dugón-láte, T.; Dongón, T.; Dún̄gun, T., V.; Liosín (Zambales); Maladún̄gun, T.; Malarúñgon, T.; Palonápoy, Z.; Paronápin, H.; Palun̄gápoy, H.
- HERNANDIA PELTATA Meissn. (*Hernandiaceae*.) A tree with rounded-ovate acute or obtuse peltate leaves, common on the seashore.  
Coloneógón, B.; Malatan̄gan-tán̄gan, B.; Tábag.
- HETEROPOGON CONTORTUS Roem. and Schult. (*Gramineae*.) A tufted grass.  
Tigbáo, V.
- HETEROSTEMMA CUSPIDATUM Deene. (*Asclepiadaceae*.) A twining, nearly glabrous shrub.  
Biniguásan, T.
- HIBISCUS. (*Malvaceae*.) Herbs, shrubs, or trees, with usually showy flowers.  
Cayañgarósa, H.; Lanótan-itm̄; Malibágo, T.; Malubágo, B.; Sapénót, T.; Sapínit, V.
- H. ABELMOSCHUS L. An annual hispid herbaceous plant with yellow flowers and polymorphous leaves.  
Cástio, T.; Cástio-castiógan, T.; Castiógan, T.; Cásto-castolían, Pamp.; Castóli, T.; Castúli, T.; Castóli, T.; Dalúpan, T.; Ducúm, V.; Marapóto, V.; Maricúm, V.; Maropóto, V.; Marucúm, V.; Putucán, T.
- H. SURATENSIS Linn. A weak-stemmed trailing plant, the stem with recurved prickles, the flowers yellow with a dark-colored center.  
Lábog, V.
- H. GREWIAEFOLIUS Hassk. Lanótan, T.
- H. MUTABILIS Linn. A small tree without prickles, the flowers pink or white, turning red at night, cultivated for ornament.  
Mapolá.
- H. ROSA-SINENSIS L. A shrub with ovate acuminate leaves and large red flowers. Commonly cultivated for ornament.  
Antolán̄gan, T., V.; Arogánan, T., Pamp., V.; Cayága; Cayán̄ga, T., V., Pamp., H.; Gomanufla, T., V., Pamp.; Gumaméla; Tapolán̄ga, T., V., Pamp.; Tapulága; Tapurán̄ga, V.; Tarocán̄ga, T., V., Pamp.
- H. TILIACEUS L. A much-branched tree with cordate leaves and yellow flowers, common near the seashores.  
Balabágo, V.; Balibágo, T., Pamp.; Malabágo, V.; Malabáyo; Raquíndi, Pamp.
- HIPPEASTRUM. (*Amaryllidaceae*.) Bácong, T.
- H. MINIATUM Herb. Talicorán, T.
- HIPPOCRATEA OBTUSIFOLIA Roxb. (*Celastraceae*.) A climbing shrub, the young branches often quadrangular.  
Tatlóng-pálad, T.

- HOLARRHENA.** (*Apocinacea.*) Trees or shrubs with opposite leaves and white flowers in many flowered corymbose cymes.  
Gínguín, T.
- H. MACROCARPA** Hassk. Gínguín, T.; Malayantóc, T.
- HOMALANTHUS.** (*Euphorbiacea.*) Glabrous trees or shrubs.  
Bítang gúbat, T.
- H. FASTUOSUS** F. Vill. Leaves peltate.  
Balánti, T.; Balánti, V.; Bótang-gúbot, T.
- HOMALIUM LUZONIENSE** F. Vill. (*Samydacea.*) A tree with alternate leaves and small hairy flowers in slender racemes.  
Aránga, T.
- H. PANAYAMUM** F. Vill. Ampupúyot, V.
- H. VILLARIANUM** Vidal. Cuéla.
- HOMALOCENCHUS HEXANDRUS** O. Ktze. (*Graminea.*) A slender grass, commonly cultivated in paddies near Manila for forage.  
Bárit, T.; Búñgalon, V.; Zacate Sp.
- HOMALOMENA.** (*Aroidca.*) Herbs.  
Alipáyo, V.; Alipáyong, V.; Bíga, T.
- H. MIQUELIANA** Schott. Capaláuan, V.; Paláo-an, V.
- HOMONOLA RIPARIA** Lour. (*Euphorbiacea.*) A small shrub with the appearance of *Salix*, very common along river banks, bars, etc.  
Agóy-oy, T.; Agúcue, T.; Balánti, T.; Dumánai, T.; Lumánai, T.; Lumanája; Mayágos, V.; Mayóyos, V.; Miágos, V.; Mímbre.
- HOPEA.** (*Dipterocarpacea.*) Large forest trees with winged fruits, valuable timber trees.  
Baliút, Pang.; Bañglés, H.; Baríncucúrong, H.; Cúliot, Pang.; Dínglás?, H.; Garóñgón?, Cag.; Gínlagáse (Mindoro); Sambulúan (Mindoro).
- H. PHILIPPINENSIS** Dyer. Baguitárim, T.
- H. PLAGATA** Vid. Banútan (Nueva Viscaya); Cáliot, Pang., H.; Iácal, T.; Saplúnigan, T.; Sapolónigan, T.; Sígday, H.; Paína, T.; Yácal, T.
- HOYA.** (*Asclepiadacea.*) Twining pendulous shrubs with milky sap, the flowers in umbels, the leaves coriaceous.  
Quenaluscús, T.
- H. DIVERSIFOLIA** Blume. Balíc-balíc, T.
- H. MULTIFLORA** Blume. Cápal, T.; Dapóng-bába, T.; Mangágao, V.
- HYDNOCARPUS HETEROPHYLLA** Blume. (*Bizacca.*) Tree.  
Butúñ-manóc, B.
- HYDNOPHYTUM.** (*Rubiacea.*) Epiphytic glabrous shrubs, with opposite leathery obtuse leaves, the swollen base inhabited by ants.  
Bang-háy, V.
- HYDRILLA.** (*Hydrocharidca.*) Submerged leafy dioecious herb, forming large masses in still or slowly running waters.  
Ináta, T.
- H. VERTICILLATA** Casp. Lómot-lomótan, T.
- HYDROCOTYLE ASIATICA** L. (*Umbelliferae.*) A low prostrate herb used in medicine.  
Taguíp sóso; Taquíp-cóhol, T.; Taguíp-cúhol; Taquíp-súso, T.; Yáhon-yáhon, V.

HYGROPHILA SALICIFOLIA Nees. (*Acanthaceae*.) Herbs with opposite leaves and bluish flowers.

Cañgon-cañgon, T.; Mamtic, T., V.

HYMENOCALLIS. (*Amaryllidaceae*.) Ajos-ajos ñga mapotí, V.

HYMENODICTYON. (*Rubiaceae*.) Trees or shrubs with thick branches and bitter bark.

Hiligáñga, T.; Haligáñgo, T.

H. EXCELSUM Wall. Leaves ovate, pubescent, panicles large, often drooping.

Cueñ-bañé (Masbate); Huligáñga, T.

HYPOESTES (*Acanthaceae*.) Herbs or shrubs with entire or toothed leaves.

Aguibágan (Cagayan); Dílan-áso, T.

H. LAXIFLORA Nees. Branches herbaceous, diffuse, minutely pubescent: corolla pink or white.

Cumbár, Pamp.; Pansipansí, T.

H. FRANQUEVILLEI Miq. Cogón-cógon, T.

HYPTAGE MADABOTA Gaertn. (*Malpighiaceae*.) Climbing or suberect shrub; flowers fragrant; fruit winged.

Comimpól, V.

HYPTIS BREVIPES Poir. (*Labiatae*.) An erect annual, flowers in heads  $\frac{1}{2}$  inch in diameter.

Combarcombáran, T.

H. CAPITATA Jacq. Combarcombáran, T.; Liñgalinñgáhan, T.; Palapaságui, V.; Turucán, T.

H. SUAVEOLENS Poir. Flowers blue, plant aromatic, very common.

Lóco-lóco, V.; Pansipansán, T.; Sóob-cabáyo, T.

## I.

ICHNOCARPUS FRUTESCENS R. Br. (*Apocinaceae*.) An extensive climber with variable leaves and rusty-pubescent axillary and terminal cymes.

Copralín, T.; Hingufo, T.

I. OVATIFOLIUS A. DC. Hipgí, V.; Sadác, Ig.

IGUANURA. (*Palmae*.) Slender unarmed palms.

Casibainláng (Paragua); Lumbiác (Tayabas).

ILEX. (*Ilicinca*.) Shrubs or small trees with alternate simple glossy, often spinous, leaves.

Talotó-on (Benguet).

ILLIPE. (*Sapotaceae*.) Trees with milky sap.

Tagátoi, T.

I. BETIS Merrill. A large tree, the timber of much value.

Bacáyao, Pang.; Bantí, B.; Bétis, T., Pamp.; Bétis laláque, T.; Bítis, T.; Pagpágan, Cag.; Paflan; Pappágay, Cag.

IMPATIENS BALSAMINA L. (*Geraniaceae*.) A succulent glabrous or pubescent herb with rose-colored flowers, commonly cultivated for ornament.

Camantígui, T., Pamp.; Solóñga, V.; Suráñga, V.

IMPERATA ARUNDINACEA Cyrill. (*Gramineæ*.) A perennial grass 1 to 3 ft. high with narrow silvery-silky panicles; common.

Balili, Pamp.; Císea cógon, T., V., B.; Ilib, Pamp.

INDIGOFERA. (*Leguminosæ*.) Small undershrubs, the source of the dye indigo.

Tágum-tágum, V.; Táyum, T.

I. ANGUSTIFOLIUS L. Táyon-táyon.

I. TEYSMANNI Miq. Balabalatúnigan, B.; Tágum, V.

I. TINCTORIA L. Añil, Sp. Fil.; Tágum, V.; Tágung, V.; Tayáng-tayúnigan, B.; Táyon, T.; Táyung, Pamp.

IPOMOEA. (*Convolvulacæ*.) Twining, usually herbaceous vines, with large, usually white or pink flowers.

Báguin-castila, T.; Cebólli-cebollisan, T.; Halobagbúg, T.

I. BATATAS L. The sweet potato.

Camóte, Sp. Fil.; Tigsí, V.

I. BONA-NOX Linn. Calacamóte, V.; Camocamotihan, T., V.; Malacamóte, V.

I. HEDERACEA Jacq. Cultivated for ornament and spontaneous; flowers pale blue, turning pink.

Bulacán, T.

I. MARIANENSIS Chois. Tugní-tugnían, T.

I. MURICATA Jacq. Tunquín.

I. PANICULATA R. Br. Hímag, V.; Puntaspuntás, T.

I. PELTATA Choisy. Bulacán, T.; Búlae-bulacán.

I. PES-CAPIAE Roth. Flowers purplish; common on sandy seashores.

Arodáyday, T., B.; Bagasóa, T., V.; Canígang, T., V.; Cátang-cátang, T.; Cátang-cátang, T., B.; Darípay, T., B., V.; Lagáyrá, T., B.; Lampayóng, T., B., V.; Lambayóng, T., B., Il.; Pólang-pólang (Iloilo).

I. PES-TIGRIDIS Linn. Malasandía, V.; Salasandía, V.

I. QUAMOCLIT L. Flowers crimson, leaves incised. Introduced from America, cultivated for ornament and spontaneous.

Ágao; Agóho, T., V.; Malabochóc.

I. REPTANS Poir. Common in stagnant water and very wet soils.

Cañgeóng, T., Pamp.; Tancóng, V.; Tángecong, V.

ISCHAEUM CILIARE Retz. (*Gramineæ*.) A low grass.

Tinitrigo, T.

ISOLEPIS BARBATA R. Br. (*Cyperacæ*.) A small tufted grass-like plant, common on sandy seashores.

Culilis, T.

ITEADAPHNE CONFUSA Blume. (*Lauracæ*.) Malabóniga, T.

IXORA. (*Rubiaceæ*.) Shrubs or trees with white, pink, or red flowers in corymbose cymes.

Baguín, Il.; Balái-toeác, Ig.; Balináonao (Unisan); Bantána; Bislfs (Tayabas); Dúhat-manóc, T.; Malaígot, B.; Pamayugsúcon; Quintasín, B.

I. AMBOINICA DC. Lipatát-gúbat, B.

*I. COCCINEA* L. A shrub, frequently cultivated for ornament.

Santán, T.; Tañgápó, V.

*I. FULGENS* Roxb. Tahód-nga-iláhas, V.

*I. LANCEOLARIA* Coleb. Alipóong, V.

*I. MACROPHYLLA* Bartl. Bágo-bágo.

*I. STRICTA* Roxb. Ás-as, T.; Santa Ana; Santán, T.

## J.

*JASMINUM*. (*Oleaceae*.) Scandent or erect shrubs with very fragrant white flowers.

Muráon-balonḡón (Iloilo); Ubáldo, Z.

*J. LUZONIENSIS* Vidal. Siḡḡitan, Ig.

*J. MARIANUM* DC. Laióe-laióe, V.; Silisili, T.; Siḡḡeulcúgos, T.

*J. SAMBAC* Ait. Commonly cultivated for ornament.

Capópat visaya, V.; Campópot, Pamp.; Culátai, Pamp.; Húbar (Balabac); Manúl, V.; Poúgso, Pamp.; Sampága, T.; Sampágang, Pamp.; Sampagúta.

*JATROPHA CURCAS* L. (*Euphorbiaceae*.) A small shrub, introduced from America and commonly cultivated for a hedge plant. The seeds yield a purgative oil.

Bolóng-eáuit; Casla, V.; Tatatabá, T.; Tavatáva, Il.; Tawatáva, Il.; Túba.

*J. MULTIFIDA* L. Differs from the preceding in its incised leaves.

Maná, T., Il.

*JUSSIAEA REPENS* L. (*Onagraceae*.) A creeping herb in very wet soils with small white flowers.

Cangcóng-dápo, T.

*J. SUFFRUTICOSA* L. An erect herb with 4-parted yellow flowers.

Balácbac, T. ?; Malapáco, T.; Malapóco, T.

*JUSTICIA*. (*Acanthaceae*.) Herbs or shrubs; flowers sessile or nearly so in spikes or panicles.

Báto (Balabac); Morádong; Morádong-maputi, T.

*J. DICHOTOMA* Blume. Dalaóra, V.

*J. GENDARUSSA* L. A shrub, 3 to 5 ft. high, corolla white or rose, with purplish spots.

Bunláo, V.; Capanítúlot, T.; Paritúlot, T.

## K.

*KAEMPHERIA GALANGA* L. (*Scitimineae*.) Cósol, V.; Cuísol, V.; Cúsol, Pamp., V.; Cúsul, V.; Dósol, Z.; Dúso, T.; Dúsul, T.; Guísol, T.; Guísul, V.; Quísol, V.

*KALANCHOE LACINIATA* DC. (*Crassulaceae*.) Succulent, erect herb, with laciniate leaves.

Catacatacá, T.; Siemprevéa, Sp. Fil.

*K. SPATHULATA* DC. Leaves spathulate-oblong, crenate.

Caritána, V.

*KAYEA PHILIPPINENSIS* Planch. (*Guttiferae*.) A tree.

Malaguínisan, V.



K. RACEMOSA Pl. and Tr. Guislan, T.

KIBARA CORIACEA Perk. (*Monimiaceæ*.) A tree.

Malatambís; Púlib (Zamboanga).

KLEINHovia HOSPITA L. (*Sterculiaceæ*.) A tree with palminerved leaves, lax paniculate inflorescence, and inflated membranous capsules. The bark yields a strong bast fiber.

Bignón, Il.; Bitang; Bitnóg, Il.; Bitnón; Bitnóng, Il.; Hamitanágo, V.; Pampár; Panampát, Pamp.; Tan-ág, T., V.

KOORDERSOIDENDRON PINNATUM Merrill. (*Anacardiaceæ*.) A tree with pinnate leaves, tufted at the ends of the branches; yields a valuable timber.

Ambogués; Amoguís, T.; Amuguís, T., V.; Calumánog, V.; Mangatóláy?; Palosánto, T.; Muguís; Sambalabúan; Sambuláguan.

KYLLINGA MONOCEPHALA Rottb. (*Cyperaceæ*.) Low, tufted, grass-like plant.

Anúang, T.; Barubatónes, V.; Bolobotónes, V.; Borobotónes, V.; Bosfcad, V.; Bóton-cílo, V.; Malaapólid, Pamp.; Malabotónes, V.; Mútha, V.; Sud-súd, V.; Tóbo-tóbo-lángit, V.

## L.

LAGENARIA VULGARIS Seringe. (*Cucurbitaceæ*.) A large tendril-bearing climber cultivated for its large edible, bottle-shaped fruit.

Calúbay, V.; Ópo, T.; Síca, V.; Úpo.

LAGERSTROEMIA. (*Lythraceæ*.) Trees or shrubs with showy flowers.

Midla, Pamp.

L. BATITINAN Vid. A tree yielding a valuable timber.

Batitinan, T.; Buguáron; Lumáti; Mangláti.

L. INDICA L. A shrub with showy bright pink flowers, cultivated for ornament.

Meléndres (Manila). The "erape myrtle."

L. SPECIOSA Pers. A medium-sized tree with large purplish flowers. The wood is hard and durable.

Agáro, Z.; Banabá, T., V., Mang.; Macabálo, Pang.; Mittla, Pamp.; Tabánigan, Cag.

LANSIUM DOMESTICUM Jack. (*Meliaceæ*.) A tree with pinnate leaves and sessile or subsessile flowers, cultivated for its edible fruit.

Bóboa, V.; Boocán, V.; Buláhan, V.; Lansóne, T.; Lansónes, T.; Lanzón.

LANTANA CAMARA L. (*Verbenaceæ*.) An aromatic shrub with heads of yellow, pink, or red flowers, introduced from America and now common about towns in the Philippines.

Bóbo-bóho, V.; Coronitas, Sp. Fil.

LAPORTEA GAUDICHAUDIANA Wedd. (*Urticaceæ*.) Perennial herb with stinging hairs.

Apariágua, T., V.; Búlan-búlan, V.; Lasnágáton, T., V.; Liñgátón, (?); Lipá, T.; Lipáng-dóton, Pamp.; Lípáy, V.

- LAWSONIA ALBA** Lam. (*Lythraceæ*.) A shrub or small tree with panicles of straw-colored flowers, introduced from Asia and cultivated for ornament.  
Cinamómo, Sp. Fil.
- LEEÄ.** (*Ampelidaceæ*.) Shrubs or small trees with terminal corymbose cymes and red, yellow, or green flowers.  
Bálam-bálam; Hára, T.; Taliantán, T.; Talostós.
- L. ACULEATA** Blanco. Malí-malí, T., Pamp.; Pamanguilon, V.; Pananguflon, V.
- L. JAVANICA** Blume. Carádat, V.; Garádat, B.; Panayanṅtagón, V.; Sípit-cáit; Súpit-caíḡ, T.
- L. RUBRA** Blume. Abáng abáng, T.; Caliantánṅ, T.
- L. SAMBUCINA** Willd. Amamále, V.; Caliangtáng; Hamamále, V.; Mamále, V.
- LEMNA.** (*Lemnaceæ*.) Minute, floating, green, scale-like plants.  
Inália, T.
- LEONURUS SIBIRICUS** L. (*Labiataæ*.) An erect, leafy, stout herb, the inflorescence whorled, axillary, corolla red.  
Camariáng songsóng, T.
- LEPIDAGATHIS.** (*Acanthaceæ*.) Herbs or undershrubs, the flowers sessile, usually capitate.  
Hánṅut-na-babáe.
- L. LUZONIAE** Nees. Lipsipán, T.
- LEPIDOPETALUM.** (*Sapindaceæ*.) Shrubs or trees.  
Díla-díla, Pamp.; Hualís, T.; Malacacáo; Ngisingísi, T.; Palo-négro.
- L. PERROTTETII** Blume. Báhay, T., V.
- LEPINIOPSIS TERNATENSIS** Valetón. (*Apocinaceæ*.) Tree.  
Cúyon-cúyon, V.
- LEPISTEMON RENIFORMIS** Hassk. (*Convolvulaceæ*.) A twining herbaceous vine.  
Batobató, T.; cúpit-cupit, Il.
- LEPTOSOLENA HAENKEI** Presl. Hagúḡuit, V.
- LEUCAENA GLAUCA** Benth. (*Leguminosæ*.) A small shrub with globose heads of white flowers. Introduced from America and common about towns.  
Ágho, V.; Santa Helena.
- LEUCAS.** (*Labiataæ*.) Woolly or villous herbs or undershrubs with axillary whorls of white flowers.  
Maputí, T.
- L. ASPERA** Spreng. Carucansóli, T.; Paipáisi, V.; Pansipansí, T., V.; Paypáysi, V.; Solasolasán, T.
- L. LINIFOLIA** Spreng. Parnipansí.
- LEUCOSYKE CAPITELLATA** Wedd. (*Urticaceæ*.) A shrub or small tree, the leaves white beneath, prominently nerved.  
Alaggási, V.; Alánggasi, V.; Anagási, B.; Haganási (Camarines); Lalási, Ig.; Langgási, V.; Layasín, T.; Leásin, T.
- L. HISPIDISSIMA** Miq. Salagúiso (Albay).
- LICUALA.** (*Palmeæ*.) Balátbat (Paraguay).

L. ELEGANS Mart. Anáhao, T.

L. SPECTABILIS Miq. Anáhao, T., V.

LILIUM PHILIPPINENSE Baker. (*Liliaceae*.) A lily with large white flowers found in the mountains of Northern Luzon.

Cañón, Il.; Soyósoy, Ig.

LIMNANTHEMUM CRISTATUM Griseb. (*Gentianaceae*.) An aquatic herb with long floating stems.

Láuas, T.; Loloqufsen, Il.

LIMNOPHILA GRATIOLOIDES R. Br. (*Sorophulariaceae*.) A small herbaceous plant found in swamps and rice paddies. It has the odor of turpentine.

Ináta, T.

L. MENTHASTRUM Benth. Talatála, Pamp.; Tarambampám, T.; Taratára, Il.

L. REPENS Benth. Orégano, Sp. Fil.

L. ROXBURGHII G. Don. Tála, T.

LIMNOPHYTON OBTUSIFOLIUM Miq. (*Alismaceae*.) An erect succulent marsh plant.

Locáy?, T.

LINOCIERA. (*Olceaceae*.) Shrubs or trees with opposite entire leaves and axillary or terminal inflorescence.

Balóc-balóc, T.; Carocsán, T.; Cayantól, Z.; Daláyat, Z.; Puténg, T.; Urután, T.

L. CORIACEA Vidal. Anátao, T.; Pulát, T.

L. CUMINGIANA Vidal. Culilísiao (Tayabas).

L. LUZONICA F. Vill. Caropsán; Guruguanábao, V.

LIPPIA NODIFLORA Rich. (*Verbenaceae*.) An annual, creeping, much-branched herb with numerous heads of pink flowers.

Chachachacháhan, T.; Corocarcúdan, V.; Siríc-púyo, V.; Tsatsatsa-tsáhan, T.

LITSEA. (*Lauraceae*.) Trees, some species being valuable for their timber.

Anónag, T.; Arána, B.; Bácan, T.; Batíno, T.; Batobató, T., V.; Bitocoling, T.; Caláftie, Mang.; Calambác, V.; Hópong-hópong; Libácan, T.; Maguflie, Z.; Malabilúcas, T.; Malacalubécú, T.; Malamángá, Cag.; Malapúso, B.; Malasfeo, T.; Maracúlan, Il.; Márang, T.; Nolaláqui, T.; Ópong-ópong, B.; Paimaíbai, T.; Paloaf, B.; Pasasablút, Il.; Paúhan (Mindoro); Saripongpóng, B.

L. ALBAYANA Vidal. Aráhan (Albay).

L. CHINENSIS Lam. Láuat, V.; Pusopúso, T.; Sablút, Il.

L. GARCIAE Vidal. Pípi, V.

L. LUZONICA Blanco. Balíbay.

L. MAGNIFICA B. and H. Mádag, T.

L. FERROTTETH B. and H. Indáng, V.; Baticulín, T.; Baticulíng, T.

LIVISTONA. (*Palmæ*.) Anáhao, T., V.

L. PAPUANA Becc. Anáo, Pamp.; Bolóng lúyong, Pamp.

L. ROTUNDIFOLIA Mart. Abián, Pang.; Anaáo, Il.; Anáhao, T.; Anan, Cag.; Báhi, V.; Bállang, Cag.; Lábig, Il.; Labindanáia?, Il.; Pálma-bráva.

LOPHOPETALUM. (*Celastraceæ*.) Trees or shrubs.

Búyun (Zamboanga).

L. TOXICUM Loher. A tree, the bark used by natives to poison arrows.  
Abútab.

LORANTHIUS. (*Loranthaceæ*.) Small parasitic shrubs.

Basár-basár, Il.; Císip, Ig.; Gácea, Ig.; Pañglonbóyen, Ig.; Ūbie-  
úbis, Il.

L. AMPULLACEUS L. Dapó-sa-pájo, T.

L. BLANCOANUS F. Vill. Malabáchao (Cebu).

L. PAUCIFLORUS Blanco. Binbñguay, Il.

L. PENTANDRUS L. Mampól, V.

L. PHILIPPINENSIS Blanco. Dápo-sa-cáhuy.

L. SPICIFER F. Vill. Catúñgao, Ig.

LUCUMA MAMMOSA Gaertn. (*Sapotaceæ*.) A tree introduced from America  
and cultivated for its edible fruit.

Chíco-maméy; Maméy, T.

LUFFA ACUTANGULA Roxb. (*Curcubitaceæ*.) An herbaceous vine, fruit  
elongate, 10-angled.

Saycúa, V.

L. AEGYPTIACA Mill. Cultivated for its edible fruit.

Patóla, T., V.

LUMNITZERA PURPUREA Presl. (*Combretaceæ*.) A shrub or small tree  
with crimson flowers, common along the seashore, borders of man-  
grove swamps, etc.

Agnáya, T.; Culási, T.; Dalúru-babáe, B.; Doblésa, T.; Libáto, T.;  
Libáto-pulá (Tayabas); Maóro, V.; Sagása; Tóñlog, B.

LUNASIA. (*Rutaceæ*.) Shrubs.

Cacáo-caeáuan, T.; Malalígas-na-babáe.

L. AMARA Blanco. Bonlaf, B.; Lúnas, T.; Lúnas-bundóc, T.; Macabúhai,  
T.; Paft, T.; Paitán, T.; Paft-paft (Zamboanga); Patan, V.; Saguft.

L. GRANDIFLORA Muell Arg. Malacacáo, T.

LYCOPERSICUM ESCULENTUM Mill. (*Solanaceæ*.) The tomato, introduced  
from America; cultivated and spontaneous.

Camátis, T., Il.; Tomátes, Sp. Fil.

LYCOPodium. (*Lycopodiaceæ*.) Paeyómeon.

LYGODIUM DICHOTOMUM Sw. (*Filices*.) Twining ferns, the stems being  
used by the natives in the manufacture of hats, etc.

Níto, T., V.

L. SCANDENS Sw. Nítong-putí, T.

## M.

MABA BUXIFOLIA Pers. (*Ebenaceæ*.) Ebony, the wood black.  
Ébano.

MACARANGA. (*Euphorbiaceæ*.) Shrubs or small trees.

Anítap, Ig.; Belúñga, T.; Bilúa, Pamp.; Bilúan-laláque, T.; Bílung,  
T.; Ginábang, Il.; Malabónnga, T.

M. BICOLOR Muell. Arg. Amúblit, V.; Hamfndan, V.

- M. MAPPA Muell. Arg. Camáisa, T.; Biláun; Binḡábing, T.; Binuáng, T.; Bonḡábong, V.
- M. TANARIUS Muell. Arg. Bilan, Pamp.; Binónḡa, T., V., Pamp.; Binúan, T.; Bilúnḡa, T.; Binúnḡa, V.; Guinábang (Abra); Malabónḡa; Minónḡa, T.; Samác, Il.; Taquípasín, T.
- MAESA. (*Myrsinaceae*.) Shrubs or small trees.  
Dagang-dáng (Jolo); Palípal, T.; Patéput, T.; Patípol (Morong).
- M. GAUDICHAUDII, A. DC. Solínao, T.
- M. HAENKEANA Miq. Maguttáta, V.
- M. INDICA A. DC. Calicot (Tayabas); Catteot, T.
- M. LAXA Mez. Bagumaóniao, B.
- MALACHRA BRACTEATA Cav. (*Malvaceae*.) An annual or perennial coarsely hairy herb with angled leaves and yellow flowers.  
Anábo, V.; Lábog-lábog, V.; Lapnís; Lapnís na bolohán, T.; Vocábul, T.
- MALAISSIA TORTUOSA Blanco. (*Urticaceae*.) Hinḡuén, T.; Malaisís, T.; Sabá, T.
- MALLOTUS. (*Euphorbiaceae*.) Shrubs or small trees.  
Dáha; Mahótay, V.; Malambáng, T.
- M. FLORIBUNDUS Muell. Arg. Túla-túla, B.; Túya-túya, B.
- M. MOLUCCANUS Muell. Arg. Ahling, T.; Alim, T.; Aling, B.; Cáhoý da-lága, T.; Taguíp-asín, T.
- M. PANICULATUS Muell. Arg. Halaúmo, V.
- M. PHILIPPINENSIS Muell. Arg. Fruit red, medicinal.  
Apúyot, Z.; Banáto, T.; Banáto, T.; Buás, Il.; Sála, T., V.; Vúas, Il.
- M. RICINOIDES Muell. Arg. Alem, Il.; Álim, T.; Alum, V.; Árum; Balaebá-lae, T.; Búntot-púsa, T.; Gá-ga, T.; Malaachuéte, Pamp.; Pacácal; Pacalcál, Pamp.; Pilípud, V.; Sála; Tambón-tambón (Tayabas); Tapít, B.; Taquíp-asín, T.; Tobógor, T.; Tres-púntas, Sp. Fil.; Vílos, Pamp.
- MANGIFERA. (*Anacardiaceae*.) Trees.  
Malapáho, T.; Paupaútan, T.
- M. ALTISSIMA Blanco. Áppan (Cagayan); Magatádi (?), Cag.
- M. ANISODORA Blanco. Mánga-anís.
- M. CAESIA Jack. Balúnut; Bayúno, V.; Uáni, (Jolo).
- M. FOETIDA Lour. Paopáuan T.
- M. INDICA Linn. The mango.  
Mampálan (Jolo); Mánga, T., V.; Mángga, T., V.
- M. LONGIPES Griff. Páho, T., V.; Páho-séco (Cebu); Pájo, T.; Páo, Il.; Paopánan; Papohótan; Papónya.
- M. ODORATA Griff. Pahohótan, V. T.; Páli, V.
- MANIHOT UTILISSIMA Pohl (*Euphorbiaceae*.) An erect frutescent plant from large tuberous roots. The tapioca plant.  
Camóting cáhoý, T., V.
- MAOUTIA. (*Urticaceae*.) A shrub.  
Aróe-mámay, B.
- M. PLATYSTIGMA Wedd. Pinúan, Ig.
- MARLEA BEGONIEFOLIA Roxb. (*Cornaceae*.) A tree.  
Bagalóan, T.; Bagaólan, T.; Calumpagín, T.

- MARSDENIA TAGUDINIA Blanco. (*Asclepiadaceæ*.) Tayomtáyom, H.  
M. TINCTORIA R. Br. A tall climbing vine.  
Arínigít, V.; Payanguít, V.
- MELASTOMA. (*Melastomaceæ*.) Shrubs with showy purplish flowers.  
Boslóg-ámo, T.; Búyong, V.; Granátes; Hantutúnigao, T.; Léngay, T.;  
Malatú-ao, Cag.; Túnigao, B.
- M. IMBRICATUM Wall. Agúsip, V.
- M. MALABATRICUM L. Granátis, T.
- M. OBVOLUTUM Jack. Boáda, Ig.; Bóta-bóta, H.; Túnan-túnan, V.
- MELIA. (*Meliaceæ*.) Trees.  
Malatibí (Morong).
- M. AZEDARACH L. A shrub, cultivated for ornament.  
Paraíso, Sp. Fil.
- M. CANDOLEI Juss. Balagánigao, T.; Malafba, T.; Malongáin, T.; Malu-  
nigáyen; Quintána, T.
- M. DUBIA Cav. Bagalúga, V.
- MELICOPE TERNATA Forst. (*Rutaceæ*.) A shrub.  
Matáng-árag, T.
- MELOCHIA. (*Sterculiaceæ*.) Herbs or shrubs.  
Samác, Pamp.
- M. ARBOREA Blanco. A shrub or small tree, the herbaceous portions stellate-  
hairy. The bark yields a strong bast fiber.  
Balígnon, V.; Balítnon, V.; Banítlon; Binúniga, H.; Malaachuéte, T.
- M. CORCHORFOLIA L. An erect, much-branched herb.  
Calínigan, V.
- MELODORUM FULGENS Hook. f. & Th. (*Anonaceæ*.) A large woody climber  
or (?) a small tree.  
Amúyon; Amúyong, Pamp.
- MELOTHRIA INDICA Lour. (*Curcubitaceæ*.) A nearly glabrous climbing  
vine with globose fruits.  
Milón-dagá, T.
- MEMECYLON. (*Melastomaceæ*.) Glabrous shrubs or trees with opposite  
leaves and small flowers.  
Anátan, T.; Díac, Pamp.; Hágon, B.; Malabahío, B.; Panaypáy; Pani-  
lóniga-báca; Sínit.
- M. EDULE Roxb. Cácha; Candón, H.; Coles, T.; Cúles, T.; Cúlis, T.;  
Saguinsín, V.
- M. FLORIBUNDA Blume. Babágion.
- M. PANICULATUM Jack. Pasaguít, T.
- METROSIDEROS VERA Rumph. (*Myrtaceæ*.) Bárit, V.
- METROXYLON (*Palmæ*.) Ambólong, V.; Ambúlong, V.; Sacúsac, V.
- MEUSA FERREA Linn. (*Guttifereæ*.) A glabrous tree with yellow flowers.  
Malaboeóc, Malabuebúe (?), T.
- MEZONEURUM (*Leguminosæ*.) Robust woody, prickly climbers with bipin-  
nate leaves and paniculate inflorescence.  
Cámot-púsa, T.; Cánus-cábag, T.
- M. GLABRUM Desf. Cabít-cábag, T.; Sagnít, T.; Sapnít, T., Pamp.; Sít, V.;  
Tugábang, V.; Ugábang, V.

- MICHELIA CHAMPACA** L. (*Magnoliaceae*.) A tree with pale yellow or orange very fragrant flowers. Cultivated for ornament.  
Sampáe, T.; Sampáca, T.; Champáca, Sp. Fil.; Champága, T.; Tsampáca, T.
- MICROMELUM**. (*Rutaceae*.) Shrubs or small trees.  
Áyo-áyo; Ayu-áyu; Cáhoý dalága; Malalúpay, Pamp.; Matáares, T.; Paft.
- M. TEPHROCARPUM** Turcz. Bintfing-dalága, (Tayabas): Calimbahín, T.; Malacádpó, T.; Mayúmus; Paft-paft; Tulíbas, T.
- MILLETTIA PULCHRA** Benth. (*Leguminosae*.) An erect tree, the branches and leaves beneath clothed with a grayish silky pubescence.  
Bútong, V.
- M. SERICEA** W. & A. A woody climber.  
Bótong, V.
- M. SPLENDENS** W. & A. Túbli, T.
- MIMUSOPS**. (*Sapotaceae*.) Trees.  
Pisangdáya, T.; Postalágon, Z.
- M. ELENGI** L. A tree with fragrant straw colored flowers, frequently cultivated for ornament.  
Bansalágue, T., V.; Cabíqui, T., V.; Bansalágin, T.; Bansalágon, T., V.; Bársic, T.; Pasáe, T., Z.; Talipópo, V.
- MIMOSA PUDICA** L. (*Leguminosae*.) A prostrate spreading plant with numerous heads of pink flowers and sensitive leaves. Introduced from America.  
Damó-hía, T.; Húya-húya, V.; Macahíya, T.
- MIRABILIS JALAPA** L. (*Nyctaginaceae*.) A somewhat succulent herb with white, or more often, red flowers. Introduced from America and cultivated for ornament, also spontaneous.  
Guilalás, T.; Diégo-de-nóche; Gilalás, T.; Maravillas, Sp. Fil.; Oración, Sp. Fil.; Suspiros, Sp.
- MITRAGNE**. (*Rubiaceae*.) Shrubs or trees, the flowers in globose heads.  
Mambóg, T.
- MITREPHORA RETICULATA** H. f. & Th. (*Anonaceae*.) A tree.  
Talimúrong, T.
- MODECCA CARDIOPHYLLA** Mart. (*Passifloraceae*.) A shrub with long petioled cordate-ovate, acute leaves.  
Salápong, T.
- M. HETEROPHYLLA** Blume. Melóng-onáe, T.
- M. PALMATA** L. Leaves glandular, palmately lobed or entire.  
Binoyóc-boyóc, T.
- M. TRILOBATA** Roxb. Leaves three lobed.  
Líbas.
- MOLLUGO**. (*Ficoideae*.) Herbs.  
Amargóro bábi, Pamp.; Margóso damulog, Pamp.
- M. HIRTA** Thunb. Prostrate, stellately wooly.  
Lobfo, T.
- M. OPPOSITIFOLIA** L. Sarsalída, T.

- M. PENTAPHYLLA* Linn. Malugóso, V.; Salsalída, V.
- M. STRICTA* L. Often a foot high, glabrous.  
Malagóso, T.; Molugóso, T.
- MOMORDICA BALSAMINA* L. (*Curcubitaceæ*.) A slender herbaceous vine, the rough, elongated fruit edible. Cultivated.  
Amargóso, Sp. Fil.; Ampaláya, T.; Ampaléa, T.; Apaláya, T.; Apália, Pamp.; Margóso, T.; Palía, V.; Pállá, T.; Paría, H.; Sampalía, V.
- M. COCHINCHINENSIS* Spreng. A large vine with ovate, muricate red fruit.  
Bóyoc-bóyoc, T.; Buyóc-buyóc, T.
- MONOCARPIA BLANCOI* F. Vill. (*Anonaceæ*.) Cálai, T.
- MONOCHORIA HASTÆFOLIA* Presl. (*Pontederiaceæ*.) Aquatic herbs.  
Cósol-cósol, V.; Gábi-gábi, V.; Gabínan, T.; Páyao-páyao, V.
- M. VAGINALIS* Presl. Calabáo, T.; Calabóa; Hingufon.
- MORINDA BRACTEATA* Roxb. (*Rubiaceæ*.) A shrub.  
Adegáste, V.; Aliáma; Aníno, V.; Apátot, H.; Apátut, T.; Bancóro, T.; Bañgéoro, T., V.; Bañgéudo, V.; Cáho-y-dalága, T.; Cóles, T.; Cúlit, T., V.; Líno, Pamp.; Mambóg, T., V.; Níno, T. V.; Pancúdo, T. V.; Sicáleg, V.; Taliantár, Pamp.; Túmbong-áso, T.
- M. CITRIFOLIA* L. Bancúdo, T., V.; Bañgéudo, V.; Líno, V.; Níno, T., V.; Tombóng-áso.
- M. TINCTORIA* Roxb. Halon, T.; Túmbong-áso-hápay, T.
- M. UMBELLATA* Linn. Túnbon-áso.
- MORINGA OLEIFERA* Lam. (*Moringaceæ*.) A small tree with soft white wood, white flowers, 9-ribbed capsule and winged seeds.  
Balúnggay, V.; Béhen; Calúgay, T.; Calúngai, T., V., Pamp.; Camalúngue, Pamp.; Camalóngay, T., V.; Dóol, V., Pamp.; Malúngay, T., V.; Malúngit, V., Pamp.; Malúgit, V., Pamp.
- MORUS ALBA* Linn. (*Urticaceæ*.) A small tree, the mulberry, introduced from Asia and occasionally cultivated.  
Morál; Móras.
- MOSCHOSMA POLYSTACHYUM* Benth. (*Labiaceæ*.) A slender, much-branched herb, 2 to 4 ft. high, the angles of the stem frequently rough.  
Lodócong, Pamp.
- MUCUNA ATROPURPUREA* DC. (*Leguminosæ*.) A woody climber, the pod covered with yellowish brown irritating bristles.  
Nípai, V.
- M. MONOSPERMA* DC. A woody climber with a 1-seeded pod.  
Buiqufquit, T.; Lípai, T.
- M. NIVEA* DC. An annual climbing vine, the pods glabrous when mature.  
Calabantós, V.
- M. PRURIENS* DC. An annual vine, cultivated.  
Lípay, V.; Nípay, T.
- MUEHLENBECKIA*. (*Gramineæ*.) Slender grasses.  
Aluphan, T.
- MUNTINGIA CALABURA* Linn. (*Tiliaceæ*.) A small tree with small edible dark fruits. Introduced from Mexico.  
Cérézas, Sp. Fil.: Dátiles, Ratiles.



- MURRAYA EXOTICA L.** (*Rutaceæ*.) A shrub or small tree with glabrous 3 to 8 foliate leaves and small globose berries.  
 Banaási, Il.; Banáot, Z.; Banási, Pang.; Banáti, V., Pamp.; Banaasi, Il.; Camunfng, T.; Camunín, V., Pamp.; Moláuin, T.; Molávin, T.
- MUSA.** (*Musaceæ*.) The bananas, plantains, Manila hemp, etc.  
 Agútay, V.; Alátánay (Cagayan); Aua, Il.; Batabía, nga potí, V.; Búy, Il.; Canála, V.; Canára, V., T.; Culubúng, Pamp.; Lisóhan, V.; Pácol, V.; Quilalá, V.
- M. PARADISIACA L.** The plantain. Many varieties are recognized by the natives.  
 Afapúyan, (Cagayan); Afúyan, (Cagayan); Alimúquen, Il.; Anuáng, T.; Arieúndai, V.; Arieúndal, V.; Báloi, V.; Báloy, T.; Binaláton, V.; Biñgticóhol, T.; Bisco, T.; Botohán, T.; Buñgúlan, T.; Caractón, V.; Dalívi-dalága; Dinugúan, T.; Goyóran, T.; Lantúndal; Machín; Matávia, T.; Plátano, Sp.; Quinanáyan, T.; Sabáng-visáya; Ságuing, T.; Tinálong, T.
- M. SAPIENTUM L.** The banana. Many varieties are recognized by the natives. Probably not specifically distinct from the preceding.  
 Ampál, V.; Anonó; Anuáng; Carnáte, V.; Baláñgun, V.; Baláyang, Il.; Batávia; Benticóhol, T.; Bináto, V.; Botóan, T.; Bunnéc, Il.; Butnég, Il.; Butnéng, Il.; Butúan, T.; Dinugúan; Lacatán, T.; Móco, (Iloilo); Pampáng, V.; Plátano, Sp.; Sabá, Il.; Ságing, T., V.; Tampuhng, T.; Tarnáte, V.
- M. TEXTILIS** Nees. The plant that produces the fiber known in commerce as Manila hemp.  
 Abacá, T., V.; Lánot, V.; Lanótan, V.; Páguá, V.; Útta (Cag.).
- MUSSAENDA.** (*Rubiaceæ*.) Shrubs with yellow flowers, each flower with a large white leaf-like bract.  
 Bayág usá; Bota, Ig.; Búyor, V.; Tálic-haráp, (Tayabas); Tinulúan-gátas, T.; Tenoluáng gátos, T.
- M. ANISOPHYLLA** Vidal. Búyon, V.
- M. FRONDOSA L.** Buláclac-nañg-dalága; Matinggáin.
- M. GRANDIFLORA** Rolfe. Agbóy, V.; Balái-lamóe, Il.; Buyén (Balabac); Cáhoý dalága, T.; Malacafé (?), V.; Matang-áran, V.; Taba-tabá, V.; Tínga-tínga, T.
- MYRISTICA.** (*Myristicaceæ*.) Trees generally with hard wood. The nutmeg belongs in this genus.  
 Alanígni (Zamboanga); Banabanálo, T.; Bitanhól-na-babáe, B.; Carúgu, T., V.; Dugóan, B.; Durúgu, T., V.; Hindurúgu, T. V.; Láho, V.; Malacádios; Oyisan, T.; Oyóc, Ig.; Saguíng-nang-cáloa, B.; Tábao, T.; Ubán (Tarlac).
- M. CUMINGII** Warb. Dugúan, T.; Malatálang, T.
- M. GUATTERIFOLIA** A. DC. Camás, (Zamboanga); Tálang-bundóe, T.; Tugán, T.
- M. MINDANAENSIS** Warb. Duháo, (Zamboanga).
- M. PHILIPPINENSIS** Lam. Anís cáhoi, T.; Anís moscáda, T.; Balintúa, (Zamboanga); Dugóan; Tálang-tálang, T.
- M. SIMIARUM** A. DC. Anúping, (Zamboanga); Manumbága, (Zamboanga).

## N.

NARAVELIA. (*Ranunculacæ.*) Climbing shrubs with flowers in axillary 1-flowered peduncles.

Cáuad caúasan, T.; Óvai-na-paṅgláo, Il.; Parápit-hāṅgin, T.

N. LAURIFOLIA Wall. Bánai-bánai, Il., T.; Ductúng-áhas, T.

NAUCLEA. (*Rubiaceæ.*) Shrubs or trees with white flowers in a dense globose inflorescence.

Bagarílo na itím, T.; Bancál, T.; Bancalánan, (Zamboanga); Baṅgal, T.; Hambabái, V.; Himbabálob, T.; Hambálod, T., V.; Hambabáyod, V.; Lisác, T.; Magarílo, T.; Oisác, T.

N. BLANCOI Vidal. Mambóg, B.

N. GLABERRIMA Blanco. Bangeál.

N. GLABRA DC. Bagalírat.

N. OBUSA Blume. Ambabálud, V.; Ambálod, T., V.; Babálod, T., V.; Bálod, T., V.; Hambabálod, T., V.

N. PURPUREA Roxb. Caluntíṅgan-ṅga-itím, V.; Caluntíṅgan-ṅga-muláto, V.

NEESIA ALTISSIMA Blume. (*Malvaceæ.*) A lofty tree.

Libato-na-putí, T.

NELITRIS. (*Rubiaceæ.*) Alungeágay, V.; Granátes, T.; Malatumbága, T.

NELUMBUM SPECIOSUM Willd. (*Nymphaeaceæ.*) An erect, large water herb with peltate leaves and white or pink flowers.

Bafno, T.; Baynó, T.; Súcao, Il.

NEPENTHES. (*Nepenthaceæ.*) Usually climbing plants, the midrib of the leaves produced into a peduncle which bears a pitcher of various forms.

Arán-cálo, V.; Cáca, T.; Inúmang-cálo, T.; Jarríto, T.; Pichél, T.

N. ALATA Blanco. Batbatidór, Ig.; Batidór, Il.; Cadúng, Ig.; Gorgoréta, Il.; Járro, Il.

N. GRACILIS Korth. Sogonsógon, V.; Suludsúlud, V.

N. VENTRICOSA Blanco. Saludsalúd.

NEPHELIUM. (*Sapindaceæ.*) Trees, some species valued for their timber.

Apátong, T.; Ayúpag, T.; Bacálo, Pang.; Sambuálo, V.

N. GLABRUM Noronh. Alípai, T.; Alípay; Alpay, T.; Alúpag, T.; Alúpay; Baccálo; Bóboa, V.; Guisfan, T.; Guisíhan, T.; Lechías, T.; Tinai-ṅuí, T.

N. LITCHI Camb. Fruit edible.

Halópag-ámo (Tayabas); Lechía.

N. LONGANA Camb. Alípai, T.; Alpái, T.; Alúpag, T.; Alúpai, T.; Lechías, T.

NICOTIANA TABACUM L. (*Solanaceæ.*) Tobacco. Introduced from America. Tabáco, Sp. Fil.

NIPA FRUCTICANS Wurm. (*Palma.*) The leaves of this species are extensively used for the purpose of thatching houses.

Lása; Nípa, T.; Sága, Z.; Sasá, T.; Táta, Cag.

NYMPHÆA LOTUS L. (*Nymphaeaceæ.*) Large aquatic herbs, the pond lilies.

Gávai-gávai, V., T., Pamp.; Gáway-gáway; Lávas, T., V., Pamp.; Lúnas; Talaflo, T., V., Pamp.; Túnas, T., V., Pamp.; Taláylo.

N. STELLATA Willd. Láuas, T.

## O.

- OCHINA SQUARROSA Linn. (*Ochnacea*.) A shrub or tree with alternate serrate leaves and yellow flowers.  
Bansilay, V.; Basflay.
- OCHROCARPUS. (*Guttifera*.) Trees with coriaceous leaves and axillary flowers.  
Malabúnao, B.
- O. PENTAPETALUS Blanco. Namaepácan, Il. (?); Pamitláin, Il.; Pamitlatín, Il.
- OCIMUM BASILICUM L. (*Labiatae*.) A strongly scented herb with pink or purplish flowers.  
Bonáe, V.; Calóoy, V.; Canéla, V.; Solási, T.; Sulási, T.
- O. GRATISSIMUM L. Strongly scented, shrubby. Flowers yellow.  
Coloncógon, V.
- O. SANCTUM Linn. Strongly scented, herbaceous.  
Albaháca; Balánoi, T.; Bíday, Il.; Camanège, V.; Colocógo, V.; Lóco-lóco, T., Pamp.
- OCTOMELES SUMATRANA Miq. (*Datisacea*.) A tree.  
Banuáng, T.; Bilúa, T.; Bilúan, T.; Binónang, T.; Binuáng.
- OLAX. (*Oleaceae*.) Trees or shrubs, often scandent, sometimes prickly.  
Lágu, T.
- O. IMBRICATA Roxb. Scandent, unarmed, leaves ovate-oblong, racemes many flowered.  
Malabáguio, T.
- OLDENLANDIA DIFFUSA Roxb. (*Rubiaceae*.) An annual glabrous diffuse annual with linear leaves.  
Agúho, V.; Danfri, V.
- OLEA. (*Oleaceae*.) Trees or shrubs with small flowers in axillary or terminal panicles.  
Baíso (Central Luzon); Dflan-báca, B.; Malabútong, T.; Malapúad, Pamp.
- ONYCHIMUM AURATUM Kaulf. (*Filices*.) A fern with finely dissected leaves, yellow beneath.  
Díla-díla; Pácong-anúang.
- OPHIORRHIZA. (*Rubiaceae*.) Erect, creeping, or decumbent herbs.  
Cayob-cób (Cebu).
- OPILIA JAVANICA Miq. (*Oleaceae*.) A low, scrambling shrub with alternate entire distichous leaves.  
Aragofroy, V.
- OPUNTIA COCHINILLIFERA Mill. (*Cactaceae*.) A cactus introduced from America, occasionally cultivated for ornament.  
Dápal, V.; Dílang-báca, T.
- ORANIA REGALIS Zipp. (*Palmae*.) A palm resembling the cocoanut palm in habit, but with numerous small globose fruits 2 inches in diameter.  
Baráñgoi (Bulacan); Palindán, T.
- ORCHIPEDA FOETIDA Blume. (*Apocynaceae*.) Small tree with rather large flowers.  
Bayág cambíng, T.; Bayág usá, T.; Pantóg-sang-usá, V.

- ORMOSIA CALAVENSIS Blanco. (*Leguminosæ*.) A tree, the pods with small red seeds.  
 Báhay, T.; Malaamúyon, T.; Malasága, T.
- OROPHEA. (*Anonaceæ*.) Trees or shrubs.  
 Maquitarín (Tayabas); Palosáto, T.
- O. ENTEROCARPOIDEA Vidal. Pañganáua, Cag.
- OROXYLUM INDICUM L. (*Bignoniaceæ*.) A small tree with large pods, 3 ft. long.  
 Abáng abáng, T., V.; Abóng abóng, V.; Balílang oác, T.; Pincapínca, T.; Pincapincáhan, T.
- ORYZA MINUTA Presl. (*Graminæ*.) A variety of rice.  
 Capútul, V.
- O. SATIVA L. Rice, of which many varieties are recognized by the natives.  
 Bígas, T.; Binambáng, T.; Boláhan; Bolohán, T.; Dumali, T.; Lamúyo, T.; Malagquít, T.; Nilómot (Tayabas); Paláy, T.; Quinandá, T.; Tañgi, T.
- OSBECKIA CHINENSIS L. (*Melastomaceæ*.) Changpárang (Angat).
- OSBORNIA OCTODONTA F. Vill. (*Myrtaceæ*.) Sagása, T.
- OSMELIA. (*Samydaceæ*.) A tree with alternate glabrous leaves and terminal panicles. Flowers white, tinged with red.  
 Lubí-lubí.
- OSMOXYLON. (*Araliaceæ*.) A tree.  
 Níog-níog, T.
- O. PULCHERRIMUM Vidal. Apálong; Apúlong, V.
- OTOPHORA BLANCOI Blume. (*Sapindaceæ*.) A small tree.  
 Balínáonao, T., V.; Dirig, Il.
- O. SPECTABILIS Blume. Paloáhan.
- OTTELLA ALISMOIDES Pers. (*Hydrocharideæ*.) A submerged fresh-water herb with rather large white flowers.  
 Calabáo, T.
- OXALIS ACETOSELLA L. (*Geraniaceæ*.) The common sorrel. Mistaken by Philippine authors for the next species?  
 Ayo, Pamp.; Cuñgí, Pamp.; Cúñgui; Darásig, V.; Lujúla.
- O. CORNICULATA L. A small herb with an acid taste, flowers yellow.  
 Congí, Pamp.; Malabalúgbug-dágis, Pamp.; Susocayóhi, T.; Taigan-dóga, T.; Taiñáng-dagá; Yáyo, Pamp.

## P.

- PACHYRHYZUS ANGULATUS Rich. (*Leguminosæ*.) A climbing herbaceous plant from a turnip-like tuber, which is edible. Cultivated.  
 Hicamás, T.; Sincamás, T.; Ticamás, V.
- PAEDERIA FOETIDA L. (*Rubiaceæ*.) A climbing herbaceous vine with foetid flowers.  
 Cantútac, T.; Cantótai, T., Pamp.; Cantútan, T.; Cantótan. T.; Cantótay, T.; Dicúta, Maboloc., Pamp.; Lilítan, V.; Matabáng-dicút, Pamp.; Taftai, V.

- PALAEQUIM.** (*Sapotaceae*.) Trees, all of which produce gutta-percha, the leaves of most species glistening beneath. Flowers on the branches below the terminal leaves.  
Anósep, T.; Calapía (Mindanao); Dulítan-pulá, T.; Macaásin-putí, T.; Malaputát, T.; Malasaputí, Pamp.; Malaputútán, T.; Rírao, B.
- P. BARNESII** Merrill. Leaves obovate obtuse, pubescent beneath.  
Náto, V.
- P. CUNEATUM** Vid. Leaves small, glabrous beneath.  
Anósep, T.
- P. LANCEOLATUM** Blanco. Bagalángit, T.
- P. LATIFOLIUM** Blanco. Leaves large, densely rusty tomentose beneath.  
Alacáac, T.; Alácao, Pamp.; Alácap, T.; Pacancál, Pamp.; Pálae-pálae, T.
- P. LUZONIENSE** Vidal. Leaves long petioled, glabrous beneath.  
Bagalángit, T.; Bitocoling, T.; Dolítan.
- P. OLEIFERUM** Blanco. Similar to *P. latifolium*, but leaves acute, not obtuse.  
Dalácan, Il.; Daracán, Il.; Malacmác, T., Pamp.
- PANAX FRUTICOSUM** L. (*Araliaceae*.) A shrub 3 to 6 ft. high, with tripinnate leaves. Cultivated for ornament.  
Macán, V.; Papúa, T., V., Pamp.
- PANCRATIUM ZEYLANICUM** Linn. (*Amaryllidaceae*.) Ájos-ájos ñga mapotí, V.; Bácong sa Persia; Báong-baoang, V.; Catóngal, T.; Hagobáoa, V.; Lúnas; Rósas-de-pérsia, Sp. Fil.
- PANDANUS.** (*Pandanaceae*.) The "screw-pines," so called from the spiral arrangement of the leaves. The leaves are much used for the manufacture of mats, baskets, etc.  
Carahúmai, T.; Pandán-sabotán, T.; Salógo, V.
- P. DUBIUS** Spreng. Bálio, V.; Bañgeóang-bondóe, T.; Báren, V.
- P. EXALTATUS** Blanco. Alásas, T.
- P. FASCICULARIS** Lam. Arquíg, (?) Cag.
- P. ODORATISSINUS** Linn. f. Láha (?) (Jolo); Paddán, Cag.; Pandán, T., V.; Pañgdán, V.; Panháead, V.
- P. RADICANS** Blanco. Olánggo, V.
- P. SABOTAN** Blanco. Sabotán, T.
- P. SYLVESTRIS** Rumph. Lalógo, V.; Lanógo, V.
- PANGIUM EDULE** Reinw. (*Bixaceae*.) A tree.  
Pángi, T.; Pángui, V.
- PANICUM.** (*Gramineae*.) Coarse or fine grasses.  
Bisaclát, T.; Canubsúban, T.; Cáuad-cauáran, T.; Damúng-pásig, T.; Damús-ápi, T.; Duaduáran, T.; Hagusnýy, T.; Lúya-lúya, T.; Malacauáyan, T.; Málit-calabáo, T.; Tuadtuáran, T.
- P. COLONUM** L. Tiribúhan, T.
- P. CRUGALLI** L. The "barn-yard grass" of the United States.  
Dáua-dáua, T.
- P. FLAVIDUM** Retz. Sabóng-sabúñgan, T.
- P. INDICUM** L. Sangúmay, T.
- P. REPENS** L. Lúya-luyáhan, T.

- PARAMERIA PHILIPPINENSIS Radlk. (*Apocinaceæ*.) A woody vine with white fragrant flowers, the bark producing an abundance of milky sap, which on coagulation becomes rubber.  
Búlao-búlao, V.; Dugtóng-áhas, T.; Gamót-sambáli, T.; Itíban, T.; Parogtóng-áhas, T.; Pasác; Sagíd, V.; Sagít, T.; Tagúe-tagúe, V.; Taguláuay, T., V.; Tayuláuay (Iloilo).
- PARASPONIA. (*Urticaceæ*.) Tanagdón.
- PARASTOMON. (*Rosaceæ*.) Shrub or small tree.  
Inoyában.
- PARINARIUM. (*Rosaceæ*.) Trees.  
Alámag, Bítai-bálang, Pang.
- PARKIA ROXBURGHII G. Don. (*Leguminosæ*.) A large tree bearing long dark-colored pods.  
Bagó-oen, Il.; Bagúen, Il.; Baláy-oác, Il.; Cópang, T., Il.; Cúpang, T.
- PASPALUM (*Gramineæ*.) Tufted grasses, usually found in wet places.  
Paragís, T.; Sábung-sabúngan, T.
- PAVETTA. (*Rubiaceæ*.) Shrubs or small trees.  
Cáhoy dalága.
- P. ANGUSTIFOLIA R. & S. Alipóong, V.
- PAYENA. (*Sapotaceæ*.) Trees, yielding gutta-percha.  
Lísong-insíc, T.; Lóno-lóno.
- PEMPHIS ACIDULA Forst. (*Lythraceæ*.) A shrub or small tree, common along the seashore. Flowers small, white.  
Bantígui, V.; Pantígui, V.; Pilit, B.
- PENNISETUM NIGRICANS Miq. (*Gramineæ*.) Agúñgai, T.
- PERISTROPHIE CONTORTA Blanco. (*Acanthaceæ*.) An erect spreading herb.  
Sapinsapín, T.
- PHÆNTHUS CUMINGII Miq. (*Anonaceæ*.) A small tree.  
Bignáy-pógo.
- P. NUTANS Hook. f. & Th. Lanótang-itím, T.; Lanútan itim.
- PHALAENOPSIS AMABILIS Blume. (*Orchidaceæ*.) A very striking epiphytic orchid.  
Dápo-Maripósa.
- PHALERIA PERROTTETIANA B. and H. (*Thymeliaceæ*.) A tree.  
Salágo, V.
- PHASEOLUS CARACALLA Blanco. (*Leguminosæ*.) A twining herbaceous vine.  
Caracálla.
- P. LUNATUS Linn. A twining biennial, everywhere cultivated for its edible seeds.  
Hába, Sp.; Patáni, T., V.; Zabbáche.
- P. MUNGO L. Cultivated.  
Balátong, T.; Boláton; Móngos, T.; Múngo, V.
- P. VULGARIS DC. Cultivated.  
Birnúi, T.; Bútiñg; Butúñga, T.
- PHOEBE. (*Laurineæ*.) Evergreen trees or shrubs.  
Malacádios, T.

- P. UMBELLIFLORA** Blume. Malabúnga, B.
- PHRAGMITES ROXBURGHII** Nees. (*Gramineæ*.) A very coarse reed-like grass found in wet places.  
Tambó, T.
- PHYRNIUM**. (*Scitimineæ*.) Hagnichic, V.
- PHYLLANTHUS**. (*Euphorbiaceæ*.) Trees, shrubs, or herbs.  
Agay, T.; Ásac-tálong; Búto-butónis, V.; Carámay; Lagári: Murúgna, V.; Tañgisan-púnay, V.; Tenáan; Tináan. T.
- P. ACIDUS** Muell. Arg. A tree, fruit edible.  
Caguind; Calutpámo; Lañguígi.
- P. DISTICHUS** Muell. Arg. A tree, fruit edible, very acid.  
Banquílin, T.; Bañguíling, V., T.; fba, T., Pamp.; Layóhan, V.; Póras, V.; Yba, T.
- P. NIRURI** Muell. Arg. A small herbaceous plant much used in medicine.  
Hiérba de San Pedro, Sp.
- P. RETICULATUS** Muell. Arg. A small shrub with black berry-like fruit; very common.  
Malaíba, T.; Malatínta, T.; Matáng-oláng, V.; Nípin (Zamboanga); Súngot-oláng, V.; Tinatínan, T.; Tintatintáhan, T.
- P. URINARIA** L. A small herb used in the practice of medicine.  
Ibaibáan, T.
- PHYLLOSTACHYS BAMBUSOIDES** Sieb and Zucc. (*Gramineæ*.) A bamboo.  
Cauáyan-nga-itúm, V.
- PHYSALIS ANGULATA** L. (*Solanaceæ*.) An herbaceous plant, common in waste places.  
Asísio, V.; Camátis; Sísio, V.; Tuttulláca, T.
- P. PERUVIANA** L. Similar to the preceding, but the fruit edible; cultivated.  
Capúli; Potocán, T.; Potóc-potocán, T.; Sísio, V.;
- PICRAMMA JAVANICA** Blume. (*Simarubaceæ*.) A tree with large unequally pinnate leaves.  
Lanété, V.; Nális.
- PIERARDIA?** (*Euphorbiaceæ*.) Shrubs or trees.  
Banítlong (Zamboanga); Tineál (Zamboanga).
- PINUS INSULARIS** Endl. (*Conifereæ*.) A pine tree found in Benguet, etc.  
Three leaves in a fascicle.  
Alal, Ig.; Balébo, Ig.; Bariát; Báta; Bátang (Bontoc); Bébe; Bébeng; Boó-boó, Ig.; Palopíno; Párua, Il.; Ságin, T.; Sáleng, Il.
- P. MERCUSII** J. and de V. Pine from Zambales, two leaves in a fascicle.  
Palosápis, T.; Sálóng, Z.; Tapálah, Zamb.; Tapúlao.
- PIPER**. (*Piperaceæ*.) Herbaceous vines.  
Chílang-bundóc, T.; Litlít; Salimára, T.
- P. BETLE** L. The leaves of this species are chewed with the nut of the Areca palm.  
Búyo, V., T.; Canísi, V.; Hojas de buyo; ítmo, V., T.; Mamín. B., T.; Mamón, V.; Poro; Sámat, Pamp.
- P. CANINUM** A. Dietr. Búyo-búyo (Albay); Búyo it ámo, V.; Búyo it áyam, V.; Búyo it íntí, V.; Sábía, T.

- P. CORYLISTACHYON C. DC. Háras, V.; Létlet-túbuy, T.; Litbít, V.; Litlí, V.; Nápan, B.; Sañgílo, V.; Sáog, V.
- P. NIGRUM L. Yields the black pepper of commerce.  
Malísa, T.; Pimiénta, Sp.
- P. PHILIPPINUM Miq. Pimiéntang-bundóc, T.
- P. SUBPELTATUM Willd. Tabáyac (Iloilo).
- PIPTURUS ASPER Wedd. (*Urticaceæ*.) A small shrub.  
Alañgísi, V.; Dalonóban; Dalónot, T., Pamp.; Dalonótan, V.; Dalúnot, T.; Handalámay; Handarámai, V.; Himarámay, V.; Hindalámai, V.
- PISONIA ACULEATA L. (*Nyctaginaceæ*.) A tall woody climber with axillary recurved prickles.  
Digquít-digquít, T.; Pácat-áro, T.; Panácla (Bulacan); Puriquet, Il.
- P. INERMIS Forst. A tree, unarmed.  
Coles malúco, T.; Malúco, T.
- P. UMBELLATA Seem. A tree 40 to 50 ft. high.  
Malagasáha, B.
- PISTIA STRATIOTES Linn. (*Aroidææ*.) A floating stemless herb, the leaves forming an erect cup.  
Alulúan, Cag.; Cayápo, V.; Loloán, Il.; Lóuan-lóuan, V.; Quiápo, T.
- PITHECOLOBIUM. (*Leguminosææ*.) Trees.  
Gógo-cásay, T.; Téque, T.
- P. ACLE Vidal. A large and valuable timber tree.  
Acle, T.
- P. DULCE Benth. A medium or large tree now common in the Philippines, introduced from America. The fleshy aril surrounding the seed is edible.  
Camanchíle, T.; Camanchíles; Camachílis, T.; Camansíle, T.; Camantirís, Il.; Camastéles; Camochíle; Camochíles, T.; Commonsíle, V.; Camonsíles, T.; Damortís, Ig.
- P. LOBATUM Benth. A valuable timber tree.  
Alobáhai, T.; Anagáb; Anagáp, T.; Anagát; Anaguép; Anárep, Il.; Bintínig-dalága, T.; Culícul, V.
- P. MONTANUM Benth. Anagáp, T.; Cásai, T.; Cásay, V.; Malacamonsíle, T.; Tiqués, T.
- PITTOSPORUM. (*Pittosporaceææ*.) Trees or shrubs.  
Bulálang, B.; Malambangéabas (Zamboanga); Mamális-babáe, T.; Óte-óte.
- P. FERNANDEZII Vidal. Mamális, T.
- P. FLORIBUNDUM W. & A. Baluñgcanáyan, V.
- PLANCHONIA. (*Myrtaceææ*.) Trees with the alternate leaves crowded at the ends of the branches. Racemes short, terminal, flowers greenish-yellow or white.  
Abóbo, B.; Alitáptap, B.; Malanbán, T.; Maúban, T.
- PLANTAGO EROSA Wall. (*Plantaginaceææ*.) Lantín, T.
- PLECTOCOMIA ELONGATA Mart. & Blume. (*Palmaææ*.) Scandent palms.  
Nānga, V.



- PLECTRONIA. (*Rubiacea*.) Unarmed or spinous shrubs, erect or climbing.  
Cuteúran, T.; Subían-dagá: Sulíac-dagá, T.
- P. HORRIDA H. & T. Stems with many hooked spines.  
Dáyap-dáyap.
- P. MOLUCCANA Merrill. Silisli.
- PLUCHEA INDICA Less. (*Compositae*.) A low shrub, growing in the salt marshes.  
Lagúndi láti, T.; Túlo-laláqui (Hoilo).
- PLUMBAGO ZEYLANICA L. (*Plumbaginaceae*.) Herbs or undershrubs with diffuse branches, the rachis of the spike pubescent or glandular.  
Bangbáng, Il.; Saúgdigéquit, T.; Talaneáo, Il.; Talangeáw, Il.
- PLUMIERA ACUTIFOLIA Poir. (*Apocynaceae*.) A tree with very fragrant white flowers, introduced from America and cultivated for ornament.  
Calachúchi, T.; Calasúsi, T.; Calatsútsi, T.; Calatúche, V.; Carachúcha, T.
- PODOCARPUS. (*Coniferae*.) Large trees found in the higher mountains.  
Dilag-butiquí, T.; Salupísín (Bontoe).
- PONOGATHERUM CRINITUM Trin. (*Gramineae*.) A delicate grass found on damp ledges along rivers, etc.  
Damúng-gúbat, T.
- POGOSTEMON CABLIN Benth. (*Labiatae*.) Herbs or undershrubs.  
Cadlín, V.; Cadlóm, V.; Carlín, T.; Sároe, Ig.; Catluén, V.
- P. HEYNEANUS Benth. Cablín, T., Pamp.
- POINCIANA REGIA Bojer. (*Leguminosae*.) The "fire tree," commonly planted in the Philippines for ornamental purposes.  
Arbol de fuego, Sp. Fil.
- POLLIA SORZOGONENSIS Endl. (*Commelinaceae*.) Large herbs with lanceolate leaves, the stem erect, viscid.  
Lohód-lohód, V.
- POLLIA THRYSIFLORA Endl. Sapíleo, Ig.
- POLYALTHIA. (*Anonaceae*.) A tree.  
Dalinhas, T.
- P. LANCEOLATA Vid. Anólang, T.
- POLYANTHES TUBEROSA L. (*Amaryllidaceae*.) Azúcena; Nádo (Cebu).
- POLYGONUM. (*Polygonaceae*.) Herbs with alternate entire leaves, inflorescence a spikeiform or paniced raceme.  
Malabalánte, T.
- P. BARBATUM L. The nodes furnished with long bearded stipules.  
Canubsúban, Pamp.; Subsúban, T.
- POLYPODIUM. (*Filices*.) A large genus of exceedingly variable ferns.  
Agnáya; Dilimán (Manila); Hagnáya.
- P. DIPTERIS Blanco. Cádeo, Ig.; Marapáo, Il.
- P. QUERCIFOLIUM L. An epiphytic fern.  
Cabeáb, V.; Cabeában, V.; Cabeábun, V.; Capeápa, Il.; Góna, Pamp.; Paepác-láuin, T.; Paipaf-ámo, T.; Tibátib, Pamp.

POLYPORUS. A genus of pore-bearing woody fungi.

Cabúti, T.

POLYSCIAS NODOSA Seem. (*Araliaceæ*.) A glabrous shrub with panicle umbels and pinnate leaves.

Biás-biás, T., V.; Biñglín, T., V.; Bonglu, V., T.; Bonlín, T.; Buñglín, T.; Buñglóy, V.; Malapáya, T., V.

POMETIA. (*Sapindaceæ*.) Tall trees with pinnate leaves and simple or panicle, elongated, slender racemes.

Cuya-qufa, Z.; Quiaqufa, Z.

PONGAMIA GLABRA Vent. (*Leguminosæ*.) An erect tree with odd-pinnate leaves and woody, flattened, induricent pods, common near the seashore.

Balfé-balfé, T.; Balóc balóc, T.; Balót-balót (Tayabas); Báui, T.; Bayóc-bayóc, T.; Bítong, V.; Caddól.

PORTULACA OLERACEA L. (*Portulacaceæ*.) A prostrate succulent weed, the "purslane" of the United States.

Ausíman, B.; Colasíman, T.; Golasíman, T.; Olasíman, T.; Sayícan, T.

P. QUADRIFIDA L. Sayícan, T.

POTAMOGATON JAVANICUS Hassk. (*Naiadaceæ*.) Submerged water plant with floating leaves.

Lómot, T.

PÓTHOS. (*Aroidæ*.) Climbing branched shrubs, the branches rooting. Apís, T.

P. CYLINDRICUS Presl. Hólog-nga-isá, V.

POUZOLZIA INDICA Gaud. (*Urticaceæ*.) A slender, erect or prostrate herb with axillary white flowers.

Tufa, T.

PREMNA. (*Verbenaceæ*.) Shrubs or small trees with corymbose or panicle cymes of rather small greenish or yellowish flowers.

Adío (Tayabas); Agdáo, T.; Alága, T.; Alagáo dagat, T.; Alogbagúnit, T.; Añghet, T.; Anoñang; Aragáo, V.; Malaápi, T.; Manabá, B.; Moláuin-áso, T.; Tanáua, T.; Úban.

P. VESTITA Schauer. Leaves softly pubescent.

Aagáo, T.; Adgáo, V.; Alagáo, T.; Algóa, T.; Anobrán, Il.; Argáo, V.; Moláuin-áso, T.; Pamúhat, V.; Tañgláy-malóto, Pamp.

PROSOPIS JULIFLORA DC. (*Leguminosæ*.) A shrub or small tree introduced from America and now very common along the seashores in certain places. Thorns stout, flowers yellow.

Aróma, T.

PSIDIUM GUAYAVA L. (*Myrtaceæ*.) A shrub or small tree, native of America and now very common in the Philippines. The fruit is edible.

Arráyan; Bayábas, T.; Calinbagín, T.; Guayábas, Sp.; Guayábo; Guyába, Sp.; Guyábas, Sp.; Tayábas, T.

PSOPHOCARPUS PALUSTRIS Desv. (*Leguminosæ*.) A twining herb from a large tuberous root. Pod 3 to 4 inches long. Cultivated.

Balágay, V.

- P. TETRAGONOLOBUS** DC. Similar, but with a pod 6 inches long or more, square, winged. Cultivated.  
Calamismís, T.; Calamísmis; Camalúson, V.; Pal-lám, H.
- PSYCHOTRIA.** (*Rubiacea.*) Shrubs or small trees.  
Tatané, T.
- P. MALAYANA** Jack. Léno, T.; Sagómay; Tagpó, T.
- PTERIS** OPACA J. Sm. (*Filices.*) Dagábas, T., V.; Darías, T., V.
- PTEROCARPUS.** (*Leguminosae.*) Trees with yellow flowers and orbicular pods which have a rigid wing. Valuable timber trees.  
Danápura; Daytánag, Pamp.; Idíao; Tagpá, C.; Udiáon, T.
- P. BLANCOI** Merrill. Leaves acuminate, pods glabrous, wing broad, wood odorous.  
Sanqué, V.; Urían, Apálit, Pamp.
- P. INDICUS** L. Similar to preceding species but leaves acute and wing of pod much narrower.  
Agána; Antágan; Asána, T.; Daitánag, Pamp.; Nága, V.; Nárra, T., V.
- P. VIDALIANUS** Rolfe. Pods covered with stout spines.  
Nárra pula (Unisan).
- PTEROCAULON CYLINDROSTACHYUM** Clarke. (*Compositae.*) A tomentose herb with alternate decurrent leaves and sessile heads of yellow flowers.  
Sambóng-galá, T.
- PTEROCYMBIUM JAVANICUM** R. Br. (*Stereuliaceae.*) A tall tree, the seeds winged.  
Bangót, T.; Busáin (Leyte); Dúha, (?) V.; Fangínhan; Malasapsáp, T.; Talóto, T.; Talúto.
- PTEROSPERMUM.** (*Stereuliaceae.*) Scaly or stellate-tomentose trees, with leathery oblique leaves, woody-angled capsules, and winged seeds.  
Bariúan, H.; Bayóg, V.; Bayóg-bayóg, Pamp.; Calatínigan, T.; Cantínigan (Mang.); Quínay-quínay, T.; Taligána, Z.
- P. ACERIFOLIUM** Willd. Leaves roundish or oblong, entire or coarsely toothed.  
Bayóe, T.
- P. BLUMEANUM** Kth. Bayóe, T.; Bayóe, T.; Bayóg, T.; Bayugtín, T.
- P. DIVERSIFOLIUM** Blume. Leaves horary beneath, acuminate.  
Bágud, T.; Baláy-báyan, Z.; Bároy; Bayóe, T.; Búnga, Cag.
- P. OBLIQUUM** Blume. Calocatínigan, T.; Panaliníngan; Tingan-tingan, T.
- PTYCHOSPERMA PUNICEA** Miq. (*Palmae.*) Salóg, V.
- PUERARIA JAVANICA** Benth. (*Leguminosae.*) Stems twining, covered with dense, spreading brown hairs.  
Sineamás-áso, T.
- P. PHASEOLOIDES** Benth. Báhay, V.
- PUNICA GRANATUM** L. (*Lythraceae.*) A shrub, the pomegranate, cultivated.  
Dalíma (Jolo); Granáda, Sp.
- PUPALIA ATROPURPUREA** Moq. (*Amarantaceae.*) A slender, erect herb, with acuminate leaves and long spikes.  
Dócot-dócot, V.

**PYGEUM.** (*Rosacea*.) Evergreen trees or shrubs.

Amúgan, T.; Báhay, T., V.; Cagatúñgan, T.; Dunḡón-dunḡónan, T.;  
Guflit, T.; Luyúsín, T.; Malacmác, T., Pamp.; Malapúyao, T.; Taloe-  
nási.

**P. ARBOREUM** Endl. Pasác, T.

**P. LATIFOLIUM** Miq. Cambál.

## Q.

**QUERCUS.** (*Cupulifera*.) The oaks. Many species are found in the mountain forests in the Philippines.

Babaisáan, T.; Bagmán, T.; Baymán, T.; Bayúcan, T.; Manlóab, T.;  
Maúring, T.; Pacnán, T.; Pañganán; Tieléb, Ig.; Uyáyan, V.

**Q. BLANCOI** A. DC. Uayán, T.

**Q. CASTELLARANAUIANA** Vidal. Pusopúso (Marinduque).

**Q. JORDANE** Lag. Paláyen, Ig.

**Q. LLANOSII** A. DC. Aláyan, T.; Hayópag, T.; Macabúnḡao, T.

**Q. PHILIPPINENSIS** A. DC. Mangasiríqui (Bulacan).

**Q. SOLERIANA** Vidal. Cacána, T.; Oláyan.

**Q. VIDALII** F. Vill. Siríque.

**QUISQUALIS INDICA** Linn. (*Combretacea*.) A rambling, subscandent shrub with slender, elongated fragrant white, pink, or red flowers.

Babebábe, Pamp.; Balitádham, V.; Níog-níogan, T.; Pinónes, V.;  
Talólon (Marinduque); Tangálon (Marinduque); Tanḡólon, T., V.;  
Tanḡúlon, T.; Tartaráo, Il.; Tortoráoe, T.

## R.

**RANDIA.** (*Rubiacea*.) Shrubs or small trees.

Bayábar áso, Pamp.; Malabacáuan, T.; Malacafé, T.; Malacárpa;  
Tánḡo-tánḡo.

**R. CUMINGIANA** Vidal. Palo-pálo, B.

**R. DUMETORUM** L. Sinampága, T.

**RAUWOLFIA.** (*Apocinacea*.) Shrubs or small trees.

Curcanéla (Albay); Lipáta, T.

**R. AMSONIÆFOLIA** A. DC. Maladíta, T.; Pandacáque lalaque, T.

**RAPANEA PHILIPPINENSIS** Mez. (*Myrsinacea*.) A small tree.

Calumánay, T.; Tanígad (Dinagat).

**RATONIA MONTANA** B. & H. (*Sapindacea*.) Shrubs or trees.

Guisán, T.

**RHAMNUS.** (*Rhamnacea*.) Shrubs or trees with alternate leaves and small berry-like drupes.

Bícal, Il.

**R. WIGHTII** W. & A. Cabatíti, T.

**RHAPHIDOPHORA.** (*Aroidea*.) Amúlung, Cag.; Hólog, V.; Hótog, V.

**R. MONTANA** Schott. Dapóng-tibátib, T.

**R. PERTUSA** Schott. Dayá, V.; Mámao (Jolo); Paepác-láuin, T.

**RHAPIS FLABELLIFORMIS** Ait. (*Palma*.) Anáhao, T.

**RHIZOPHORA.** (*Rhizophoracea*.) A constituent of the mangrove swamps.

Petals, four.

Bíuas, T.

- R. CONJUGATA L. Bacáuan laláqui, T.; Tóñgog, V.
- R. MUCRONATA Lam. Bácao, T. V.; Bacáuan, T.; Oóñgon, H.; Parácan, H.; Pelótan; Pototán; Tañgál, T.; Tigasán.
- RHODAMNIA GLABRA Vidal. (*Myrtaceae*.) Small tree or shrub.  
Gas-gás, V.; Guis-guís, T.
- RHODODENDRON ROSMARINIFOLIUM Vidal. (*Ericaceae*.) Small shrubs, found on the higher mountains.  
Viebíqui, Ig.
- R. VERTICILLATUM Vidal. Lopóng, Ig.
- RICINUS COMMUNIS L. (*Euphorbiaceae*.) The castor oil plant.  
Lansíña, T.; Linásíña, T.; Tángan-tángan, T., H.; Tavatavangsíña, H.; Tawatawasínga, H.
- ROSMARINUS OFFICINALIS Linn. (*Labiatae*.) The rosemary, introduced from Europe, cultivated and (?) spontaneous.  
Roméro, Sp.
- ROTTBOELLIA MURICATA Retz. (*Gramineae*.) Stout coarse grass.  
Timsín, T.
- ROUREA. (*Connaraceae*.) Trees or shrubs, sometimes scandent, with odd pinnate leaves and axillary panicle inflorescence.  
Ibaibán, T.
- R. HETEROPHYLLA Planch. A scandent shrub with small white flowers and red capsules.  
Camágsa, T.; Camágsa taguflis, T.; Camúnin, T.; Guícos guícos, T.; Gurayácan, T.; Hanmababáo, T., V., Pamp.; Magtábíg, V., Pamp.; Mavindáto, V., Pamp.; Palosáto, T.; Ungáli-na-pulá, V., Pamp.
- R. MULTIFLORA Planch. Malacahue, T.
- RUBUS. (*Rosaceae*.) The raspberry. Several species are found in the Philippines; berries usually rather tasteless.  
Sabnét, T.; Sapnít, T.
- R. GLOMERATUS Blume. Dagámit, V.; Sapnít, V.
- R. PARVIFLORUS L. Dagúnot, V.
- R. ROSEFOLIUS Smith. Sagmít, T.; Sapnít, T.
- RUTA GRAVEOLENS L. (*Rutaceae*.) A strong-smelling herb, cultivated.  
Dúra, V.
- RYPAROSA LONGIPEDUNCULATA. (*Euphorbiaceae*.) Buñgánon (Tinago).

## S.

- SACCHARUM OFFICINARUM L. (*Gramineae*.) The sugar cane.  
Ágbo, Cag.; Caña-dúlee, Sp.; Quilalá, V.; Tubó, T.
- SACCOLABIUM. (*Orchidaceae*.) Epiphytic orchids.  
Manágo, V.
- SACCOPE TALUM. (*Anonaceae*.) Trees.  
Calabúyo, T.
- S. LONGIPES Vidal. Dañglúe, T.; Lanútan, T.
- SAGERETIA. (*Rhamnaceae*.) Shrubs with rigid or scandent branches and very small sessile flowers.  
Adadínco (Benguet).

**SALACIA PRINOIDES** DC. (*Celastraceae*.) A large climbing shrub with coriaceous leaves.

Matáng-oláng, T.

**SALIX AZAOLANA** Blanco. (Quid?) Saúce; Tiáun, T.

**SAMADERA INDICA** Gaertn. (*Simarubiaceae*.) A small tree with fleshy leaves and long peduncled many-flowered umbels.

Daráput, V.; Linatogánae, V.; Lintón-gámai, V.; Moñgal, T.; Manungál, T., B., V., Pamp.; Maung-dáto, V.; Palagárium, V.; Palágium, V.; Ponoán, V.

**SAMBUCUS JAVANICA** Blume. (*Caprifoliaceae*.) A straggling shrub with corymbose inflorescence and small white flowers.

Hagónoy-sa-búquid; Saúco.

**SANDORICUM VIDALII** Merrill. (*Meliaceae*.) Trees with trifoliate leaves and fleshy fruits.

Malasantól, T.

**S. INDICUM** L. A tree cultivated for its edible fruit.

Santól, T., V.; Santór (Zamboanga).

**SANTIRIA**. (*Bursaceae*.) Balsamiferous trees with alternate trifoliate leaves.

Ábar, T.; Bólao, Pamp.; Búlao, T.; Paútan, T.

**SAPINDUS**. (*Sapindaceae*.) Trees.

Atalapíipi, Z.; Báloe; Sansáli, T.

**S. TURZANINOWII** Vid. Casiben, H.; Catíguis, T.; Cosibén, H.; Malapalít-pit, Pamp.; Malapatpít; Paliepié-pito, Pamp.; Panosibén (Tiagan); Tiquís tiquís, T.; Sausaúli.

**SARCOCEPHALUS CORDATUS** Miq. (*Rubiaceae*.) A tree with globose heads of white flowers.

Bancál, T.; Bancál-cábag; Bangeál, T.; Bulála, H.; Cábag; Cábag hambabálos, V.; Hambabálos, T.; Mabálot, T.; Nambabálos.

**SAURAUJA**. (*Ternstroemiaceae*.) Trees or shrubs with the leaves approximate at the ends of the branches.

Masipón, Cag.; Panoddías, V.; Purá, B.

**SAUROPUS ANDROGYNUS** Merrill. (*Euphorbiaceae*.) Binahían, T.

**SCAEVOLA KOENIGII** Vahl. (*Goodenoviaceae*.) A small shrub with stout branches, tufted leaves and pale blue flowers, common on the seashore.

Balóc-balóc, T.; Bocáboe, T., V.; Bosbóron, T., V.; Bóto, T., V.; Línog, Z.; Mosborón, T., V.; Panabólong; Panabólong, T., V.; Panabólung, V.; Pañgángtóng, T., V.; Tagustús, V.

**SCHIZOSTACHYUM**. (*Gramineae*.) A bamboo.

Bálcao, V.

**S. ACUTIFLORUM** Munro. Bocánuay, T.; Cauáyan-bocáui; Cauáyan-osuí; Cauáyan-táyo-uánae (Tayabas).

?**S. BLUMEI** Nees. Cauáyan-chína.

**SCHLEICHERA**. (*Sapindaceae*.) Trees.

Dapnít, Pamp.; Matamatá, B. Carabdáp.

**SCHRANKIA ACULEATA** Willd. (*Cruciferae*.) Sapínit, T.

SCIRPUS. (*Cyperaceæ*.) Usually coarse rushes, growing in wet soils.

Calantípay, T.; Canubsúban, T.; Libíran, T.

S. MUCRONATA L. Baláñgud, T.

SCLERIA. (*Cyperaceæ*.) Slender or coarse grass-like plants, in wet soils.

Arát, T.; Baroqueboe, T.; Dáat, T.; Dát, V.; Dáut, T.; Háras, V.

SCOLOPIA. (*Biacceæ*.) Spinous trees with alternate entire leaves.

Páyna, T.

S. CRENATA Clos. Bitanhól, T.; Bitúñgol, T.

S. DASYANTHERA Benth. Sáua-sáua.

S. ROXBURGHII Clos. Agas-ás.

SCOPARIA DULCIS L. (*Scrophulariaceæ*.) A much-branched herb with numerous small white flowers, common in open places.

Chacha-chacháchan, T.; Malaanís, Pamp.; Saáng cabáyo, T.

SCYPHIPHORA HYDROPHYLLACEA Gaertn. (*Rubiaceæ*.) A glabrous tree found along the seashore with coriaceous leaves, the young branches viscid.

Manflad, T.; Nilád, T.; Nilár, T.; Pipiste, T.; Sabása, T.

SELAGINELLA. (*Selaginellaceæ*.) Crocalásay; Dansó, T.

S. CAULESCENS Spring. Atoátong, Ig.

SEMECARPUS. (*Anacardiaceæ*.) Trees.

Angás babáe, T.?, Camíring, Il.; Lúbidlúbid, B.; Pahútan, T.

S. ANACARDIUM L. f. Anágas.

S. GIGANTIFOLIA Vidal. Leaves 3 ft. long or more, crowded at the ends of the few branches.

Malabalúbat?, Tocud-langit, T.

S. MACROPHYLLA Merrill. Leaves obovate,  $\frac{1}{2}$  to 2 ft. long.

Pípi, V.

S. PERROTTETII March. Alágas; Anágas, V.; Balinhásay (Abra); Búgnao; Ingás; Lañgas, V.; Légas, T.; Ligás, T.; Lígás, T.; Lóngas (Cebu).

SERIANTHES GRANDIFLORA Benth. (*Leguminosæ*.) Unarmed tree with bipinnate leaves and large yellowish flowers.

Tonóc.

SESAMUM INDICUM L. (*Pedalinæ*.) An erect herbaceous plant with white flowers, cultivated and spontaneous. The seeds yield a valuable oil, known in commerce as sesamum oil.

Lána; Lánga (Cag.); Lañgás, Pamp.; Langúgá, T.; Lañguís, Lenguña, T.; Liúga, T.; Liúgó; Lónga, V.

SESBANTIA AEGYPTIACA Pers. (*Leguminosæ*.) A shrub with pale yellow flowers.

Malacaquós, T.

S. GRANDIFLORA Pers. A small tree with very large white flowers and slender pods a foot in length.

Catúrai, T.; Gáuay-gáuay, V.; Gáuay-gáuay nga pulá, V.

SESUVIUM PORTULACASTRUM L. (*Ficoideæ*.) A succulent branching herb, found along the seashores.

Bílang-bílang, V.; Carampálit, Pamp.; Dampálit, T., V., Pamp.; Tarumpálit, T.

SETARIA GLAUCA Beauv. (*Gramineæ*.) "Pigeon grass" of the United States.

Bántot-púsa, T.

S. ITALICA Beauv. (*Gramineæ*.) Italian millet; cultivated.

Bicácao, Il.; Boróna, Pamp.; Bucácao, Il.; Dáo, V.; Dáu, T., V.; Dáva, T., V.; Míjo (Cebu).

SHOREA. (*Dipterocarpaceæ*.) Large trees, valuable for their timber. Calyx in fruit with an obscure tube, two segments enlarged.

Alñgá, Pang.; Banbáyan, Il.; Batitñan, T.; Binalfuan, T.; Bítie, T.; Buñcan, T.; Dalindñgan, T.; Danlíg.; Dáyong, Il.; Macaásin, V.; Mangasinóro, Z.; Palosápis; Pauhápi, T.; Tañglí, T.; Tiáui, T.

S. GUISEO Blume. Catápang; Curúcat (Nueva Viscaya); Curyáo (Nueva Viscaya); Guñjo, T.; Guisñang; Guiso, T.; Guisóc, T.; Sáray, Cag; Yambán, Il.; Zitan, Cag.

S. MALAANONAN Blume. Malaanónan, T.

S. MANGACHAPUY F. Vill. Guisong-diláo, T.

SIDA CARPINIFOLIA L. (*Malvaceæ*.) An undershrub with yellow flowers.

Escobaghába, T.; Higotbaláto, T., V., Pamp.; Pamális, T., V., Pamp.; Silhigón, V.; Wawalisán.

S. FRUTESCENS Blanco. Mamólis, T., V., Pamp.; Taquñg-báca, Il.; Taquñg-báca-báca, Il.; Uualisín, T., V., Pamp.

S. RHOMBIFOLIA L. Báseñg-báseng, V.; Eseóbang-habá, T., V., Pamp.

SIDEROXYLON. (*Sapotaceæ*.) Trees, some species yielding gutta-percha.

Acána; Dolñtan-pacátan, T.; Dolótan-pulá, T.; Marumancás, T.; Marumancás-na-laláque, T.

S. BALITHTAN Blanco. Balitbítan, T.

S. CINEREUM L. Duclítan.

S. DUCLITAN Blanco. Duclítan, T.

SINDORA. (*Leguminosæ*.) Trees.

Yácot, Z.

S. WALLICHII Benth. A tree growing near the seashore, calyx beset with soft bristle-like processes. Pod armed with stout spines.

Malapáho, T.; Manápo, B.; Pafmo; Pamalalñan, Cag.; Pancalñan, Cag.; Súpa, T.; Yácal-diláo, T.

SMILAX. (*Liliaceæ*.) Climbing shrubs with alternate 3 to 5 nerved leaves and small dioecious flowers.

Hampás-tabálang, T.; Óbat, T.; Rónas; Tighálang, T.; Uñeñon.

S. CHINA L. Bánag, V. T.; Bárag, Pamp.; Úbi-ubñhan, T.

S. DIVARICATA Blanco. Himpás-lagbálang.

S. INDICA Vitm. Banágan, V.; Camágsa, T.; Oláng, T.

S. LATIFOLIA Blanco. Sípit-olág.

SOLANUM. (*Solanaceæ*.) Herbs, shrubs, or small trees, spinous or unarmed. Fruit a berry.

Talampáy, T.; Talónñgon, T.

S. FEROX L. Tagútong, V.; Tálong-gúbat, T.; Tarambólo, T.

S. MELONGENA L. The egg plant, cultivated.

Tálong, T., V.



- S. NIGRUM** L. A common weed with small black berries, used in medicine.  
 Bolagtáb, V.; Camacamatisan, T.; Cónty, T.; Cúnti, T.; Cúti, B.;  
 Gamagamatisan, T.; Hulablúb, V.; Lagpácum, V.; Lubí-lubí, T., V.,  
 B.; Ónti, T.
- S. SANCTUM** L. Tálanġbúlo, T.; Tánġan-tánġan, T.
- S. TUBEROSUM** L. The potato, cultivated in the mountain regions.  
 Pápas; Patátas, Sp. Fil.
- S. VERBASCIFOLIUM** L. Nóg-nóg (Cebu); Tabáco tabacóhan; Ung-áli, V.
- SONNERATIA PAGATPAT** Blanco. (*Lythracea*.) Tree, growing in and on the borders of mangrove swamps, with broad leaves and rather large flowers.  
 Bunáyon; Buñgálon, V.; Dalúru-laláque, B.; Pagatpát, T., V., B.;  
 Palápad, T.; Palatpát, T.
- SOPHORA TOMENTOSA** L. (*Leguminosae*.) A small tree with leaves densely tomentose beneath and yellow flowers. Common on the seashores.  
 Bañġl, T., V.; Baraumáran, T., V.; Cabaicábai, T., V.; Cáuai, T., V.;  
 Guíson, T., V.; Mangúyao, B.; Mantála, T., V.; Olaómag, T., V.;  
 Pañgalárgan, T., V.; Roenóhan, T., V.; Sandalaitán, T.; Tambala-  
 guísai, T., V.; Tambalísa, T., V.; Yábag, T., V.
- SORGUM VULGARE** Pers. (*Gramineae*.) Cultivated, "sorghum."  
 Bítad, V.
- SPHERANTHUS AFRICANUS** L. (*Compositae*.) A low annual, the branches winged, whole plant fragrant, a weed in waste places.  
 Talababáco, V.
- S. INDICUS** L. Differing from the preceding in its toothed wings of the branches and other characters.  
 Sambóng-galá, T.
- SPHENOCLEA ZEYLANICA** L. (*Campanulaceae*.) An annual erect herb with axillary and terminal spikes, common in rice paddies, swamps, etc.  
 Silisilhan, T.
- SPILANTHES ACMEILLA** L. (*Compositae*.) An annual erect or ascending herb with solitary or panicle heads. Much used in medicine.  
 Agónoi, V.; Hagónog, T.; Hagónoi, T.; Palúnag; Palúnai, Pamp.
- SPINIFEX SQUARROSUS** L. (*Gramineae*.) A very coarse trailing grass with spherical, spiny inflorescence; very common on sandy seashores.  
 Báqui-báqui, V.; Damón-dágat.
- SPONDIAS MANGIFERA** Wall. (*Anacardiaceae*.) A glabrous tree cultivated for its edible fruit.  
 Alubíhod, V.; Alubhon, T.
- S. PURPUREA** L. Similar to the preceding, introduced from America.  
 Cirúllas Sirihúelas, T.
- SPONIA**. (*Urticaceae*.) Hanáron, T.
- STEPHEGYNE**. (*Rubiaceae*.) Shrubs or small trees with globose inflorescence.  
 Anítag, T.; Calamansálai, T.; Calamansálan, T.; Calamansánai, T.;  
 Chéche (Nueva Viseaya).
- S. DIVERSIFOLIA** Hook. Mambób.
- S. SPECIOSA** Korth. Mambóg.

STERCULIA. (*Sterculiaceae*.) Large trees or shrubs, with simple, palmately lobed or digitate leaves.

Amláng, T.; Anahánon, B.; Bácan, T.; Balabónot; Busáin, V.; Maglólópoy, Z.; Malabunót, T.; Malacacão, T.; Malañnot, T.; Panaquitín, T.; Tucán-cálo, T.

S. BALANGHAS Blanco. Balánghas.

S. FETIDA L. Leaves digitate. The seeds yield a valuable oil. The flowers have a fœtid odor.

Bañgár, H.; Bóbog, V.; Calompán, T.; Calúmpag, T.; Calúmpan, Pamp.; Calúmpang, T.; Calúmpang; Calúngpang, T.; Caumpáng (Jolo).

S. OBLONGATA R. Br. Uós, B.

S. RUBIGINOSA Vent. Nãto, T.

S. STIPULARIS R. Br. Malabonót.

S. URENS Roxb. Banflad, V., T.

STEROSPERMUM. (*Bignoniaceae*.) Trees with 1 or 2-pinnate leaves and large lax terminal panicles.

Bíbit-párang; Macatúray; Malacatúray, Z.

S. PINNATUM Rolfe. Bánai-bánai, T.

S. QUADRIPINNATUM F. Vill. Ansóhan, V.; Badlán, V.; Bánai-bánai, T.; Bánai-bánayan, V.; Bánay; Banáyan; Baticulín, T.; Báltan; Bótong-manóc, T.; Uimbabáon, T.

STREBLUS. (*Urticaceae*.) Shrubs with small harsh leaves.

Búc-bóc, Pump.

S. ASPER Lour. Alásis; Alódig, H., T.; Ámpas, Pamp.; Balañgáquin, Cag.; Bóeboc, T.; Bógto-táe, V.; Cacáde, T.; Cálíos, T.; Calóis; Calúis, T.; Malaipítai, B.

STREPTOCAULON BAUMII Decne. (*Asclepiadaceae*.) Twining tomentose shrubby vine.

Dugtúng-áhas, T.; Parongtóng-áhas, T.

STRYCHNOS. (*Loganiaceae*.) Trees or scandent shrubs. The fruit of several species yield strychnine.

Cabucabuláuan, B.; Malagaráyat, T.; Tálang-índong, B.

S. CELEBICA Koorders. Bugájin, V.

S. IGNATI Berg. Fruit large, spherical, medicinal.

Aguáson, V.; Cabalóngan, T., Pamp.; Catalónğa, V.; Catbulonga; Daneági, V.; Canlára, V.; Frúta, Sp. Fil.; Igásud, V.; Muni-naog, V.; Panğaguáson, V.; Pepíta, T.; Pepíta-de-San Ignácio, Sp. Fil.; Pepíta-sa-catbalóngan, V., T., B., Pamp.

S. MULTIFLORA Benth. Bátul, T.

S. POTATORUM L. f. Camótin, T.

SUMBAVIA ROTTLEROIDES Baill. (*Euphorbiaceae*.) A tree with stellate pubescence.

Alipáro, T.; Quiráp, T.

SYMPHOREMA LUZONENSIS Vidal. (*Verbenaceae*.) A scandent shrub with capitate peduncled cymes, with an involucre of 6 bracts. Flowers blue or purple.

Balíbai, Pamp.; Malabuláon, Pamp.; Malascóg, T.; Pamulacláquin, T.

SYMPLOCOS. (*Stryacca*.) Trees or shrubs, often drying yellow. Species many in the Philippines.

Calomansóla, T.; Libas-libas: Maragahúlo, T.; Matalápay, B.

## T.

TABERNÆMONTANA. (*Apocinacea*.) Shrubs with milky sap, white flowers, and red fruits; much used in medicine.

Iris, Mang.; Jandayageót, V.; Sapít-usá (Albay); Talanisoy, B.; Tampúpot, T.; Tíncal, V.

T. CUMINGIANA A. DC. Halibutbút, B.

T. GLOBOSA Blanco. Fruit globose.

Bayág-usá, T.

T. PANDACAQUI Poir. Fruit elongated.

Alibúbut, V.; Campópót, T.; Curribuétbuet, Il.; Pandacágue, T.; Pandacáqui, T., V., Pamp.; Pandáya, V.; Toár, V.

TACCA. (*Taccacea*.) Herbaceous plants from a creeping rootstalk, the scape leafless; flowers umbelled.

Panñígsát-it-manatád, V.; Tíncut-lañguit, T.

T. PALMATA Blume. Magsalóro, V.

T. PINNATIFIDA Forst.

Canóbong, V.; Magsalóro-ñga-dacú, V.; Panarién, Il.; Pannirién, Il.; Tayóbong, V.

T. RUMPHII, Schauer. Bágong, V.; Bágong-bágong, V.; Canálong, V.

TALAUMA. (*Magnoliacea*.) Trees or shrubs with large white flowers and large fruits.

Anúbiong (Tayabas); Cacáo-cacáoan; Macalascálas, B.

T. ANGATENSIS F. Vill. Anfbong, Pamp.; Anóbling, T.; Anúbiling, V.; Bali-eásan, T., V.; Malicaseásan, V.

T. VILLARIANA Rolfe. Anóbling, T.

TAMARINDUS INDICA Linn. (*Leguminosæ*.) A tree with straw-yellow flowers. Seeds embedded in an edible pulp. The tamarind.

Camalágui, V.; Macasampáloc, T.; Salomágue, Il.; Salumágui, Il.; Samalágui, V.; Sambac, B.; Sambág, V.; Sambágui, V.; Sambalágui, V.; Sampalágui, B.; Sampáloc, T., B., Pamp.; Sumalágui, V.; Tamaríndo, Sp. Fil.

TARRIETIA SYLVATICA Merrill. (*Sterculiacea*.) Tall tree with leaves white beneath, fruit winged. A valuable timber tree.

Dunñól; Dúnñon; Dúnñón; Dúnñun, T., V.; Dunñún, V.; Palonápin; Palonápoy, Z.; Paronápin, Il.

TAXOTROPHIS ILICIFOLIA Vidal. (*Urticacea*.) A small shrub with glossy leaves similar to "holly."

Cúyos-cúyos, V.; Malalimón.

TECTONA GRANDIS L. f. (*Verbenacea*.) A large tree, stellate tomentose, leaves large ovate, inflorescence paniculate. Teak

Calayáte, V.; Dalánan, V.; Dalandón, V.; Dalondón, V.; Sagunyáte, V.; Téca, Sp. Fil.; Tída, T.; Yáte, V.

TEPHROSIA. (*Leguminosæ*.) Herbs or undershrubs.

Dacandáng, V.

T. LUZONENSIS Vogel. Herbaceous, prostrate.

Dagaṅgdáng, V.; Maasfe, Pamp.; Tágum-tágum, V.; Tayomtáyóman, T.

TERMINALIA. (*Combretaceae*.) Trees with leaves and spicate inflorescence approximate at the ends of the branches.

Aritóngtong, Il.; Balitóson; Bilúg-dalága, T.; Binólo, T.; Binúlo, T.; Calamáyon, T.; Calamittít; Cal-aúttít, Il.; Diglás, T.; Dalénse, T.; Dalénsin, T.; Dampól, T.; Dinglás, T.; Gatásan, T.; Liápa, Z.; Magarapála, T.; Magaríla, T.; Malagaháñip, T.; Malaputát, T.; Malasácot, T.; Malatalísay, V.; Náto, T.; Paitán, T.; Paitán; Sacáp, Z.; Bobosábo, T.; Tagógon, Z.; Tañgisan, T.; Tañgál, B.; Tugó-gong, Z.

T. CALAMANSANAY Rolfe. A tree with winged fruits.

Bancaláguan; Bancaláuag, V.; Bancaláuan, T.; Calamansánai, T.; Lumánog, V.; Malacalúmpit, B.

T. CATAPPA L. Commonly cultivated for shade tree, fruit edible.

Alméndro, Sp. Fil.; Banflac, V.; Dalára; Dalinsí, B.; Calísai, Pamp.; Dalísay (Mindanao); Hintán; Hítam, V.; Lúgo, Il.; Náto, V.; Pandán, Il.; Salaysáy; Salísay; Talísay, T., V., Pamp.

T. EDULIS Blanco. A forest tree, fruit edible.

Calompít, T.; Calumánog, V.; Calumpít, T.; Cótmo, B.

T. NITENS Presl. Sacát, T.

TERNSTROEMIA. (*Ternstroemiaceae*.) Glabrous evergreen trees with leathery leaves.

Bíteac, T.; Cianbóg-túgba.

T. TOQUIAN F. Vill. Garamansátay, T.; Toquian, T.

TETRACERA MACROPHYLLA Wall. (*Dilleniaceae*.) A shrub with rigid scabrid leaves.

Malacatmón, T.

THEMEDA GIGANTEA L. (*Gramineae*.) A coarse, tufted grass, common in open dry lands.

Talaúyo, T.

THEOBROMA CACAO L. (*Sterculiaceae*.) A small tree, introduced from America; cacao or chocolate.

Cacáo, Sp.

THESPIA CAMPYLOSIPHON Rolfe. (*Malvaceae*.) A tree with large flowers. Lanútan.

T. MACROPHYLLA Blume. A tree with large flowers, found near the sea coast.

Banága-pulá, T.; Banáro (Pang.); Bannágo, T., V.; Bulacán, V.

T. POPULNEA Corr. Very closely related to the preceding.

Báboi-gúbat, T.; Bábuy, T.; Banálo, T.; Bóboi-gúbat, T.; Búbuy-gúbat, T.; Bulacán, V.; Malibágo, T.; Malasantól, T.

TIMONIA PHILIPPINENSIS Merrill. (*Rubiaceae*.) A small tree.

Mayóro; Payále.

TINOSPORA CRISPA Miers. (*Menispermaceae*.) A climbing shrub with ovate cordate leaves and single or fascicled racemes.

Macabúhai, T.; Paliávan, V.; Panávan, V.; Pañgiávan, V.

TOURNEFORTIA. (*Borraginaceae*.) Pángas, Pamp.; Sallocápo, Il.

- T. ARGENTEA* L. f. A small shrub with thick branches, densely pubescent leaves, and numerous small woolly flowers, found on the seashores. Balacbálac, V.; Manául, V.
- T. SARMENTOSA* Lam. A woody, climbing vine. Calagúñg-úg, V.; Pátai-óod, V.; Sallacápo, H.
- TRACHELOSPERMUM.* (*Apocinacea.*) Climbing shrubs with white or purplish flowers. Bayácto, B.
- TREMA AMBOINENSIS* Blume. (*Urticacea.*) Shrub or small tree with tomentose leaves. Anabíon, V.; Hanáron, T.; Hinagdúng, V.
- TRIANTHEMA MONOGYNA* L. Ayam, V.; Tostón, T.
- TRICHOCARYA.* (*Rosacea.*) Loctón.
- TRICHODESMA ZEYLANICUM* R. Br. (*Borraginacea.*) A coarse hispid herb. Mabúlo, T.; Olongáin.
- TRICHOGLOTTIS RIGIDA* Blume. (*Orchidacea.*) An epiphytic orchid. Sangúmai, T.
- TRICHOSANTHES AMARA* L. (*Cucurbitacea.*) Búyo-búyo; Caragdá; Igásur.
- T. ANGUINA* L. A herbaceous, climbing vine, cultivated. Cucubítan, T., V., Pamp.; Curagdá, V., Pamp.; Hála-hála, T.; Hothót, T.; Pacúpis, T.; Pocotpócot, V., Pamp.; Pucopócot, V., Pamp.; Salagsálag, T.; Salimpócot, T.
- T. GLOBOSA* Blume. Calán-um oñac, V.
- TRIPHACEA AURANTIOLA* Lour. (*Rutacea.*) A shrub or small tree. Limonáto.
- T. TRIFOLIATA* DC. Limoneíto, Sp.
- TRISTELLATEIA AUSTRALASICA* A. Rich. (*Malphigiacea.*) A scandent shrub with yellow flowers, found near the sea shore. Bagnít, T.; Báguít, B.; Binusísi, T.; Ibud-ibud, V.
- TRISTIRA TRIPTERA* Radlk. (*Sapindacea.*) Large tree. Cáboy-dalága; Maladíac.
- TRIUMFETTA SEMITRILoba* L. (*Tiliacea.*) An herbaceous plant with globose prickly fruits. Calótang-bilóg; Colótan, T.; Daracót, V.
- TURRAEA VIRENS* L. (*Burseracea.*) A shrub or small tree with axillary peduncles bearing elongated white or yellow flowers. Igúfa.
- TYPIHA ANGUSTIFOLIA* Linn. (*Typhacea.*) Common in wet, open soil: "cat tail flag." Baláñgot, T.; Dilang-butiquí, T.; Homái-homái, V.; Lampacámai, V.
- TYPHONIUM DIVARICATUM* Deene. (*Aroidca.*) Tuberous herbs. Gábi-gabíhan, T.

## U.

- UNCARIA.* (*Rubiacea.*) Climbing shrubs, the flowers in loose globose heads. Canáuay, T.; Hagónog; Quiláp, T.
- U. ACIDA* Roxb. Mampél, V.

U. *HOOKERI* Vid. Balucftu (Morong).

UNONA. (*Anonacea*.) Trees or shrubs.

Amúyon (Tayabas); Cábog, T.; Cáboy, Súsong calabáo, T.

U. *ODORATA* (?) DC. Aláyan (Angat).

URENA. (*Malvacea*.) Herbs or undershrubs more or less covered with rigid stellate hairs.

Mankít, T.

U. *SINUATA* L. Flowers pink.

Colótan, T., V., Pamp.; Colót-colótan, T., V., Pamp.; Culuculútan, T.; Culótan; Dalúpan, T., V., Pamp.; Dalúpang, V.; Molopólo, T., V., Pamp.

UROPHYLLUM *GLABRUM* Jack. (*Rubiacea*.) A shrub or small tree.

Doátlo; Maglimócon.

UTRICULARIA *FLEXUOSA* Vahl. (*Lentibulariaceae*.) A floating herb with yellow flowers.

Ináta (Bulacan).

UVARIA. (*Anonacea*.) Trees or shrubs.

Súsong-damúlag, Pamp.; Tanḡisan, T.

U. *DULCIS* Dunal. Dalagánun, V.; Dalágao, V.

U. *OVALIFOLIA* Blume. Bulágac, B.

U. *PURPUREA* Blume. Banáuac, T., V.; Súsong calabao, T., V.

## V.

VACCINIUM *BARANDANUM* Vidal. (*Ericacea*.) Shrubs or undershrubs of the higher mountains. The "blue berries" of the United States.

Lúsong (Lepanto).

V. *INDUTUM* Vidal. Bannáy, Ig.; Bunuáy (Bontoe).

VALLISNERIA *SPIRALIS* L. (*Hydrocharidacea*.) A submerged marine herb with very long linear leaves.

Cintas-cintásan, T.

VANDA *LISSOCHILOIDES* Lindl. (*Orchidacea*.) An epiphytic orchid.

Sábila, T.

VANGUERIA *SPINOSA* Roxb. (*Rubiacea*.) A shrub or small tree with numerous spines and small edible drupes.

Madondón, T.; Malaásis, T.

VATICA. (*Dipterocarpaceae*.) Large trees yielding valuable timber.

Bácuog, Pang.; Láuan-na-pulá, T.; Malacbán, T.; Yácal-putí, T.

V. *MANGACHAPOI* Blanco. Mangachapói, T.

VERNONIA. (*Compositae*.) Herbs, shrubs or trees.

Aláui, T.; Fangfángun, Ig.; Sínḡon, Ig.

V. *ARBOREA* Ham. A small tree with purplish flowers.

Laoepáo, Cag.; Patabuguín (Paragua).

V. *CHINENSIS* Less. An annual herb.

Bayaquíboe, T.; Hípon-hípon, V.; Laebóng-laebóng, V.

V. *VIDALII* Merrill. Similar to V. arborea, but the leaves densely pubescent.

Malasambóng, T.

VERBENA *BONARIENSIS* L. (*Verbenacea*.) An herb with sessile oblong leaves.

Poléo.

- VENTILAGO MADERSPATANA** Gaertn. (*Rhamnaceæ*.) A scandent shrub with glabrous leaves, the flowers in simple or paniculate spikes.  
Salapáo, T.; Silípao, T.
- VIBURNUM LUZONICUM** Rolfe. (*Caprifoliaceæ*.) A scandent shrub with Baguiróro, V.; Putúd (Nueva-Viscaya).
- V. ODORATISSIMUM** Ker. Apfit, Ig.
- VIDALIA.** (*Guttiferaæ*.) Trees with coriaceous leaves.  
Cáloc-cátino; Magaán, B.; Malaságuin-laláque.
- V. LEPIDOTA** F. Vill. Palo-maría, T.
- V. NAVESII** F. Vill. Palo-maríang-gúbat, T.
- VIGNA.** (*Leguminosæ*.) Herbaceous vines.  
Butíngui.
- V. CATJANG** Endl. Cultivated, the "cow pea" of the United States.  
Balátong, V.; Hamtác, V.; Lastón, V.; Quibal, T.; Sítao (Manila).
- VILLARIA PHILIPPINENSIS** Rolfe. (*Rubiaceæ*.) Shrubs or trees.  
Lasgás, B.
- VILLEBRUNEA.** (*Urticaceæ*.) Shrubs or trees.  
Alipasiao, B.
- V. FRUTESCENS** Blume. Alámang.
- VINCA ROSEA** Linn. (*Apocinaceæ*.) A low, erect undershrub with showy white or red flowers, common along the seashore.  
Cantótan, T.; Rósas-sa-bábay, V.
- VITEX.** (*Verbenaceæ*.) Trailing or erect shrubs or large trees.  
Amuráong, B.; Baláuen, Pang.; Bulauísan, Il.; Calimántao; Gimubáon, V.; Hamoláuon, V.; Limólímo, Il.; Magúmu (Albay); Mahu-gagnao, V.; Marasagát, Il.; Muláto, T.; Muláuén-babáe; Pananculánan, B.; Salipapá (Albay).
- V. AHERNIA** Merrill. A tree with glossy leaves.  
Ígang, T.
- V. HETEROPHYLLA** Roxb. A tree.  
Bagóaron, V.
- V. LITTORALIS** Decne. A large tree, valuable for its timber.  
Amuáuán; Amugánan; Amuyáon, Buláon, T., Pamp.: Hamuláon, T., B.; Jamoláuon; Muláon (Iloilo); Moláuín. T.; Moláve, T.; Molávin, T.; Muláuín, T.; Sagád, Il.; Sagát, Il.; Salincápa, Túgas.
- V. OBOVATA** Thunb. A trailing shrub with obovate unifoliate leaves, common on the seashore.  
Agubárao, V.; Gápas-gápas, V.; Lagúndo, T.; Lagundíng-gápang, T.
- V. NEGUNDO** Linn. An erect shrub with 5-foliate leaves.  
Agnocásto, Sp. Fil. Vit.; Lagúndi, T.; Maláwin, T.; Molávin, T.
- V. PHILIPPINENSIS** Merrill. A tree with large 5-foliate leaves, the petiole broadly foliate margined.  
Bulí-cáboy.
- V. TRIFOLIA** L. An erect shrub or small tree on seashore.  
Dáñgla, Il.; Lagundín-dágat.
- VITIS.** (*Ampelidaceæ*.) Tendril-bearing woody vines. The grape and the "wood bine" of the United States belongs to this genus.  
Súgpon súgpon, V.; Tumintíng, V.

